



US00D921236S

(12) **United States Design Patent**  
**Sørensen**

(10) **Patent No.:** **US D921,236 S**  
(45) **Date of Patent:** **\*\* Jun. 1, 2021**

(54) **ACOUSTIC BUILDING ELEMENT**

8,960,367 B1 \* 2/2015 Leclerc ..... G10K 11/20  
181/286

(71) Applicant: **Rockwool International A/S,**  
Hedehusene (DK)

9,058,799 B2 \* 6/2015 Algargoosh ..... G10K 11/16

9,260,863 B2 \* 2/2016 Thun ..... E04B 9/34

9,322,165 B2 \* 4/2016 Luhtala ..... E04B 1/84

9,624,662 B1 \* 4/2017 Hall ..... E04B 1/86

(72) Inventor: **Nicolai Sørensen,** Hedehusene (DK)

D806,905 S \* 1/2018 Kitajima ..... D25/138

D806,906 S \* 1/2018 Kitajima ..... D25/138

(73) Assignee: **Rockwool International A/S,**  
Hedehusene (DK)

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Doris Clark

(74) *Attorney, Agent, or Firm* — Cook Alex Ltd.

(21) Appl. No.: **29/722,489**

(57) **CLAIM**

The ornamental design for an acoustic building element, as shown and described.

(22) Filed: **Jan. 30, 2020**

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Aug. 9, 2019 (EP) ..... 006691028-0010

Aug. 9, 2019 (EP) ..... 006691028-0011

Aug. 9, 2019 (EP) ..... 006691028-0012

(51) **LOC (13) Cl.** ..... **25-01**

(52) **U.S. Cl.**  
USPC ..... **D25/160**

(58) **Field of Classification Search**

USPC ..... D25/158, 160, 162, 138

CPC .. E04F 15/20; E04B 1/99; E04B 1/994; E04B

1/82; E04B 1/84; E04B 1/86; E04B

2001/8457; E04B 2001/8471; E04B

2001/8414; E04B 2001/8404; E04B

2001/8409; E04B 9/00

See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of an acoustic building element showing my new design;

FIG. 2 is a front view of the acoustic building element of FIG. 1, the rear view, right side view and left side view being identical thereto;

FIG. 3 is a perspective view of a second embodiment of an acoustic building element showing my new design;

FIG. 4 is a front view of the acoustic building element of FIG. 4, the rear view, right side view and left side view being identical thereto;

FIG. 5 is a perspective view of a third embodiment of an acoustic building element showing my new design;

FIG. 6 is a front view of the acoustic building element of FIG. 5, the rear view, right side view and left side view being identical thereto; and,

FIG. 7 is a top view of the first embodiment of an acoustic building element shown in FIG. 1, the top views of the second embodiment shown in FIG. 3 and the third embodiment shown in FIG. 5 being identical thereto.

No drawing figures showing a bottom view are provided, as the bottoms of the acoustic building element are flat and include no surface ornamentation.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D195,460 S \* 6/1963 Lanz ..... D25/158

D201,880 S \* 8/1965 Radcliffe ..... D25/158

D206,436 S \* 12/1966 Hurban ..... D25/158


D207,055 S \* 2/1967 Gorka ..... D25/160


D238,573 S \* 1/1976 Goldman ..... D25/160

D618,364 S \* 6/2010 Schrom ..... D25/113

D714,968 S \* 10/2014 Martin ..... D25/157

**1 Claim, 7 Drawing Sheets**






*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*