



US00D921313S

(12) **United States Design Patent** (10) **Patent No.:** **US D921,313 S**
Becker (45) **Date of Patent:** **** Jun. 1, 2021**

(54) **WETTING DEVICE**

(71) Applicant: **Hydroflex Group GmbH**, Gladenbach (DE)

(72) Inventor: **Edward Becker**, Gladenbach (DE)

(73) Assignee: **HYDROFLEX GROUP GMBH**, Gladenbach (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/661,954**

(22) Filed: **Aug. 31, 2018**

(51) **LOC (13) Cl.** **07-05**

(52) **U.S. Cl.**
USPC **D32/53**

(58) **Field of Classification Search**

USPC D32/27, 37, 53, 53.1, 54
CPC B44D 3/123; B44D 3/128; B44D 3/12;
B44D 3/126; B44D 3/127; B65D
2543/00092; A47L 13/50; A47L 13/58;
A47L 13/59; A47L 13/60; A47L
13/255–258

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

326,898 A * 9/1885 Burnham A47L 13/60
15/262
467,351 A * 1/1892 Allen A47L 13/60
15/262
526,449 A * 9/1894 Keller A47L 13/60
15/262
1,552,736 A * 9/1925 Dunphy A47L 13/60
15/262

(Continued)

Primary Examiner — Sheryl Lane
Assistant Examiner — Calvin E Vansant

(74) *Attorney, Agent, or Firm* — Grossman, Tucker, Perreault & Pfleger, PLLC

(57) **CLAIM**

The ornamental designs for a wetting device, as shown.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of the wetting device of the present invention;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a right view thereof;

FIG. 6 is left view thereof; and

FIG. 7 is a bottom view of the wetting device of the present invention;

FIG. 8 is a top view of the wetting device of the present invention with the transfer plate removed;

FIG. 9 is a front view thereof;

FIG. 10 is a bottom view thereof;

FIG. 11 is a right view thereof;

FIG. 12 is a left view thereof;

FIG. 13 is a back view thereof; and;

FIG. 14 is a is a perspective view thereof;

FIG. 15 is a bottom view of the transfer plate of the wetting device;

FIG. 16 is a top view of the transfer plate;

FIG. 17 is another view of the transfer plate;


FIG. 18 is another view of the transfer plate;

FIG. 19 is another view of the transfer plate;

FIG. 20 is another view of the transfer plate; and,

FIG. 21 is another view of the transfer plate of the wetting device.

1 Claim, 21 Drawing Sheets
(21 of 21 Drawing Sheet(s) Filed in Color)



(56) **References Cited**

U.S. PATENT DOCUMENTS

1,690,026 A * 10/1928 Miskewicz A47L 13/60
15/262
1,846,906 A * 2/1932 Rupp A47L 13/60
15/262
2,166,965 A * 7/1939 Palmer A47L 13/59
15/261
D153,004 S * 3/1949 Minnis A47L 13/59
D32/27
2,638,952 A * 5/1953 Sanderson B65D 7/26
220/9.2
2,651,073 A * 9/1953 Roe A47L 13/59
15/261
2,802,233 A * 8/1957 Eberly A47L 13/59
15/261
3,452,379 A * 7/1969 Bard A47L 13/59
15/1
D279,426 S * 7/1985 Dzak A47L 13/60
D12/415
6,055,698 A * 5/2000 De Guzman A47L 13/59
100/122
9,204,776 B1 * 12/2015 Dinh A47L 13/11
2009/0173849 A1 * 7/2009 Rose B44D 3/126
248/146
2020/0069144 A1 * 3/2020 Becker A47L 13/256

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21