



US00D921481S

(12) **United States Design Patent** (10) **Patent No.:** **US D921,481 S**  
**Brock** (45) **Date of Patent:** **\*\* Jun. 8, 2021**

(54) **CONTAINER**  
(71) Applicant: **Frank Brunckhorst Co., L.L.C.**,  
Brooklyn, NY (US)  
(72) Inventor: **George Brock**, Bradenton, FL (US)  
(73) Assignee: **Frank Brunckhorst Co., L. L. C.**,  
Brooklyn, NY (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/718,726**  
(22) Filed: **Dec. 27, 2019**

D554,498 S 11/2007 Lovett  
D657,237 S 4/2012 Allers et al.  
D668,536 S 10/2012 Sanfilippo  
D793,811 S \* 8/2017 Ng ..... D7/540  
D808,794 S 1/2018 Yessin  
D821,820 S 6/2018 Chen et al.  
D840,221 S 2/2019 Lam  
D850,249 S 6/2019 D'Alessandro et al.  
D871,208 S \* 12/2019 Brock ..... D9/423  
D873,656 S \* 1/2020 Wouters ..... D9/426  
D874,263 S \* 2/2020 Wouters ..... D9/426  
D880,248 S \* 4/2020 Zhen ..... D7/602  
D886,578 S \* 6/2020 Figgins ..... D9/423  
D886,593 S \* 6/2020 D'Alessandro ..... D9/426

(Continued)

**Related U.S. Application Data**

(63) Continuation of application No. 29/626,758, filed on  
Nov. 20, 2017, now Pat. No. Des. 871,208.  
(51) **LOC (13) Cl.** ..... **09-03**  
(52) **U.S. Cl.**  
USPC ..... **D9/423**  
(58) **Field of Classification Search**  
USPC ..... D9/414, 416, 418, 420, 423, 424, 425,  
D9/426, 430, 431, 432, 433, 438, 449,  
D9/629, 711, 737; D7/546, 549, 538,  
D7/602, 615, 629, 701; 229/111, 112,  
229/222, 230, 902, 904  
CPC . B65D 5/00; B65D 5/66; B65D 5/325; B65D  
5/5253; B65D 5/5246; B65D 5/6605;  
B65D 5/6632; B65D 5/6635; B65D  
5/6644; B65D 1/34; B65D 81/3813;  
B65D 43/163; B65D 21/00  
See application file for complete search history.

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Clint A Samuel  
(74) *Attorney, Agent, or Firm* — Hoffmann & Baron, LLP

(57) **CLAIM**


The ornamental design for a container, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of a container shown in a closed  
position and constructed in accordance with the invention;  
FIG. 2 is a top elevation view of the container shown in FIG.  
1;  
FIG. 3 is a bottom elevation view of the container shown in  
FIG. 1;  
FIG. 4 is a front view of the container shown in FIG. 1;  
FIG. 5 is a right side elevational view of the container shown  
in FIG. 1;  
FIG. 6 is a rear view of the container shown in FIG. 1; and,  
FIG. 7 is a left side elevational view of the container shown  
in FIG. 1.  
The broken lines shown in the drawings represent unclaimed  
environment and are for illustrative purposes only, forming  
no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D218,155 S 7/1970 Britt  
D408,734 S 4/1999 McCann

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D897,832 S \* 10/2020 Pohlman ..... D9/420  
2004/0134910 A1 \* 7/2004 Colombo ..... B65D 43/164  
220/4.23  
2020/0039716 A1 \* 2/2020 Ferk ..... B65D 77/2096  
2020/0071037 A1 \* 3/2020 Epstein ..... B65D 65/42

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7