



US00D921508S

(12) **United States Design Patent** (10) **Patent No.:** **US D921,508 S**
Donlan et al. (45) **Date of Patent:** **** Jun. 8, 2021**

(54) **THERMOSTAT RETENTION MEMBER**

(71) Applicant: **Appleton Grp LLC**, Rosemont, IL (US)

(72) Inventors: **Andrew J. Donlan**, Guelph (CA); **Paul E. Mazur**, Kitchener (CA); **Jacob Holfeuer**, Kitchener (CA)

(73) Assignee: **Appleton Grp LLC**, Rosemont, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/711,510**

(22) Filed: **Oct. 31, 2019**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/103**

(58) **Field of Classification Search**
USPC D8/349, 354, 373, 380, 382, 394;
D10/46, 50, 51, 52, 53, 60, 103;
D13/152, 153, 154, 155, 156
CPC ... H02B 1/00; H02B 1/06; H02B 1/14; H02K
11/25; F16B 2/08; F24H 9/20; F16L
55/07; H01R 13/585; H01R 13/6392
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,365,487 A * 12/1944 Murray G01K 1/08
374/207
D197,417 S * 1/1964 Kirkpatrick D8/356
D205,138 S * 6/1966 Darrah et al. D10/83
3,515,917 A * 6/1970 Kolb B21D 35/007
310/71
3,842,297 A * 10/1974 Pleiss, Jr. H02K 11/25
310/68 C
4,028,570 A * 6/1977 Kieffer H02K 11/25
310/68 C
4,261,539 A * 4/1981 Albern F16B 2/08
24/16 PB
D261,367 S * 10/1981 Janson D10/60

D265,055 S * 6/1982 Bone D8/394
D305,977 S * 2/1990 Ono D8/382
D312,040 S * 11/1990 Johnson, Jr. D8/373
D363,877 S * 11/1995 Dee D8/373
D371,832 S * 7/1996 Kelly 23/314

(Continued)

OTHER PUBLICATIONS

Emerson Catalog, "EasyHeat AHB Cable: Pipe Freeze Protection, Constant Wattage, Pre-Terminated. For Residential Applications.", 2017, 2 pages.

Primary Examiner — Leanne Was-Englehart

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen Hulbert & Berghoff LLP


(57) **CLAIM**

The ornamental design for a thermostat retention member, as shown and described.

DESCRIPTION

FIG. 1 is a perspective rear view of a thermostat retention member having the inventive design;
 FIG. 2 is a rear view of the thermostat retention member shown in FIG. 1;
 FIG. 3 is a front view of the thermostat retention member shown in FIG. 1;
 FIG. 4 is a right side view of the thermostat retention member shown in FIG. 1;
 FIG. 5 is a left side view of the thermostat retention member shown in FIG. 1;
 FIG. 6 is a top view of the thermostat retention member shown in FIG. 1; and,
 FIG. 7 is a bottom view of the thermostat retention member shown in FIG. 1.
 The broken line disclosure represents portions of the thermostat retention member which forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7