



US00D921584S

(12) **United States Design Patent**
Bournique

(10) **Patent No.:** **US D921,584 S**

(45) **Date of Patent:** **** Jun. 8, 2021**

(54) **ELECTRIC POWER SUPPLY STATION**

(71) Applicant: **REMEDEE LABS**, Meylan (FR)

(72) Inventor: **Jean-Yves Bournique**, Meylan (FR)

(**) Term: **15 Years**

(21) Appl. No.: **35/508,825**

(22) Filed: **Feb. 14, 2020**

(80) **Hague Agreement Data**

Int. Filing Date: **Feb. 14, 2020**

Int. Reg. No.: **DM/206344**

Int. Reg. Date: **Feb. 14, 2020**

Int. Reg. Pub. Date: **Mar. 13, 2020**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/108, 118; D14/253, 434, 451, 230;
D16/245; D21/516; D19/99
CPC .. A47L 9/2852; G05D 1/0225; G05D 1/0274;
G05D 1/0272; G05D 1/0227
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D30,046 S *	1/1899	Pincus	D19/99
D223,842 S *	6/1972	Kughta	D21/516
D359,052 S *	6/1995	Nagele	D14/253
D360,723 S *	7/1995	Kasai	D13/108
D394,425 S *	5/1998	Snyder	D13/118
D456,351 S *	4/2002	Yoneda	D13/108
D510,066 S *	9/2005	Hickey	D13/108

D558,764 S *	1/2008	Kuo	D14/230
7,332,890 B2 *	2/2008	Cohen	G05D 1/0227 320/109
D617,801 S *	6/2010	Chang	D14/451
D639,237 S *	6/2011	Lee	D13/108
D687,437 S *	8/2013	Hagenauer	D14/434
8,660,736 B2 *	2/2014	Chen	G05D 1/0225 701/24
8,898,854 B2 *	12/2014	Tso	A47L 9/2852 15/319
D818,950 S *	5/2018	Ebrahimi Afrouzi	D13/108
D853,326 S *	7/2019	Jun	D13/108
10,678,251 B2 *	6/2020	Haegermarck	G05D 1/0274
D898,808 S *	10/2020	Seflic	D16/245
2004/0158357 A1 *	8/2004	Lee	G05D 1/0272 700/258

* cited by examiner

Primary Examiner — Rhea Shields

(57) **CLAIM**


The ornamental design for electric power supply station, as shown and described.

DESCRIPTION


1. Electric power supply station
- 1.1 is a perspective view;
- 1.2 is a front view;
- 1.3 is a rear view;
- 1.4 is a side view; and
- 1.5 is a rear perspective view.

This design covers a charging case for a connected bracelet; the bracelet attaches magnetically to the charger; a battery inside the charging base allows the bracelet to be charged while on the move up to five times and the charge level of the charging stand is displayed by LEDs.


1 Claim, 5 Drawing Sheets




1.1




1.2



1.3



1.4



1.5

