



US00D921955S

(12) **United States Design Patent**
Zhang

(10) **Patent No.:** **US D921,955 S**

(45) **Date of Patent:** **** *Jun. 8, 2021**

- (54) **LED TROFFER LIGHT FIXTURE**
- (71) Applicant: **Shenzhen OKT Lighting Co., Ltd.**,
Shenzhen (CN)
- (72) Inventor: **Yilong Zhang**, Shenzhen (CN)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/691,896**
- (22) Filed: **May 21, 2019**
- (51) **LOC (13) Cl.** **26-05**
- (52) **U.S. Cl.**
USPC **D26/74**
- (58) **Field of Classification Search**
USPC D26/74, 72, 75, 76, 77, 78, 85, 88, 89,
D26/118, 138, 141, 67, 70; 362/364,
362/365, 373, 145, 146, 147, 148, 150,
362/153, 153.1, 294, 296.01, 296.07,
362/296.08
CPC F21V 29/2262; F21V 7/06; F21V 21/044;
F21V 21/047; F21V 29/2212; F21V
29/2225; F21V 29/2256; F21V 29/225;
F21V 29/2268; F21Y 2111/002; F21S
8/02; F21S 8/026
See application file for complete search history.

- D786,477 S * 5/2017 Lauderdale D26/76
- D807,557 S * 1/2018 Stromborg D26/74
- D819,861 S * 6/2018 Scribante D26/76
- D833,663 S * 11/2018 Stromborg D26/74
- D833,664 S * 11/2018 Verfueth D26/76
- D846,785 S * 4/2019 Luo D26/74
- D851,803 S * 6/2019 Lewis D26/74

* cited by examiner

Primary Examiner — Angela J Lee

(57) **CLAIM**

The ornamental design for an LED troffer light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a first embodiment of the LED troffer light fixture in accordance with the new design;

FIG. 2 is a bottom view of the first embodiment;

FIG. 3 is a top view of the first embodiment;

FIG. 4 is a right side view of the first embodiment;

FIG. 5 is a left side view of the first embodiment;

FIG. 6 is a front elevation view of the first embodiment;

FIG. 7 is a back elevation view of the first embodiment;

FIG. 8 is a bottom perspective view of a second embodiment of the LED troffer light fixture in accordance with the new design;

FIG. 9 is a bottom view of the second embodiment;

FIG. 10 is a top view of the second embodiment;

FIG. 11 is a back elevation view of the second embodiment;

FIG. 12 is a front elevation view of the second embodiment;


FIG. 13 is a right side view of the second embodiment; and,

FIG. 14 is a left side view of the second embodiment.

The broken lines present in FIGS. 1-14 illustrate portions of the LED troffer light fixture that form no part of the claimed design.

1 Claim, 10 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- D675,364 S * 1/2013 Watt D26/74
- D680,254 S * 4/2013 Mayfield, III D26/74
- D698,973 S * 2/2014 Santoro D26/74
- D699,386 S * 2/2014 Park D26/118
- D705,974 S * 5/2014 Blessitt D26/74
- D786,471 S * 5/2017 Snell D26/74






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14