



US00D922082S

(12) **United States Design Patent** (10) **Patent No.:** **US D922,082 S**  
**Zaha** (45) **Date of Patent:** **\*\* Jun. 15, 2021**

- (54) **SHEET MATERIAL**
- (71) Applicant: **SCHATTDECOR AG**, Thansau (DE)
- (72) Inventor: **Christian Zaha**, Traunstein (DE)
- (73) Assignee: **SCHATTDECOR AG**, Thansau (DE)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/758,437**
- (22) Filed: **Nov. 16, 2020**

**Related U.S. Application Data**

- (62) Division of application No. 35/507,638, filed on May 20, 2019 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of May 20, 2019, now Pat. No. Des. 905,973.

(51) **LOC (13) Cl.** ..... **05-06**

(52) **U.S. Cl.**  
USPC ..... **D5/43**

(58) **Field of Classification Search**  
USPC ..... D5/1, 2, 7, 8, 32, 37, 43, 53, 54, 55, 56, D5/57, 59, 61, 62, 99; D19/1, 5; D25/138, 150, 151, 156; D32/40  
CPC .... B44F 3/00; B44F 7/00; D03D 3/00; D03D 9/00; D06N 7/00; D21H 5/02; D21H 27/02; D02G 3/22

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D70,788 S \* 8/1926 Fowler ..... D02G 3/22 D5/62
- D88,248 S \* 11/1932 Megroz ..... D5/62
- D89,041 S \* 1/1933 Guhl ..... D5/62
- D90,344 S \* 7/1933 Schweizer ..... D5/32
- D97,320 S 10/1935 Young
- D101,580 S 10/1936 Gaul, Jr.
- D113,600 S 2/1939 Levy

- D122,867 S 10/1940 Goldsmith
- D170,535 S \* 10/1953 Johnson ..... D5/62
- D176,760 S \* 1/1956 Fulton ..... D5/32
- D186,300 S 10/1959 Edesess
- 3,515,619 A \* 6/1970 Barnette ..... B29C 39/026 428/15
- 3,692,557 A \* 9/1972 Sormani ..... B05D 5/062 427/257
- 3,979,532 A \* 9/1976 Muck ..... D06N 3/0018 427/245
- D261,191 S 10/1981 Ford et al.
- D425,709 S \* 5/2000 Mathews ..... D5/32
- D484,707 S \* 1/2004 Kraker ..... D5/43
- D484,708 S \* 1/2004 Kraker ..... B05D 5/062 D5/43
- 6,939,598 B2 \* 9/2005 Heckel ..... B44C 5/04 428/131
- D631,988 S \* 2/2011 Martin ..... B32B 27/40 D25/138
- D650,995 S 12/2011 Davis et al.

(Continued)

**OTHER PUBLICATIONS**

How to Repair, Jul. 24, 2010, found on Mar. 31, 2021 at <https://www.doityourself.com/stry/how-to-repair-scratches-in-polyurethane-wood-finish> (Year: 2010).\*

*Primary Examiner* — Karen S Acker  
(74) *Attorney, Agent, or Firm* — McNeese Wallace & Nurick LLC


(57) **CLAIM**

The ornamental design for a sheet material, as shown and described.

**DESCRIPTION**

The sole FIGURE is a plan view of a sheet material, showing the design.  
The sheet material may include vertical and horizontal repetition.

**1 Claim, 1 Drawing Sheet**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

D653,777 S 2/2012 Damen  
D661,105 S \* 6/2012 Gemperline ..... D5/55  
D707,370 S \* 6/2014 Schober ..... D25/111  
D720,472 S 12/2014 Schober et al.  
D728,828 S 5/2015 Metcalf  
D730,063 S 5/2015 Korkala et al.  
D731,798 S 6/2015 Korkala et al.  
D769,458 S \* 10/2016 Krisher ..... D25/118  
D791,362 S 7/2017 Metcalf et al.  
D795,470 S \* 8/2017 Su ..... D25/149  
D796,070 S \* 8/2017 Su ..... D25/149  
D796,072 S \* 8/2017 Su ..... D25/149  
D801,548 S 10/2017 Panzera  
D804,685 S 12/2017 Perry et al.  
D830,578 S 10/2018 Panzera  
D846,159 S \* 4/2019 Cronkhite ..... D25/152  
10,662,648 B2 \* 5/2020 Faynot ..... D21H 21/16  
D914,250 S \* 3/2021 Grzeskowiak, II ..... D25/151  
D914,921 S \* 3/2021 Grzeskowiak, II ..... D25/151  
2003/0051430 A1 \* 3/2003 Grove ..... C03C 25/26  
52/660  
2019/0024266 A1 \* 1/2019 Ozden ..... D02G 3/22

\* cited by examiner

