



US00D922178S

(12) **United States Design Patent** (10) **Patent No.:** **US D922,178 S**
Salotto (45) **Date of Patent:** **** Jun. 15, 2021**

(54) **CORD SECURING ASSEMBLY**
(71) Applicant: **Arnold G. Salotto**, York, PA (US)
(72) Inventor: **Arnold G. Salotto**, York, PA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/726,402**

D643,886 S * 8/2011 Kassel D21/662
8,191,207 B1 6/2012 Holscher
8,295,533 B1 10/2012 Schachtman
9,021,681 B2 5/2015 Owen
9,151,411 B2 10/2015 Owen
9,340,341 B2 5/2016 Farrell
9,537,268 B2 1/2017 Kellman
9,884,708 B2 2/2018 Cole et al.
9,927,057 B2 3/2018 Dyer et al.
(Continued)

(22) Filed: **Mar. 3, 2020**
(51) **LOC (13) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/349**
(58) **Field of Classification Search**
USPC D8/354, 349, 382, 367; D13/155, 154,
D13/153, 156, 157, 184, 199
CPC B65H 57/16; E02D 5/803; B63B 21/045;
B63B 59/02; B60D 1/18; B60P 1/103;
Y10T 24/3918; B65D 63/109; B65B
13/02
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

CA 2029816 A1 5/1991
EP 1291565 B1 3/2003
(Continued)

OTHER PUBLICATIONS

Related to Co-pending Design U.S. Appl. No. 29/726,408, filed Mar. 3, 2020.
(Continued)

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,616,215 A * 2/1927 Chilson A44C 5/145
63/5.2
3,174,787 A * 3/1965 Kolman E05C 17/36
292/288
3,953,911 A 5/1976 Fishack
D272,518 S * 2/1984 Smith D8/349
4,910,835 A * 3/1990 Carpenter H01R 13/58
24/129 R
4,991,265 A 2/1991 Campbell et al.
5,515,580 A 5/1996 McHenry, Jr.
D380,585 S * 7/1997 Olson D2/891
D382,379 S * 8/1997 Smith D30/151
6,543,094 B2 4/2003 D'Addario
6,681,451 B1 1/2004 Adams et al.
7,107,654 B2 9/2006 Byers
D570,256 S * 6/2008 Tucker D12/133
D639,355 S * 6/2011 Kassel D21/662
D639,356 S * 6/2011 Kassel D21/662


Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
(74) *Attorney, Agent, or Firm* — Womble Bond Dickinson (US) LLP

(57) **CLAIM**
The ornamental design for a cord securing assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cord securing assembly; FIG. 2 is a left side view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a front view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,938,062	B1	4/2018	Scarlett	
10,029,835	B1	7/2018	Cuddy et al.	
10,065,777	B2	9/2018	King	
10,183,793	B1	1/2019	Scarlett	
10,364,076	B2	7/2019	Seok	
10,369,484	B2	8/2019	Barnas et al.	
D861,087	S *	9/2019	Mantione, III D21/694
10,435,214	B2	10/2019	Kuperus	
2005/0257348	A1	11/2005	Byers	
2015/0225150	A1	8/2015	Farrell	
2016/0156141	A1	6/2016	Kellman	
2016/0297584	A1	10/2016	Bicknell et al.	
2017/0190486	A1	7/2017	Martinson	

FOREIGN PATENT DOCUMENTS

EP	2431296	B1	3/2012	
WO	WO2008137660	A1	11/2008	
WO	WO2015183743	A1	12/2015	
WO	WO2018009325	A1	1/2018	

OTHER PUBLICATIONS

Related to Co-pending Design U.S. Appl. No. 29/739,919, filed Jun. 30, 2020.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7