



US00D922485S

(12) **United States Design Patent**
Sakai

(10) **Patent No.:** **US D922,485 S**
(45) **Date of Patent:** **** Jun. 15, 2021**

- (54) **BEAD TABLE**
- (71) Applicant: **EPOCH COMPANY LTD**, Tokyo (JP)
- (72) Inventor: **Ryo Sakai**, Tokyo (JP)
- (73) Assignee: **EPOCH COMPANY, LTD.**, Tokyo (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/736,401**
- (22) Filed: **May 29, 2020**

Related U.S. Application Data

- (62) Division of application No. 29/671,861, filed on Nov. 30, 2018, now Pat. No. Des. 891,514.
- (51) **LOC (13) Cl.** **19-06**
- (52) **U.S. Cl.**
USPC **D19/111**
- (58) **Field of Classification Search**
USPC D19/108, 111, 113, 114, 59, 60, 62;
D21/469, 616, 619
CPC A63H 33/00; A63H 33/06; A63H 33/08;
A63H 33/086; A63H 33/088; A63H
33/001; A63H 33/14; A63F 9/06; B44C
3/00; B44C 3/12; B44C 3/123; G09F
9/37
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,697,351 A * 1/1929 Feddersen A63H 13/02
446/339
- D104,244 S * 4/1937 Lacy D7/301
- D122,400 S * 9/1940 Herlihy D21/415
- 2,923,452 A * 2/1960 Holovka, Jr. G06K 19/00
225/93
- 3,542,368 A * 11/1970 Ashley A63F 3/06
273/276

- 3,566,529 A * 3/1971 Kner et al. A63F 9/06
446/118
- D222,882 S * 1/1972 Sharer D19/113
- D305,142 S * 12/1989 Bateman D21/619
- D305,254 S * 12/1989 Bateman D21/616
- D309,915 S * 8/1990 Kagelmann-Holtz D19/59
- 4,986,756 A * 1/1991 Yamaguchi A63F 9/06
273/157 R
- D316,278 S * 4/1991 Cohen D19/59
- D321,076 S * 10/1991 Meyers, Jr. D1/107
- D321,077 S * 10/1991 Meyers, Jr. D1/107
- D359,526 S * 6/1995 Keung D19/59
- 5,704,789 A * 1/1998 Yang B44C 3/123
221/185

(Continued)

Primary Examiner — Elizabeth A. Albert

(74) *Attorney, Agent, or Firm* — Fitzgerald IP Law; John K Fitzgerald, Esq.



(57) **CLAIM**

The ornamental design for a bead table, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a front, bottom and right side of a bead table showing my new design;
 FIG. 2 is a rear perspective view of the rear, top plan and left side thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a rear plan view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a left side view thereof;
 FIG. 8 is a right side view thereof;
 FIG. 9 is an enlarged view thereof illustrated in FIG. 1; and,
 FIG. 10 is an enlarged view thereof illustrated in FIG. 2.
 The broken lines shown are included for the purpose of illustrating portions of the article which form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D434,236	S *	11/2000	Addleman	D21/619
7,390,237	B2 *	6/2008	Lin	A63F 9/06 273/282.1
7,677,564	B2 *	3/2010	Kruger	A63F 3/0415 273/148 R
8,827,711	B2 *	9/2014	Davis, II	B07C 7/00 434/96
D740,572	S *	10/2015	Sudhakar	D6/304
9,320,330	B2 *	4/2016	Cooke	A44C 27/00
10,328,356	B1 *	6/2019	Harper	B44C 1/28
10,478,740	B2 *	11/2019	Sakai	A63H 33/06
D891,515	S *	7/2020	Sakai	D19/111
2002/0102905	A1 *	8/2002	Tseng	A63H 33/26 446/131
2005/0239038	A1 *	10/2005	Olsen	G09B 11/04 434/409
2016/0354705	A1 *	12/2016	Poulus	A63H 33/04
2018/0161689	A1 *	6/2018	Kislevitz	A63H 33/08
2019/0381740	A1 *	12/2019	Moll	B29C 64/124
2020/0094615	A1 *	3/2020	Chen	B44C 5/00

* cited by examiner




FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

