



US00D922492S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D922,492 S**
(45) **Date of Patent:** **** Jun. 15, 2021**

(54) **GAMEPAD**

(71) Applicant: **SHENZHEN BESTODO TECH CO., LTD.**, Guangdong (CN)

(72) Inventor: **Weiling Li**, Guangdong (CN)

(73) Assignee: **SHENZHEN BESTODO TECH CO., LTD.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/712,425**

(22) Filed: **Nov. 7, 2019**

(30) **Foreign Application Priority Data**

May 22, 2019 (CN) 201930253589.X

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/333**

(58) **Field of Classification Search**
USPC D21/324, 332-337, 566, 572-574, 328;
D14/217, 218, 356, 387, 388, 389, 400,
D14/401, 415, 418, 426-431, 443, 447,
D14/449, 450, 454, 455, 471, 474, 483,
D14/496, 511; D13/164, 168
CPC A63F 13/00; A63F 13/98; A63F 13/24;
A63F 9/0291; A63F 9/00; A63F 9/02;
A63F 9/24; A63F 2300/00; A63F
2300/1031
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D570,349 S * 6/2008 Ashida D14/400
D620,939 S * 8/2010 Suetake D14/401
D622,245 S * 8/2010 Okada D14/138 G
D681,127 S * 4/2013 Ashida D21/328
D691,663 S * 10/2013 Ashida D21/332
D715,362 S * 10/2014 He D21/333

D723,625 S * 3/2015 Wikel D21/333
D723,705 S * 3/2015 Mininger D24/200
D741,952 S * 10/2015 Nokuo D21/329
D768,785 S * 10/2016 Kim D21/333
D783,722 S * 4/2017 Peng D21/333
D819,642 S * 6/2018 Ehara D14/401
D819,696 S * 6/2018 Ehara D14/496
D839,361 S * 1/2019 Lederer D21/455
D847,815 S * 5/2019 Pang D14/401
D875,180 S * 2/2020 Wang D21/333
D875,835 S * 2/2020 Yamamoto D21/333

(Continued)

OTHER PUBLICATIONS

“8bitdo Lite Bluetooth Gampad”, posted Oct. 30, 2019 [Online], [retrieved Dec. 1, 2020]. Retrieved from Internet, <https://tinyurl.com/y62nrfc3>.*

Primary Examiner — Sandra Snapp
Assistant Examiner — Mehri Bajoul


(57) **CLAIM**

The ornamental design for a gamepad, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a gamepad showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front, top and left side perspective view thereof;
FIG. 8 is a rear, bottom and left side perspective view thereof; and,
FIG. 9 is rear, top and right side perspective view thereof.
The broken lines in the drawings showing of the gamepad illustrate the portions of the gamepad that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D878,474 S *	3/2020	Ehara	D21/333
D881,191 S *	4/2020	Navid	D14/401
D881,992 S *	4/2020	Liu	D21/333
D882,693 S *	4/2020	Ehara	D21/333
D884,796 S *	5/2020	Zhou	D21/333
D887,411 S *	6/2020	Li	D14/401
D894,280 S *	8/2020	Ehara	D21/331
2013/0063879 A1 *	3/2013	Ishiwata	G06F 1/1632
			361/679.01
2016/0361627 A1 *	12/2016	Fujita	A63F 13/92

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9