



US00D922511S

(12) **United States Design Patent**
Arnold et al.

(10) **Patent No.:** **US D922,511 S**
(45) **Date of Patent:** **** Jun. 15, 2021**

- (54) **SWING TRAINING APPARATUS**
- (71) Applicant: **Arnolds Innovations Pty Ltd.**, Dolans Bay (AU)
- (72) Inventors: **Brett Arnold**, Dolans Bay (AU); **Craig Andrews**, Dolans Bay (AU); **Mario Forster**, Dolans Bay (AU)
- (73) Assignee: **Arnolds Innovations Pty Ltd**, Dolans Bay (AU)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/694,955**
- (22) Filed: **Jun. 14, 2019**

- 3,970,316 A * 7/1976 Westmoreland, Jr. A63B 69/0059 473/212
- 4,359,221 A * 11/1982 Taylor A63B 69/0046 473/212
- 4,691,924 A * 9/1987 Strong A63B 69/0059 273/DIG. 30
- 4,892,317 A * 1/1990 Corder, Jr. A63B 69/0059 473/212
- 5,016,885 A * 5/1991 Quigley A63B 69/0059 473/217
- 5,096,199 A * 3/1992 Wyatt, Jr. A63B 21/00069 473/212
- 5,154,416 A * 10/1992 Smull A63B 69/0059 473/458
- 5,203,567 A * 4/1993 Erlinger A63B 69/0059 473/276
- 5,295,690 A * 3/1994 Johnson A63B 69/0059 434/252

(30) **Foreign Application Priority Data**

Dec. 17, 2018 (AU) 201817592

(51) **LOC (13) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/791**

(58) **Field of Classification Search**
USPC D21/789, 791
CPC A63B 69/3623; A63B 69/3655; A63B 69/3688; A63B 69/0091; A63B 69/0071; A63B 69/3661; A63B 69/3608; A63B 69/3667

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,655,092 A * 1/1928 Davis A63B 69/0059 473/212
- 2,450,162 A * 9/1948 Promen A63B 69/0059 473/212
- 3,324,851 A * 6/1967 Posner A61F 5/3723 128/878
- 3,679,214 A * 7/1972 Boyte A63B 69/0059 473/212

(Continued)

Primary Examiner — Mitchell I. Siegel

(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhardt & Ondersma LLP


(57) **CLAIM**

The ornamental design for a swing training apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevation view of a swing training apparatus showing our new design;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a front elevation thereof;
 FIG. 4 is an exploded perspective view thereof;
 FIG. 5 is a perspective view of FIG. 1;
 FIG. 6 is a left side elevation of FIG. 1;
 FIG. 7 is a right side elevation of FIG. 1; and,
 FIG. 8 is a top plan view of FIG. 1.
 The broken lines shown on the drawings form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,397,122 A * 3/1995 Herridge, II A63B 21/0004
 473/212
 5,476,257 A * 12/1995 Bobby A63B 69/0059
 473/464
 D372,064 S * 7/1996 del Barrio D21/791
 5,665,015 A * 9/1997 Clark, III A63B 69/0059
 473/213
 5,938,548 A * 8/1999 Upshaw A63B 21/0004
 473/453
 5,951,408 A * 9/1999 Inman A63B 69/0059
 273/DIG. 30
 6,254,561 B1 * 7/2001 Borden A61N 5/1049
 128/845
 6,767,290 B1 * 7/2004 Tan A63B 69/0059
 473/207
 7,789,763 B1 * 9/2010 Smith A63B 69/0059
 473/214
 D638,899 S * 5/2011 Quinlan D21/791
 D654,131 S * 2/2012 Crabtree D21/791
 D719,629 S * 12/2014 Beukes D21/791
 D782,589 S * 3/2017 Burdick D21/758
 D810,220 S * 2/2018 Ahn D21/791
 D868,918 S * 12/2019 Oyler D21/791
 2008/0026863 A1 * 1/2008 Eck A63B 69/3623
 473/212

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8