



US00D923309S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,309 S**
Teteriatnikov (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **SHOE OUTSOLE BOTTOM**

(71) Applicant: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)

(72) Inventor: **Savva Teteriatnikov**, Venice, CA (US)

(73) Assignee: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/749,234**

(22) Filed: **Sep. 3, 2020**

(51) **LOC (13) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/960; D2/951; D2/953**

(58) **Field of Classification Search**
USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D113,890 S * 3/1939 Cowen D2/954
D266,287 S * 9/1982 Blissett D2/957
D287,186 S 12/1986 Sironi
D294,537 S 3/1988 Le
D382,692 S * 8/1997 Carlson D2/953

D439,032 S * 3/2001 Kung D2/953
D470,297 S * 2/2003 Wilson D2/953
D506,306 S * 6/2005 Teague D2/953
D588,791 S * 3/2009 Nelson D2/951
D600,895 S * 9/2009 Morgan D2/951
D611,692 S 3/2010 Bizzo
D640,863 S 7/2011 Raysse
D643,601 S * 8/2011 Raysse D2/946
D643,602 S 8/2011 Teteriatnikov
D649,754 S 12/2011 Callahan et al.
D730,035 S 5/2015 Henderson
D732,810 S 6/2015 Healy et al.
D748,386 S 2/2016 Henderson et al.
D753,381 S * 4/2016 Ostapenko D2/960
D762,958 S * 8/2016 Sars A43B 3/10
D789,044 S * 6/2017 Taestensen D2/960
D804,159 S 12/2017 Allemann et al.
D813,503 S 3/2018 Brunner
D813,504 S 3/2018 Brunner

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Marshall A. Lerner; Brad Mattes; Kleinberg & Lerner, LLP



(57) **CLAIM**

The ornamental design for a shoe outsole bottom, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a shoe outsole bottom in accordance with my new design;
FIG. 2 is a left side elevation view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a front elevation view thereof; and,
FIG. 7 is a rear elevation view thereof.
The broken lines shown in the drawings represent portions of the shoe upper, midsole periphery, and outsole bottom that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D816,308 S	5/2018	Boys et al.	
D831,319 S *	10/2018	Vasyli	D2/960
D845,598 S	4/2019	Loveder et al.	
D848,722 S *	5/2019	Ruark	D2/960
D851,885 S	6/2019	Sebastian	
D858,045 S	9/2019	Tæstensen	
D858,056 S	9/2019	Tæstensen	
D859,798 S	9/2019	Healy et al.	
D862,061 S	10/2019	Wilkinson	
D887,682 S	6/2020	Sogorb	
D889,092 S	7/2020	Verfl et al.	
D889,093 S	7/2020	Verfl et al.	
D897,652 S *	10/2020	Wilkinson	D2/960
D909,028 S *	2/2021	Beaver	D2/944
D912,384 S *	3/2021	Beaver	D2/960
D917,141 S *	4/2021	Radabaugh	D2/953
D917,851 S *	5/2021	Holmes	D2/953
D917,852 S *	5/2021	Holmes	D2/953
2016/0227878 A1 *	8/2016	Lan	A43B 5/001
2017/0360141 A1 *	12/2017	Azoulay	A43B 3/10

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6