



US00D923444S


(12) **United States Design Patent** (10) **Patent No.:** **US D923,444 S**
Uschold et al. (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **FASTENING APPARATUS** 3,895,753 A 7/1975 Bone
3,900,925 A 8/1975 LaTorraca
(71) Applicant: **Avery Dennison Corporation,** 3,990,619 A 11/1976 Russell
Glendale, CA (US) D243,365 S 2/1977 Cross
D251,771 S 5/1979 Tritton
(72) Inventors: **Robert Charles Uschold,** Leominster, 4,187,970 A 2/1980 Furutu
MA (US); **Soniya Ashar,** Dubai (AE); 4,296,698 A 10/1981 Davidson et al.
David Gregory Honan, Concord, MA 4,333,596 A 6/1982 Kunreuther
(US) 4,417,682 A * 11/1983 Furutsu B65C 7/005
227/136
4,423,837 A 1/1984 Clements
D273,171 S * 3/1984 Bone D8/49
(73) Assignee: **Avery Dennison Corporation,** 4,455,858 A 6/1984 Hettich
Glendale, CA (US) 4,456,162 A * 6/1984 Furutsu B65C 7/005
227/67
(**) Term: **15 Years** 4,482,088 A 11/1984 Hyun
4,492,330 A 1/1985 Furutsu
4,664,306 A 5/1987 Levy
(21) Appl. No.: **29/687,352** 4,693,248 A 9/1987 Failla
4,838,469 A 6/1989 Strausburg
(22) Filed: **Apr. 12, 2019** 4,923,106 A 5/1990 Furutsu
5,020,713 A 6/1991 Kunreuther
(51) **LOC (13) Cl.** **08-05** 5,074,452 A 12/1991 Bone
D327,398 S 6/1992 Meyers
(52) **U.S. Cl.** D333,415 S 2/1993 Furutsu
USPC **D8/51** 5,188,912 A 2/1993 Katoh
5,205,458 A 4/1993 Kunreuther
(58) **Field of Classification Search** 5,205,458 A 4/1993 Kunreuther
USPC D8/14, 51, 68, 61, 69-70, 98; D24/145, 5,305,939 A 4/1994 Deschenes et al.
D24/133 5,307,975 A 5/1994 Deschenes et al.
CPC B65C 7/005; B65C 7/00; B65C 7/006; 5,383,260 A 1/1995 Deschenes et al.
G09F 3/08; A41H 37/005; A41H 37/008 RE34,857 E * 2/1995 Kunreuther B65C 7/005
227/67
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|---------|------------------------|---------------|---------|--|
| 2,257,954 A | 10/1941 | Henkels | 5,447,263 A | 9/1995 | Deschenes et al. |
| 2,947,047 A | 8/1960 | Guzell | 5,447,263 A | 9/1995 | Tropper et al. |
| D200,198 S | 2/1965 | Vilcins | D364,337 S | 11/1995 | Deschenes et al. |
| 3,282,657 A | 11/1966 | Bright | D365,003 S | 12/1995 | Davignon et al. |
| 3,338,689 A | 8/1967 | Hetzel et al. | D366,608 S | 1/1996 | Deschenes et al. |
| 3,399,432 A | 9/1968 | Merser | 5,495,974 A | 3/1996 | Deschenes et al. |
| 3,470,834 A | 10/1969 | Bone | 5,518,162 A | 5/1996 | Deschenes et al. |
| 3,494,004 A | 2/1970 | Bone | 5,622,257 A | 4/1997 | Deschenes et al. |
| 3,547,122 A | 12/1970 | Rinser | 5,671,507 A | 9/1997 | Deschenes et al. |
| D223,138 S * | 3/1972 | Mulholland D8/51 | 5,678,747 A | 10/1997 | Kunreuther et al. |
| 3,750,605 A | 8/1973 | Warburton et al. | 5,715,984 A | 2/1998 | Deschenes |
| D230,115 S | 1/1974 | Beams | 5,810,238 A * | 9/1998 | Kunreuther A41H 37/008 227/71 |
| 3,815,798 A | 6/1974 | Lavitch et al. | 5,813,589 A | 9/1998 | Kim |
| 3,875,648 A | 4/1975 | Bone | 5,826,775 A | 10/1998 | Mooney et al. |
| 3,893,612 A | 7/1975 | Bone | D402,540 S | 12/1998 | Stridh |
| | | | 5,938,024 A | 8/1999 | Deschenes et al. |
| | | | 5,954,242 A | 9/1999 | Deschenes et al. |
| | | | D415,953 S | 11/1999 | Huang |
| | | | 5,975,398 A | 11/1999 | Evans |



| | | | | |
|--------------|------|---------|------------------|------------------------|
| 6,055,716 | A | 5/2000 | Ayres et al. | |
| 6,126,056 | A | 10/2000 | Ueno et al. | |
| D434,630 | S | 12/2000 | Oliver et al. | |
| 6,267,285 | B1 * | 7/2001 | Raymond | B65C 7/005 227/67 |
| 6,267,286 | B1 | 7/2001 | Deschenes et al. | |
| 6,418,597 | B1 * | 7/2002 | Deschenes | B65C 7/005 24/16 PB |
| 6,427,895 | B1 | 8/2002 | Deschenes | |
| 6,638,297 | B1 | 10/2003 | Huitema | |
| 6,685,077 | B1 * | 2/2004 | Davignon | B65C 7/005 227/101 |
| D522,330 | S | 6/2006 | Arnold et al. | |
| D590,685 | S | 4/2009 | Sterling | |
| D596,007 | S | 7/2009 | Price et al. | |
| 8,316,529 | B2 * | 11/2012 | Davis | B65C 7/005 29/717 |
| 8,381,958 | B2 | 2/2013 | Lussier et al. | |
| D696,576 | S | 12/2013 | Ng | |
| 9,271,726 | B2 | 3/2016 | Euteneuer | |
| D808,253 | S | 1/2018 | Daniels | |
| D895,113 | S | 9/2020 | Blair et al. | |
| D914,491 | S | 3/2021 | Daniels | |
| 2005/0125958 | A1 | 6/2005 | Deschenes et al. | |
| 2013/0167356 | A1 | 7/2013 | Hagie et al. | |
| 2016/0135808 | A1 | 5/2016 | Anderson | |

FOREIGN PATENT DOCUMENTS

| | | | |
|----|------------|---|---------|
| CA | 33943 | * | 5/1971 |
| CN | 301364410 | | 10/2010 |
| CN | 3017190925 | | 11/2011 |
| CN | 203158329 | | 8/2013 |
| DE | 3625481 | | 2/1988 |
| GB | 4006092 | | 2/2008 |
| GB | 6014567 | | 6/2017 |
| JP | 06171632 | | 6/1994 |
| JP | D1380076 | | 1/2010 |
| JP | D1455928 | | 10/2012 |
| WO | 98/21990 | | 5/1998 |

OTHER PUBLICATIONS

International Search Report issued in IA No. PCT/US10/00680 dated May 3, 2010.

Written Opinion issued in corresponding IA No. PCT/US10/00680 dated May 3, 2010.

International Search Report and Written Opinion dated Aug. 3, 2020 issued in corresponding IA No. PCT/US2020/027185 filed Apr. 8, 2020.

Keadic, 30Pcs M32 Two Hole Strap U Bracket Tube Strap Tension Clips Stainless Steel Heavy Duty Rigid Type Pipe Strap Clamp, Date first available Sep. 2, 2018, [online] retrieved Dec. 28, 2020, available from Internet, <https://www.amazon.com/Keadic-Bracket-Stainless-Surfaces-Structures/dp/B07H25JPZN/ref=s> (year: 2018).

SeeRapee, 304 Stainless Steel U Bolt Set Marine Boat Deck Hardware M8x100, Date first available May 23, 2018, [online] retrieved Dec. 28, 2020, available from internet, https://www.amazon.com/Stainless-Steel-Marine-Hardware-M8x100/dp/B07D7TYRGX/ref=sr_1_20_sspa?dchild=1&keywords=u+shaped+fasteners&qid (Year: 2018).

Unistrut, Genuine Unistrut Brand P1047-EG 5 Hole“U” Shaped Connector Bracket, Date first available Feb. 7, 2014, [online] retrieved Dec. 28, 2020, available from internet, https://www.amazon.com/Genuine-Unistrut-P1047-EG-Connector-Bracket/dp/B00IASG7BA/ref=sr_1_45?dchild=1&keywords=u+shaped+fasteners& (Year: 2014).

Prime-Line Store, MP7018 Wire Shelf Loop Clip, Date first available Nov. 9, 2017, [online] retrieved Dec. 28, 2020, available from internet, https://www.amazon.com/Prime-Line-MP7018-Wire-Shelf-Piece/dp/B07793L26V/ref=sr_1_175?dchild=1&keywords=u+shaped+fasteners&qid=1609280165&sr=8-175 (Year 2017).

Bulk Hardware, BH03720 Galvanised Netting Staple, Date first available: Jan. 20, 2017, [online] retrieved Apr. 9, 2021, available from <https://www.amazon.com/Bulk-hardware-BH03720-Galvanized->

Netting/dp/B01BHQKPKA/ref=sr_1_45?dchild=1&keywords=u+shaped+fasteners&qid=1617974810&sr=8-45 (Year: 2017).

Harris Hardware, TP1756 2 Ear Wall Bracket, Date first available Oct. 18, 2019, [online] retrieved Apr. 9, 2021, available from https://www.amazon.com/Harris-Hardware-TP1756-Bracket-Chrome/dp/B07MFW7ZZZ/ref=pd_sbs_9?pd_rd_w=DKGPr&pf_rd_p=2419a049-62bf-452e-b0d0-ca5b7e35a7b4&pf_rd_r=3ESC62KVVG8PNKFVPMRD& (Year: 2019).

* cited by examiner

Primary Examiner — Wan Laymon

(57) CLAIM

The ornamental design for a fastening apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of a first embodiment of a fastening apparatus, showing my new design;

FIG. 2 is a front view of the fastening apparatus of FIG. 1;

FIG. 3 is a rear view of the fastening apparatus of FIG. 1;

FIG. 4 is a right side view of the fastening apparatus of FIG. 1;

FIG. 5 is a left side view of the fastening apparatus of FIG. 1;

FIG. 6 is a top view of the fastening apparatus of FIG. 1;

FIG. 7 is a bottom view of the fastening apparatus of FIG. 1;

FIG. 8 is a front, top, right perspective view of a second embodiment of a fastening apparatus that appears identical to FIG. 1 but showing the finger recess in the trigger in broken lines without shading, wherein the front view, rear view, right side view, left side view, top view and bottom view of the second embodiment of the fastening apparatus would appear identical FIGS. 2-7, respectively, but also showing the finger recess in the trigger in FIGS. 2, 4, 5 and 7 in broken lines and without shading;

FIG. 9 is a front, top, right perspective view of a third embodiment of a fastening apparatus that appears identical to FIG. 1 but showing the aperture in the cap in broken lines without shading, wherein the front view, rear view, right side view, left side view, top view and bottom view of the second embodiment of the fastening apparatus would appear identical FIGS. 2-7, respectively, but also showing the aperture in the cap in FIG. 2 in broken lines and without shading; and,

FIG. 10 is a front, top, right perspective view of a fourth embodiment of a fastening apparatus that appears identical to FIG. 1 but showing the finger recess in the trigger and the aperture in the cap in broken lines without shading, wherein the front view, rear view, right side view, left side view, top view and bottom view of the second embodiment of the fastening apparatus would appear identical FIGS. 2-7, respectively, but also showing the finger recess in the trigger in FIGS. 2, 4, 5 and 7 in broken lines and without shading and the aperture in the cap in FIG. 2 in broken lines without shading.

The unshaded regions demarcated by one or more broken lines or a combination of one or more broken and solid lines in FIGS. 1-10 represent unclaimed portions that form no part of the claimed design. The shaded regions of FIGS. 1-10 represent surface shape only and do not represent any particular material or color. Unless otherwise described

above, the broken lines in all the figures are provided for environmental purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10