



US00D923467S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,467 S**  
**Buffalo** (45) **Date of Patent:** **\*\* Jun. 29, 2021**

(54) **WEDGE ANCHOR REMOVAL DEVICE**

2006/0065693 A1\* 3/2006 Eklund ..... B25C 7/00  
227/147

(71) Applicant: **Alvin Buffalo**, Pueblo, CO (US)

2007/0110515 A1 5/2007 Appelman

2010/0003101 A1 1/2010 Ricketts

(72) Inventor: **Alvin Buffalo**, Pueblo, CO (US)

2010/0236040 A1 9/2010 Wallek

2013/0161038 A1 6/2013 Prunean

(\*\*) Term: **15 Years**

2015/0273463 A1\* 10/2015 Motadel ..... B01L 3/0275  
73/864.01

(21) Appl. No.: **29/688,071**

2017/0036329 A1\* 2/2017 Santamarina ..... B23B 31/1074

2020/0246152 A1\* 8/2020 Marlow ..... A61F 2/3859

(22) Filed: **Apr. 18, 2019**

2020/0249407 A1\* 8/2020 Aznag ..... G02B 6/4444

(51) **LOC (13) Cl.** ..... **08-08**

\* cited by examiner

(52) **U.S. Cl.**

*Primary Examiner* — Cynthia R Underwood

USPC ..... **D8/397**

(74) *Attorney, Agent, or Firm* — Boudwin Intellectual Property; Daniel Boudwin

(58) **Field of Classification Search**

USPC ..... D8/397, 394, 382, 349, 399; 411/376.2

CPC ..... F16B 37/068; F16B 33/002; F01N 13/009

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a wedge anchor removal device, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

**DESCRIPTION**

5,168,781 A \* 12/1992 Tenuta ..... B25B 13/06  
81/121.1

FIG. 1 shows a perspective view of a thereof;

5,992,272 A \* 11/1999 Fortner ..... B25B 23/0057  
81/121.1

FIG. 2 shows a front view thereof;

7,165,482 B2\* 1/2007 Shapoval ..... B25B 15/007  
411/406

FIG. 3 shows a rear view thereof;

D627,039 S \* 11/2010 Yu ..... D23/260

FIG. 4 shows a right side view thereof;

9,592,592 B2\* 3/2017 Prunean ..... B25B 23/00

FIG. 5 shows a left side view thereof;

D789,781 S \* 6/2017 Johnson ..... D8/397

FIG. 6 shows a top plan view thereof; and,

D792,201 S \* 7/2017 Baiz ..... D8/387

FIG. 7 shows a bottom plan view thereof.

9,844,866 B2 12/2017 Langdon, Jr.

The shade lines in the Figures show contour and not surface ornamentation.

10,300,588 B2\* 5/2019 Pauba ..... B25B 27/02

The broken lines shown in the Figures show portions of the wedge anchor removal device which form no part of the claimed design.


10,537,982 B2\* 1/2020 Prunean ..... B25B 21/007

D874,245 S \* 2/2020 Whited ..... D8/354

D890,604 S \* 7/2020 Kirkpatrick ..... D8/397

2005/0051596 A1\* 3/2005 Estes ..... B25B 31/00  
227/139

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5





**FIG. 6**



**FIG. 7**