



US00D923467S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,467 S**
Buffalo (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **WEDGE ANCHOR REMOVAL DEVICE**

2006/0065693 A1* 3/2006 Eklund B25C 7/00
227/147

(71) Applicant: **Alvin Buffalo**, Pueblo, CO (US)

2007/0110515 A1 5/2007 Appelman

2010/0003101 A1 1/2010 Ricketts

(72) Inventor: **Alvin Buffalo**, Pueblo, CO (US)

2010/0236040 A1 9/2010 Wallek

2013/0161038 A1 6/2013 Prunean

(**) Term: **15 Years**

2015/0273463 A1* 10/2015 Motadel B01L 3/0275
73/864.01

(21) Appl. No.: **29/688,071**

2017/0036329 A1* 2/2017 Santamarina B23B 31/1074

2020/0246152 A1* 8/2020 Marlow A61F 2/3859

(22) Filed: **Apr. 18, 2019**

2020/0249407 A1* 8/2020 Aznag G02B 6/4444

(51) **LOC (13) Cl.** **08-08**

* cited by examiner

(52) **U.S. Cl.**

Primary Examiner — Cynthia R Underwood

USPC **D8/397**

(74) *Attorney, Agent, or Firm* — Boudwin Intellectual Property; Daniel Boudwin

(58) **Field of Classification Search**

USPC D8/397, 394, 382, 349, 399; 411/376.2

CPC F16B 37/068; F16B 33/002; F01N 13/009

See application file for complete search history.

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a wedge anchor removal device, as shown and described.

U.S. PATENT DOCUMENTS

DESCRIPTION

5,168,781 A * 12/1992 Tenuta B25B 13/06
81/121.1

FIG. 1 shows a perspective view of a thereof;

5,992,272 A * 11/1999 Fortner B25B 23/0057
81/121.1

FIG. 2 shows a front view thereof;

7,165,482 B2* 1/2007 Shapoval B25B 15/007
411/406

FIG. 3 shows a rear view thereof;

D627,039 S * 11/2010 Yu D23/260

FIG. 4 shows a right side view thereof;

9,592,592 B2* 3/2017 Prunean B25B 23/00

FIG. 5 shows a left side view thereof;

D789,781 S * 6/2017 Johnson D8/397

FIG. 6 shows a top plan view thereof; and,

D792,201 S * 7/2017 Baiz D8/387

FIG. 7 shows a bottom plan view thereof.

9,844,866 B2 12/2017 Langdon, Jr.

The shade lines in the Figures show contour and not surface ornamentation.

10,300,588 B2* 5/2019 Pauba B25B 27/02

The broken lines shown in the Figures show portions of the wedge anchor removal device which form no part of the claimed design.


10,537,982 B2* 1/2020 Prunean B25B 21/007

D874,245 S * 2/2020 Whited D8/354

D890,604 S * 7/2020 Kirkpatrick D8/397

2005/0051596 A1* 3/2005 Estes B25B 31/00
227/139

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7