



US00D923511S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D923,511 S**
(45) **Date of Patent:** **** Jun. 29, 2021**

(54) **AIRTIGHT ZIPPER**
(71) Applicant: **Young Gyo Kim**, Busan (KR)
(72) Inventor: **Young Gyo Kim**, Busan (KR)
(**) Term: **15 Years**
(21) Appl. No.: **35/509,650**
(22) Filed: **Dec. 17, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 17, 2019**
Int. Reg. No.: **DM/206776**
Int. Reg. Date: **Dec. 17, 2019**
Int. Reg. Pub. Date: **Jun. 19, 2020**

(51) **LOC (13) Cl.** **02-07**
(52) **U.S. Cl.**
USPC **D11/221**

(58) **Field of Classification Search**
USPC D11/221, 200; D3/301, 252, 318
CPC A44B 19/26; A44B 19/262; A44B 19/32;
A44B 19/34; A44B 19/267; A44B 19/00;
A44B 19/02; A44B 19/04; A44B 19/10;
A45C 13/103; A45C 13/008; A45C
7/0068; A45C 7/0027
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,910,754 A * 11/1959 Morin A44B 19/32
24/384
3,848,298 A * 11/1974 Frohlich A44B 19/403
24/427
4,841,603 A * 6/1989 Ragni A44B 19/16
206/522

4,941,238 A * 7/1990 Clark A44B 19/14
24/389
6,961,962 B1 * 11/2005 Lewis A41D 13/0002
2/81
D893,348 S * 8/2020 Cheng D11/221
2006/0059675 A1 * 3/2006 Hsieh A44B 19/42
29/408
2015/0157096 A1 * 6/2015 Mikuma A44B 19/32
24/389
2018/0055155 A1 * 3/2018 Chen B29D 5/00
2019/0142116 A1 * 5/2019 Cheng A44B 19/26
24/389
2020/0008542 A1 * 1/2020 Kim A44B 19/06
2020/0229550 A1 * 7/2020 Erdal A44B 19/24

* cited by examiner

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Tracey J Bell

(57) **CLAIM**



The ornamental design for an airtight zipper, as shown and described.

DESCRIPTION


- 1. Airtight zipper
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Left
- 1.5 : Right
- 1.6 : Top
- 1.7 : Bottom
- 1.8 : Exploded

The parallel thin lines represent contours only and do not illustrate ornamentation or decoration on the surface of the product.

1 Claim, 8 Drawing Sheets



1.1



1.2



1.3




1.4




1.5



1.6



1.7



1.8

