



US00D923554S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,554 S**
Geelen et al. (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(72) Inventors: **Stephane Jose Geelen**, Redange sur Attert (LU); **Armand Rene Gabriel Leconte**, Insenborn (LU); **Pascale de Briey-Terlinden**, Attert (BE); **Jerome Marcel Germain Delu**, Bridel (LU); **Gilles Jacques Michel Fasbender**, Arlon (BE)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/715,584**

(22) Filed: **Dec. 3, 2019**

(51) **LOC (13) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/521**

(58) **Field of Classification Search**
USPC D12/505–532
CPC B60C 11/0304
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,230 S	3/1998	Heinen		D12/147
D392,922 S	3/1998	Heinen		D12/147
D449,024 S	10/2001	Lovell et al.		D12/147
D458,897 S	6/2002	Weber et al.		D12/588
D560,600 S	1/2008	Dixon et al.		D12/588
D586,733 S	2/2009	Shinohara		D12/588
D595,220 S	6/2009	Maxwell		D12/590

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/654,907, filed Jun. 28, 2018, Maggelet, et al.
(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is an enlarged fragmentary front elevational view thereof;


FIG. 7 is a right side perspective view of a second embodiment of a tire showing our new design, it being understood that the interior of the tire forms no part of the claim and that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 8 is a left side perspective view of a second embodiment, it being understood that the interior of the tire forms no part of the claim; and,

FIG. 9 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 6, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines immediately adjacent to the outer edges of the tire shoulder represent boundaries of the claim, and the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D619,958 S 7/2010 Maxwell D12/586
D649,110 S 11/2011 Hutz et al. D12/601
D668,208 S 10/2012 Brown et al. D12/588
D668,598 S 10/2012 Hughes et al. D12/521
D668,601 S 10/2012 Brown, IV et al. D12/588
D712,343 S 9/2014 Wakishimia D12/588
D713,325 S 9/2014 Maxwell et al. D12/521
D733,036 S 6/2015 Kuwano D12/521
D735,122 S 7/2015 Grote et al. D12/601
D736,697 S 8/2015 Leocadio et al. D12/601
D737,754 S 9/2015 Bourel et al. D12/594
D756,295 S 5/2016 Pingnat et al. D12/588
D761,196 S 7/2016 Dixon et al. D12/601
D765,585 S 9/2016 Fujii D12/601
D780,678 S 3/2017 Maxwell et al. D12/595
D781,781 S 3/2017 Schimmoeller, Jr. D12/594
D789,870 S 6/2017 Dixon et al. D12/521
D792,839 S 7/2017 Maxwell et al. D12/595
D794,542 S 8/2017 Tahon et al. D12/528
D800,637 S 10/2017 Nguyen et al. D12/521
D803,768 S 11/2017 Leocadio et al. D12/588
D812,550 S 3/2018 Digman et al. D12/588
D813,149 S 3/2018 Dixon D12/588

D817,858 S 5/2018 Poling et al. D12/590
D820,194 S * 6/2018 Haanketo D12/523
D830,952 S * 10/2018 Kujime D12/505
D830,956 S 10/2018 Mishima D12/521
D842,229 S 3/2019 Schoeppner et al. D12/588
D853,949 S 7/2019 Zimmerman et al. D12/601
D854,490 S * 7/2019 Wakasugi D12/521
D857,616 S * 8/2019 Haanketo D12/523
D862,369 S 10/2019 Pribula et al. D12/521
D867,265 S 11/2019 Proietti et al. D12/523
D869,381 S * 12/2019 Speziari D12/521
D869,382 S * 12/2019 Speziari D12/521
D869,383 S * 12/2019 Basl D12/521
D883,903 S * 5/2020 Horiguchi D12/521
D892,712 S * 8/2020 Kotlas D12/517
D901,372 S * 11/2020 Moia D12/517
D904,280 S * 12/2020 Kuwahara D12/517
D908,596 S * 1/2021 Kwak D12/517

OTHER PUBLICATIONS

U.S. Appl. No. 29/692,167, filed May 23, 2019, Digman, et al.
U.S. Appl. No. 29/709,318, filed Oct. 14, 2019, Digman, et al.
U.S. Appl. No. 29/709,920, filed Oct. 18, 2019, Burnworth, et al.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6




FIG - 7




FIG - 8




FIG - 9