



US00D923638S

(12) **United States Design Patent**
Vautrin et al.

(10) **Patent No.:** **US D923,638 S**
(45) **Date of Patent:** **** Jun. 29, 2021**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH TRANSITIONAL GRAPHICAL USER INTERFACE**

(71) Applicant: **Sonos, Inc.**, Santa Barbara, CA (US)

(72) Inventors: **Jodi Vautrin**, Boston, MA (US);
Jennifer McDevitt, Dracut, MA (US);
Daniel Valente, Ventura, CA (US)

(73) Assignee: **Sonos, Inc.**, Santa Barbara, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/680,030**

(22) Filed: **Feb. 12, 2019**

Related U.S. Application Data

(63) Continuation of application No. 16/274,068, filed on Feb. 12, 2019, now Pat. No. 10,694,309.

(51) **LOC (13) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/485**

(58) **Field of Classification Search**

USPC D14/485-495; D20/11; D21/324, 325
CPC G06F 3/048; G06F 3/481; G06F 3/04817;
G06F 3/0482; G06F 3/0483; G06F
3/04842; G06F 3/0485; G06F 3/04855;
G06F 3/0486; G06F 3/0488; G06F
3/04886; G06F 9/4443; G06F 17/211;
G06F 17/212; H04L 43/065; H04N
5/23206; H04N 21/8549; H03G 5/005


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D643,437 S * 8/2011 Chaudhri D14/486
8,234,395 B2 7/2012 Millington
8,327,272 B2 * 12/2012 Anzures G06F 3/0485
715/743
8,340,654 B2 * 12/2012 Bratton H04N 5/23206
455/420

8,483,853 B1 7/2013 Lambourne
D710,371 S * 8/2014 van Os D14/486
9,084,058 B2 7/2015 Reilly et al.
9,106,192 B2 8/2015 Sheen et al.
9,219,460 B2 12/2015 Bush
9,247,365 B1 1/2016 Ellis et al.
9,264,839 B2 2/2016 Oishi et al.
9,538,305 B2 1/2017 Lehnert et al.
9,583,142 B1 * 2/2017 Zhu H04N 21/8549
D780,781 S * 3/2017 Ding D14/486
D783,652 S * 4/2017 Guan D14/486
D787,527 S * 5/2017 Wilberding D14/485
9,648,422 B2 5/2017 Sheen et al.
9,668,049 B2 5/2017 Wilberding et al.
D789,956 S * 6/2017 Ortega D14/486
9,690,271 B2 6/2017 Sheen et al.
9,690,539 B2 6/2017 Sheen et al.
9,693,165 B2 6/2017 Downing et al.
9,706,323 B2 7/2017 Sheen
9,736,584 B2 8/2017 Sheen
9,743,204 B1 8/2017 Welch et al.
9,743,207 B1 8/2017 Hartung
9,763,018 B1 9/2017 Mcpherson et al.
9,788,113 B2 10/2017 Wilberding et al.
9,794,710 B1 10/2017 Sheen
9,860,662 B2 1/2018 Jarvis et al.
9,860,670 B1 1/2018 Sheen
9,864,574 B2 1/2018 Hartung et al.
9,891,881 B2 2/2018 Sheen et al.
D813,903 S * 3/2018 Boyd D14/488
9,910,634 B2 3/2018 Sheen
9,952,825 B2 4/2018 Sheen
9,961,463 B2 5/2018 Wilberding et al.
10,003,899 B2 6/2018 Hartung et al.
D822,690 S * 7/2018 Amidei D14/486
D822,702 S * 7/2018 Gandhi D14/486
D824,944 S * 8/2018 Sagrillo D14/486
10,127,006 B2 11/2018 Sheen
D839,880 S * 2/2019 Dudey D14/485
10,299,061 B1 5/2019 Sheen
10,372,406 B2 8/2019 Wilberding et al.
10,459,684 B2 10/2019 Shih et al.
D866,570 S * 11/2019 Burroughs D14/485
D868,808 S * 12/2019 Hopper D14/486
D870,145 S * 12/2019 Christian D14/488
10,694,309 B1 6/2020 Vautrin et al.
D892,149 S * 8/2020 Silcock D14/486
10,791,405 B2 * 9/2020 Wilberding H03G 5/005
D902,954 S * 11/2020 Bours D14/488
2007/0201705 A1 8/2007 Dorogusker et al.
2009/0147134 A1 6/2009 Iwamatsu
2014/0033071 A1 * 1/2014 Gruber G06F 3/0488
715/752



2016/0113594	A1 *	4/2016	Koehler	H04L 43/065 600/365
2017/0192739	A1	7/2017	Gossain et al.	
2017/0214991	A1	7/2017	Kadri et al.	
2017/0242653	A1	8/2017	Lang et al.	
2018/0107446	A1	4/2018	Wilberding et al.	
2020/0288257	A1	9/2020	Vautrin et al.	

FOREIGN PATENT DOCUMENTS

EM	006694725-0001	8/2019
EM	006694725-0002	8/2019
EM	006694725-0003	8/2019
EM	006694725-0004	8/2019
EM	006694725-0005	8/2019
EM	006694725-0006	8/2019
EM	006694725-0007	8/2019
EM	006694725-0008	8/2019
EM	006694725-0009	8/2019
EM	006694725-0010	8/2019
EM	006694725-0011	8/2019
EM	006694725-0012	8/2019
EM	006694725-0013	8/2019
EM	006694725-0014	8/2019
EM	006694725-0015	8/2019
EM	006694725-0016	8/2019
EM	006694725-0017	8/2019
EM	006694725-0018	8/2019
EM	006694725-0019	8/2019
EM	006694725-0020	8/2019
EM	006694725-0021	8/2019
EM	006694725-0022	8/2019
EM	006694725-0023	8/2019
EM	006694725-0024	8/2019
EM	006694725-0025	8/2019
EM	006694725-0026	8/2019
WO	2007016465	A2 2/2007
WO	2020167924	A1 8/2020

OTHER PUBLICATIONS

“SONOS App Review & In Depth Walk Through” Apr. 4, 2018, posted at youtube.com, [site visited Feb. 1, 2021], <https://www.youtube.com/watch?v=DzDjdW6GJ38> (Year: 2018).*

Molina, Adam, “Sugr Cube Wi-Fi Speaker Kickstarter Campaign” Jan. 24, 2015, posted at soundguys.com, [site visited Feb. 1, 2021], <https://www.soundguys.com/sugr-cube-bluetooth-speaker-kickstarter-3241> (Year: 2015).*

International Search Report and Written Opinion for International Application No. PCT/US2020/017896, Search completed May 18, 2020, dated May 29, 2020, 15 pgs.

“Operating Manual Genelec Loudspeaker Manager GLM(TM) 2.0 System Table of Contents”, Genelec, Nov. 7, 2014 (Nov. 7, 2014), XP055610697, Retrieved from the Internet: <https://www.genelec.com/sites/default/files/media/Studio%20monitors/Software/GLM%df2%202.0/glm-2.0-system-operating-manual-0.pdf>, retrieved on Aug. 2, 2019, 40 pgs.

* cited by examiner

Primary Examiner — John M Otte
(74) Attorney, Agent, or Firm — KPPB LLP

(57) CLAIM

The ornamental design for a display screen or portion thereof with transitional graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a first embodiment of the invention;

FIG. 2 is a front elevational view of a second image in the sequence;
 FIG. 3 is a front elevational view of a third image in the sequence;
 FIG. 4 is a front elevational view of a fourth image in the sequence;
 FIG. 5 is a front elevational view of a fifth image in the sequence;
 FIG. 6 is a front elevational view of a sixth image in the sequence;
 FIG. 7 is a front elevational view of a seventh image in the sequence;
 FIG. 8 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a second embodiment of the invention;
 FIG. 9 is a front elevational view of a second image in the sequence;
 FIG. 10 is a front elevational view of a third image in the sequence;
 FIG. 11 is a front elevational view of a fourth image in the sequence;
 FIG. 12 is a front elevational view of a fifth image in the sequence;
 FIG. 13 is a front elevational view of a sixth image in the sequence;
 FIG. 14 is a front elevational view of a seventh image in the sequence;
 FIG. 15 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a third embodiment of the invention;
 FIG. 16 is a front elevational view of a second image in the sequence;
 FIG. 17 is a front elevational view of a third image in the sequence;
 FIG. 18 is a front elevational view of a fourth image in the sequence;
 FIG. 19 is a front elevational view of a fifth image in the sequence;
 FIG. 20 is a front elevational view of a sixth image in the sequence;
 FIG. 21 is a front elevational view of a seventh image in the sequence;
 FIG. 22 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a fourth embodiment of the invention;
 FIG. 23 is a front elevational view of a second image in the sequence;
 FIG. 24 is a front elevational view of a third image in the sequence;
 FIG. 25 is a front elevational view of a fourth image in the sequence;
 FIG. 26 is a front elevational view of a fifth image in the sequence;
 FIG. 27 is a front elevational view of a sixth image in the sequence;
 FIG. 28 is a front elevational view of a seventh image in the sequence;
 FIG. 29 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a fifth embodiment of the invention;

FIG. 30 is a front elevational view of a second image in the sequence;

FIG. 31 is a front elevational view of a third image in the sequence;

FIG. 32 is a front elevational view of a fourth image in the sequence;

FIG. 33 is a front elevational view of a fifth image in the sequence;

FIG. 34 is a front elevational view of a sixth image in the sequence;

FIG. 35 is a front elevational view of a seventh image in the sequence;

FIG. 36 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a sixth embodiment of the invention;

FIG. 37 is a front elevational view of a second image in the sequence;

FIG. 38 is a front elevational view of a third image in the sequence;

FIG. 39 is a front elevational view of a fourth image in the sequence;

FIG. 40 is a front elevational view of a fifth image in the sequence;

FIG. 41 is a front elevational view of a sixth image in the sequence;

FIG. 42 is a front elevational view of a seventh image in the sequence;

FIG. 43 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a seventh embodiment of the invention;

FIG. 44 is a front elevational view of a second image in the sequence;

FIG. 45 is a front elevational view of a third image in the sequence;

FIG. 46 is a front elevational view of a fourth image in the sequence;

FIG. 47 is a front elevational view of a fifth image in the sequence;

FIG. 48 is a front elevational view of a sixth image in the sequence;

FIG. 49 is a front elevational view of a seventh image in the sequence;

FIG. 50 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to an eighth embodiment of the invention;

FIG. 51 is a front elevational view of a second image in the sequence;

FIG. 52 is a front elevational view of a third image in the sequence;

FIG. 53 is a front elevational view of a fourth image in the sequence;

FIG. 54 is a front elevational view of a fifth image in the sequence;

FIG. 55 is a front elevational view of a sixth image in the sequence;

FIG. 56 is a front elevational view of a seventh image in the sequence;

FIG. 57 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a ninth embodiment of the invention;

FIG. 58 is a front elevational view of a second image in the sequence;

FIG. 59 is a front elevational view of a third image in the sequence;

FIG. 60 is a front elevational view of a fourth image in the sequence;

FIG. 61 is a front elevational view of a fifth image in the sequence;

FIG. 62 is a front elevational view of a sixth image in the sequence;

FIG. 63 is a front elevational view of a seventh image in the sequence;

FIG. 64 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a tenth embodiment of the invention;

FIG. 65 is a front elevational view of a second image in the sequence;

FIG. 66 is a front elevational view of a third image in the sequence;

FIG. 67 is a front elevational view of a fourth image in the sequence;

FIG. 68 is a front elevational view of a fifth image in the sequence;

FIG. 69 is a front elevational view of a sixth image in the sequence;

FIG. 70 is a front elevational view of a seventh image in the sequence;

FIG. 71 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to an eleventh embodiment of the invention;

FIG. 72 is a front elevational view of a second image in the sequence;

FIG. 73 is a front elevational view of a third image in the sequence;

FIG. 74 is a front elevational view of a fourth image in the sequence;

FIG. 75 is a front elevational view of a fifth image in the sequence;

FIG. 76 is a front elevational view of a sixth image in the sequence;

FIG. 77 is a front elevational view of a seventh image in the sequence;

FIG. 78 is a front elevational view of a first image in a sequence of a display screen or portion thereof with transitional graphical user interface according to a twelfth embodiment of the invention;

FIG. 79 is a front elevational view of a second image in the sequence;

FIG. 80 is a front elevational view of a third image in the sequence;

FIG. 81 is a front elevational view of a fourth image in the sequence;

FIG. 82 is a front elevational view of a fifth image in the sequence;

FIG. 83 is a front elevational view of a sixth image in the sequence; and,

FIG. 84 is a front elevational view of a seventh image in the sequence.

The broken line showing of the display screen or portion thereof and remainder of the graphical user interface forms no part of the claimed design.

The subject matter in this patent includes a process or period in which an image changes into another image. This process

or period in which one image transitions to another forms no part of the claimed design. The features shown in broken lines do not form part of the claimed design.

1 Claim, 84 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48



FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55



FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84