



US00D923703S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,703 S**  
**Asano** (45) **Date of Patent:** **\*\* Jun. 29, 2021**

(54) **AUTO DOCUMENT FEEDER**

(56) **References Cited**

(71) Applicant: **BROTHER INDUSTRIES, LTD.**,  
Nagoya (JP)

U.S. PATENT DOCUMENTS

(72) Inventor: **Masahide Asano**, Nagoya (JP)

D340,704 S *	10/1993	Asakura	.....	D14/425
D502,380 S *	3/2005	Misner	.....	D8/302
D547,369 S *	7/2007	Senda	.....	D14/421
D641,397 S *	7/2011	Kim	.....	D18/55
D645,078 S *	9/2011	Kim	.....	D18/50
D645,897 S *	9/2011	Chuang	.....	D18/50
D647,130 S *	10/2011	Kim	.....	D18/50
D665,014 S *	8/2012	Matsuno	.....	D18/50
D665,016 S *	8/2012	Matsuno	.....	D18/50
D667,050 S *	9/2012	Takeuchi	.....	D18/50
D669,473 S *	10/2012	Gronau	.....	D14/420

(73) Assignee: **BROTHER INDUSTRIES, LTD.**,  
Nagoya (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/690,295**

(22) Filed: **May 7, 2019**

(Continued)

(30) **Foreign Application Priority Data**

Nov. 8, 2018 (JP) ..... 2018-024534

(51) **LOC (13) Cl.** ..... **18-02**

(52) **U.S. Cl.**  
USPC ..... **D18/50; D18/49**

(58) **Field of Classification Search**  
USPC ..... D15/122, 135-138, 141, 66, 73, 76-78, D15/146, 150, 143, 89; D18/53, 59, 50, D18/14, 19, 54-57, 36-45, 34.4, 34.5, D18/34.6, 18, 51, 34.1; D14/301-303, D14/307, 345, 420-425, 462; D6/691.4, D6/675, 708, 671, 520-523, 580; D34/35, 29, 1; D7/700, 554.3, 637; D3/304, 313; D9/424; D8/313, 314, D8/301, 380, 382, 358, 354; D10/119.1; D32/19, 25, 32, 21; D4/128, 102, 122; D25/157, 160, 162, 119; D19/1, 5, 113, D19/190, 191, 104, 107, 192, 202, 99, D19/100  
CPC ..... B41J 2/14; B41J 2/01; B41J 2/22; B41J 1/54; B41J 3/4073; B41J 3/4078; B41F 17/22; B41F 17/003; B41F 17/38; B28B 1/001; B65H 5/02; G03G 15/08; G03G 15/0891; G03G 15/0875; G03G 2215/0827; G03G 2215/0855; G03G 21/1842

See application file for complete search history.

*Primary Examiner* — George A Bugg  
*Assistant Examiner* — Mary Claire Ramirez  
(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for an auto document feeder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an auto document feeder.  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left-side elevational view thereof;  
FIG. 5 is a right-side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof; and,  
FIG. 8 is a perspective view of the auto document feeder shown in use.  
The broken lines shown in the drawings depict portions of the auto document feeder that form no part of the claimed design. The broken lines shown in FIG. 8 depict environmental subject matter that forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D681,107	S	*	4/2013	Larson	.....	D18/50
D689,543	S	*	9/2013	Seki	.....	D18/50
D723,034	S	*	2/2015	Chin	.....	D14/422
D727,328	S	*	4/2015	Nanno	.....	D14/421
D734,338	S	*	7/2015	Nakagawa	.....	D14/421
D736,306	S	*	8/2015	Iida	.....	D17/24
D737,895	S	*	9/2015	Nanno	.....	D18/50
D790,626	S	*	6/2017	Inada	.....	D18/56
D800,122	S	*	10/2017	Tashima	.....	D14/421
D800,123	S	*	10/2017	Tashima	.....	D14/421
D800,124	S		10/2017	Asano et al.		
D806,790	S	*	1/2018	Sato	.....	D18/50
D808,461	S	*	1/2018	Tashima	.....	D18/55
D827,022	S	*	8/2018	Yamashita	.....	D18/50
D893,600	S	*	8/2020	Dwyer	.....	D18/50

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8