

US00D923795S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,795 S**
Reinhardt et al. (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **SLIT LAMP**

(71) Applicant: **Carl Zeiss Meditec AG**, Jena (DE)

(72) Inventors: **Jörg Reinhardt**, Erfurt (DE); **Michael Güntzschel**, Jena (DE); **Dietrich Martin**, Jena (DE); **David Golz**, Jena (DE); **Ingo Koschmieder**, Jena (DE); **Heide Bachmann**, Jena (DE); **Jenny Dünger**, Jena (DE); **Tina Müller**, Leipzig (DE); **Ilka Schlesiger**, Jena (DE); **Martin Stohr**, Jena (DE); **Qiong Zhang**, Jena (DE); **Franco Giannozzi**, Florence (IT)

(73) Assignee: **Carl Zeiss Meditec AG**, Jena (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/673,438**

(22) Filed: **Dec. 14, 2018**

(30) **Foreign Application Priority Data**

Jun. 18, 2018 (DE) 40 2018 202 061

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/172**

(58) **Field of Classification Search**
USPC D24/172, 137; D10/46
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,538,754 A * 11/1970 Polanyi A61B 3/165
600/401
3,972,602 A * 8/1976 Inns A61B 3/04
351/245

(Continued)

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Patterson Thuent Pedersen, P.A.

(57) **CLAIM**

The ornamental design for a slit lamp, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a slit lamp, according to our new design;

FIG. 2 is a back perspective view of the slit lamp according to FIG. 1;

FIG. 3 is an opposing side perspective view of the slit lamp according to FIG. 1;

FIG. 4 is a front perspective view of the slit lamp according to FIG. 1;

FIG. 5 is a perspective view of the slit lamp according to FIG. 1;

FIG. 6 is a perspective view of the slit lamp according to FIG. 1 with parts of the slit lamp in a different orientation;

FIG. 7 is a back perspective view of the slit lamp according to FIG. 1 with parts of the SLIT LAMP in a different orientation;

FIG. 8 is a further perspective view of the slit lamp according to FIG. 1;

FIG. 9 is a further perspective view of the slit lamp according to FIG. 1 with parts of the SLIT LAMP in a different orientation;

FIG. 10 is a further sign perspective view of the slit lamp according to FIG. 1 with parts of the slit lamp in a different orientation;

FIG. 11 is another front perspective view of the slit lamp shown in FIG. 1;

FIG. 12 is a front perspective view of the slit lamp according to FIG. 11;

FIG. 13 is a further perspective view of the slit lamp according to FIG. 11;

FIG. 14 is a further perspective view of the slit lamp according to FIG. 11;

FIG. 15 is an enlarged portion of the slit lamp shown in FIG. 1;

FIG. 16 is an enlarged portion of the slit lamp shown in FIG. 1;

(Continued)




FIG. 17 is an enlarged portion of the slit lamp shown in FIG. 1;
FIG. 18 is an enlarged portion of the slit lamp shown in FIG. 1; and,
FIG. 19 is an enlarged portion of the slit lamp shown in FIG. 1.

1 Claim, 19 Drawing Sheets

(58) Field of Classification Search

CPC A61B 3/0075; A61B 3/165; A61B 3/107;
A61B 3/04; A61B 3/0066; A61B 3/0008

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,187,005 A * 2/1980 Rosenberger A61B 3/0075
351/245
D254,933 S * 5/1980 Muller D24/172

4,407,572 A * 10/1983 Humphrey A61B 3/107
351/212
4,429,960 A * 2/1984 Mocilac A61B 3/107
351/212
D293,818 S * 1/1988 Speaker D24/172
D295,556 S * 5/1988 Speaker D24/172
D299,745 S * 2/1989 Sasaki D24/172
D360,465 S * 7/1995 Niven D24/172
D369,112 S * 4/1996 Luce D10/46
D390,663 S * 2/1998 Wolf D24/172
D435,658 S * 12/2000 Lobel D24/172
D436,665 S * 1/2001 Becker D24/172
D571,918 S * 6/2008 Mordaunt D24/172
D701,317 S * 3/2014 Takasu D24/172
D753,309 S * 4/2016 Yabe D24/172
D775,356 S * 12/2016 Zhou D24/172
D816,218 S * 4/2018 Kambe D24/137
2007/0008725 A1 * 1/2007 Luther A61B 3/0008
362/257
2011/0299038 A1 * 12/2011 Antkowiak A61B 3/0066
351/221

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D923,795 S
APPLICATION NO. : 29/673438
DATED : June 29, 2021
INVENTOR(S) : Jörg Reinhardt et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Under (30) Foreign Application Priority Data, delete "40 2018 202 061" and insert
--40 2018 202 060.9--

Signed and Sealed this
Twentieth Day of September, 2022
Katherine Kelly Vidal

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office