



US00D923795S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,795 S**  
**Reinhardt et al.** (45) **Date of Patent:** **\*\* Jun. 29, 2021**

(54) **SLIT LAMP**

(71) Applicant: **Carl Zeiss Meditec AG**, Jena (DE)

(72) Inventors: **Jörg Reinhardt**, Erfurt (DE); **Michael Güntzschel**, Jena (DE); **Dietrich Martin**, Jena (DE); **David Golz**, Jena (DE); **Ingo Koschmieder**, Jena (DE); **Heide Bachmann**, Jena (DE); **Jenny Dünger**, Jena (DE); **Tina Müller**, Leipzig (DE); **Ilka Schlesiger**, Jena (DE); **Martin Stohr**, Jena (DE); **Qiong Zhang**, Jena (DE); **Franco Giannozzi**, Florence (IT)

(73) Assignee: **Carl Zeiss Meditec AG**, Jena (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/673,438**

(22) Filed: **Dec. 14, 2018**

(30) **Foreign Application Priority Data**

Jun. 18, 2018 (DE) ..... 40 2018 202 061

(51) **LOC (13) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/172**

(58) **Field of Classification Search**  
USPC ..... D24/172, 137; D10/46  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,538,754 A \* 11/1970 Polanyi ..... A61B 3/165  
600/401  
3,972,602 A \* 8/1976 Inns ..... A61B 3/04  
351/245

(Continued)

*Primary Examiner* — Rhea Shields

(74) *Attorney, Agent, or Firm* — Patterson Thuent Pedersen, P.A.

(57) **CLAIM**

The ornamental design for a slit lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of a slit lamp, according to our new design;

FIG. 2 is a back perspective view of the slit lamp according to FIG. 1;

FIG. 3 is an opposing side perspective view of the slit lamp according to FIG. 1;

FIG. 4 is a front perspective view of the slit lamp according to FIG. 1;

FIG. 5 is a perspective view of the slit lamp according to FIG. 1;

FIG. 6 is a perspective view of the slit lamp according to FIG. 1 with parts of the slit lamp in a different orientation;

FIG. 7 is a back perspective view of the slit lamp according to FIG. 1 with parts of the SLIT LAMP in a different orientation;

FIG. 8 is a further perspective view of the slit lamp according to FIG. 1;

FIG. 9 is a further perspective view of the slit lamp according to FIG. 1 with parts of the SLIT LAMP in a different orientation;

FIG. 10 is a further sign perspective view of the slit lamp according to FIG. 1 with parts of the slit lamp in a different orientation;

FIG. 11 is another front perspective view of the slit lamp shown in FIG. 1;

FIG. 12 is a front perspective view of the slit lamp according to FIG. 11;

FIG. 13 is a further perspective view of the slit lamp according to FIG. 11;

FIG. 14 is a further perspective view of the slit lamp according to FIG. 11;

FIG. 15 is an enlarged portion of the slit lamp shown in FIG. 1;

FIG. 16 is an enlarged portion of the slit lamp shown in FIG. 1;

(Continued)




FIG. 17 is an enlarged portion of the slit lamp shown in FIG. 1;  
FIG. 18 is an enlarged portion of the slit lamp shown in FIG. 1; and,  
FIG. 19 is an enlarged portion of the slit lamp shown in FIG. 1.

**1 Claim, 19 Drawing Sheets**

(58) **Field of Classification Search**

CPC ..... A61B 3/0075; A61B 3/165; A61B 3/107;  
A61B 3/04; A61B 3/0066; A61B 3/0008

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,187,005 A \* 2/1980 Rosenberger ..... A61B 3/0075  
351/245  
D254,933 S \* 5/1980 Muller ..... D24/172

4,407,572 A \* 10/1983 Humphrey ..... A61B 3/107  
351/212  
4,429,960 A \* 2/1984 Mocilac ..... A61B 3/107  
351/212  
D293,818 S \* 1/1988 Speaker ..... D24/172  
D295,556 S \* 5/1988 Speaker ..... D24/172  
D299,745 S \* 2/1989 Sasaki ..... D24/172  
D360,465 S \* 7/1995 Niven ..... D24/172  
D369,112 S \* 4/1996 Luce ..... D10/46  
D390,663 S \* 2/1998 Wolf ..... D24/172  
D435,658 S \* 12/2000 Lobel ..... D24/172  
D436,665 S \* 1/2001 Becker ..... D24/172  
D571,918 S \* 6/2008 Mordaunt ..... D24/172  
D701,317 S \* 3/2014 Takasu ..... D24/172  
D753,309 S \* 4/2016 Yabe ..... D24/172  
D775,356 S \* 12/2016 Zhou ..... D24/172  
D816,218 S \* 4/2018 Kambe ..... D24/137  
2007/0008725 A1 \* 1/2007 Luther ..... A61B 3/0008  
362/257  
2011/0299038 A1 \* 12/2011 Antkowiak ..... A61B 3/0066  
351/221

\* cited by examiner






FIG. 1






FIG. 2






FIG. 3






FIG. 4






FIG. 5






FIG. 6






FIG. 7






FIG. 8






FIG. 9






FIG. 10






FIG. 11






FIG. 12






FIG. 13






FIG. 14





FIG. 15






FIG. 16






FIG. 17





FIG. 18





FIG. 19



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D923,795 S  
APPLICATION NO. : 29/673438  
DATED : June 29, 2021  
INVENTOR(S) : Jörg Reinhardt et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Under (30) Foreign Application Priority Data, delete "40 2018 202 061" and insert  
--40 2018 202 060.9--

Signed and Sealed this  
Twentieth Day of September, 2022  
*Katherine Kelly Vidal*

Katherine Kelly Vidal  
*Director of the United States Patent and Trademark Office*