



US00D923907S

(12) **United States Design Patent** (10) **Patent No.:** **US D923,907 S**
Ueda et al. (45) **Date of Patent:** **** Jun. 29, 2021**

(54) **RAIL FOR CARRIAGE**

(71) Applicant: **DAIFUKU CO., LTD.**, Osaka (JP)

(72) Inventors: **Yuichi Ueda**, Shiga (JP); **Osamu Matsui**, Shiga (JP); **Atsushi Ishikura**, Shiga (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/705,443**

(22) Filed: **Sep. 12, 2019**

(30) **Foreign Application Priority Data**

Mar. 25, 2019 (JP) 2019-006163

(51) **LOC (13) Cl.** **12-05**

(52) **U.S. Cl.**
USPC **D34/35**

(58) **Field of Classification Search**
USPC D34/28, 29, 30, 31, 32, 33, 34, 35, 36,
D34/37, 38; D25/119, 120, 122, 123,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D471,648 S * 3/2003 Chaney D25/124
D621,962 S * 8/2010 Deleu D25/122
(Continued)

FOREIGN PATENT DOCUMENTS

KR 3005027880000 8/2008
KR 3007543130000 7/2014
(Continued)

OTHER PUBLICATIONS

Notice of Allowance dated Apr. 22, 2020 in related/corresponding
Taiwanese Design Application No. 108305638.

Primary Examiner — George A Bugg

Assistant Examiner — Tamara L Hahn

(74) *Attorney, Agent, or Firm* — Kusner & Jaffe

(57) **CLAIM**

The ornamental design for a rail for carriage, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of a rail for carriage showing our new design;

FIG. 2 is an alternative illustration of FIG. 1 showing a broken gap;

FIG. 3 is a lower perspective view thereof;

FIG. 4 is an alternative illustration of FIG. 3 showing a broken gap;

FIG. 5 is a front elevational view thereof, a rear elevational view being a mirror image of the front elevational view;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is an alternative illustration of FIG. 6 showing a broken gap;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is an alternative illustration of FIG. 8 showing a broken gap;

FIG. 10 is a top plan view thereof;

FIG. 11 is an alternative illustration of FIG. 10 showing a broken gap;


FIG. 12 is a bottom plan view thereof;

FIG. 13 is an alternative illustration of FIG. 12 showing a broken gap; and,

FIG. 14 is a cross-sectional view thereof taken along line 14 of FIGS. 6 and 7.

The rail for carriage is shown with symbolic breaks in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 14 Drawing Sheets



(58) **Field of Classification Search**

USPC D25/124, 125, 126; D8/349, 354,
D8/373–377; D9/456
CPC B65D 2519/00; B65D 2519/00273; B65D
2519/00288; B65D 2519/00363; B65D
2519/00069; B65B 65/00; E06B 1/12;
E04C 3/00; E04C 3/02; E04C 3/125;
E04C 3/127; E04B 1/18; E04B 1/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D670,474 S * 11/2012 Koch B66C 7/02
D34/35
D673,343 S * 12/2012 Thiele D34/29
D698,466 S * 1/2014 Wickland D25/124
D714,468 S * 9/2014 Fannan D25/124
D790,799 S * 6/2017 Holzhaeuser D34/35
D846,157 S * 4/2019 Luvison D25/123
D897,624 S * 9/2020 Dale D34/39
D898,950 S * 10/2020 Weber D25/124
D909,003 S * 1/2021 Zurewich D34/29
D909,702 S * 2/2021 Zurewich D34/29
2005/0098059 A1 * 5/2005 Wallner B66C 11/06
104/89
2017/0152073 A1 * 6/2017 Lim B65D 19/06

FOREIGN PATENT DOCUMENTS

TW	148741	12/1990
TW	148742	12/1990
TW	148743	12/1990
TW	148744	12/1990
TW	285625	9/1996

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14