



US00D924021S

(12) **United States Design Patent** (10) **Patent No.:** **US D924,021 S**
Deckebach et al. (45) **Date of Patent:** **** Jul. 6, 2021**

(54) **WINE RACK**

(71) Applicant: **Wine Cellar Innovations, LLC**,
Cincinnati, OH (US)

(72) Inventors: **James L. Deckebach**, Cincinnati, OH
(US); **Anthony J. Wilke**, Cincinnati,
OH (US)

(73) Assignee: **Wine Cellar Innovations, LLC**,
Cincinnati, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/707,015**

(22) Filed: **Sep. 25, 2019**

(51) **LOC (13) Cl.** **06-04**

(52) **U.S. Cl.**
USPC **D7/701**

(58) **Field of Classification Search**
USPC D7/601, 701-707; D6/552, 675;
D8/354, 380, 381

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

887,272 A 5/1908 Robinson
1,129,553 A 2/1915 Cope

(Continued)

FOREIGN PATENT DOCUMENTS

FR 2474449 A1 7/1981

Primary Examiner — Terry A Wallace

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans
LLP

(57) **CLAIM**

The ornamental design for a wine rack, as shown and
described.

DESCRIPTION

FIG. 1 is a front, left isometric view of the wine rack
according to a first embodiment of the present invention.

FIG. 2 is another front, left isometric view of the wine rack
according to the first embodiment of the present invention.

FIG. 3 is a front view of the wine rack according to the first
embodiment of the present invention.

FIG. 4 is a left view of the wine rack according to the first
embodiment of the present invention.

FIG. 5 is a right view of the wine rack according to the first
embodiment of the present invention.

FIG. 6 is a top view of the wine rack according to the first
embodiment of the present invention.

FIG. 7 is a bottom view of the wine rack according to the
first embodiment of the present invention.

FIG. 8 is a front, left isometric view of the wine rack
according to a first alternative embodiment of the present
invention.

FIG. 9 is another front, left isometric view of the wine rack
according to the first alternative embodiment of the present
invention.

FIG. 10 is a front view of the wine rack according to the first
alternative embodiment of the present invention.

FIG. 11 is a left side view of the wine rack according to the
first alternative embodiment of the present invention.

FIG. 12 is a right side view of the wine rack according to the
first alternative embodiment of the present invention.

FIG. 13 is a top view of the wine rack according to the first
alternative embodiment of the present invention.

FIG. 14 is a bottom view of the wine rack according to the
first alternative embodiment of the present invention.

FIG. 15 is a front, left isometric view of the wine rack
according to a second alternative embodiment of the present
invention.

FIG. 16 is another front, left isometric view of the wine rack
according to the second alternative embodiment of the
present invention.

FIG. 17 is a front view of the wine rack according to the
second alternative embodiment of the present invention.

FIG. 18 is a left side view of the wine rack according to the
second alternative embodiment of the present invention.

FIG. 19 is a right, side view of the wine rack according to
the second alternative embodiment of the present invention.

FIG. 20 is a top view of the wine rack according to the
second alternative embodiment of the present invention.

(Continued)




FIG. 21 is a bottom view of the wine rack according to the second alternative embodiment of the present invention.

FIG. 22 is a front, left isometric view of the wine rack according to a third alternative embodiment of the present invention.

FIG. 23 is another front, left isometric view of the wine rack according to the third alternative embodiment of the present invention.

FIG. 24 is a front view of the wine rack according to the third alternative embodiment of the present invention.

FIG. 25 is a left side view of the wine rack according to the third alternative embodiment of the present invention.

FIG. 26 is a right, side view of the wine rack according to the third alternative embodiment of the present invention.

FIG. 27 is a top view of the wine rack according to the third alternative embodiment of the present invention; and,

FIG. 28 is a bottom view of the wine rack according to the third alternative embodiment of the present invention.

The broken dot-dash lines in the figures are for illustrative purposes only and represent non-claimed environmental subject matter. Neither the portions of the invention shown in broken dot-dash line nor the broken dot-dash lines themselves form any part of the claimed invention.

1 Claim, 18 Drawing Sheets

(58) **Field of Classification Search**

CPC A47B 57/562; A47B 57/56; A47B 73/00; A47B 73/006; A47B 73/008; A47B 81/04; A47B 81/007; A47B 96/06; A47B 96/061; A47B 95/008; A47G 23/0208; A47F 5/08; A47F 5/0823; A47F 5/0815; A47F 7/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,206,203 A 11/1916 Brockway
2,081,216 A 5/1937 Bosserman

| | | | | |
|--------------|------|---------|-----------------|--------------------------|
| 2,285,632 | A | 6/1942 | Urbain | |
| D226,051 | S | 1/1973 | Fujinami | |
| 3,746,179 | A | 7/1973 | Paumgardhen | |
| 3,923,277 | A | 12/1975 | Perrault et al. | |
| 4,450,989 | A | 5/1984 | Bogar, Jr. | |
| 4,482,065 | A | 11/1984 | Altemose | |
| 4,709,888 | A | 12/1987 | Cubit et al. | |
| D307,220 | S | 4/1990 | Kaufman, Jr. | |
| 4,960,253 | A | 10/1990 | Perrault et al. | |
| D368,648 | S | 4/1996 | Losier | |
| 5,505,316 | A | 4/1996 | Lee | |
| D376,299 | S | 12/1996 | Audet | |
| 5,632,457 | A | 5/1997 | Neely, Jr. | |
| D460,902 | S | 7/2002 | Battle | |
| 6,443,316 | B1 | 9/2002 | Mao | |
| 6,763,956 | B2 | 7/2004 | Woods | |
| 6,991,117 | B2 | 1/2006 | McCain | |
| 7,201,282 | B1 | 4/2007 | Alderman | |
| 7,234,254 | B2 | 6/2007 | Schmidt | |
| D553,453 | S * | 10/2007 | Toth | D7/701 |
| 7,284,671 | B1 | 10/2007 | Doscher | |
| 7,850,017 | B2 | 12/2010 | McCain | |
| 7,882,967 | B2 | 2/2011 | Hynes | |
| 8,231,015 | B2 | 7/2012 | McCain | |
| D680,393 | S * | 4/2013 | Hendrick | D7/707 |
| 8,596,590 | B2 | 12/2013 | McCoy | |
| 8,684,194 | B2 | 4/2014 | McCain | |
| 8,777,019 | B2 | 7/2014 | Dovell | |
| 8,840,071 | B2 | 9/2014 | Oh et al. | |
| 8,973,766 | B2 | 3/2015 | Sprang, Jr. | |
| 9,149,115 | B2 | 10/2015 | Kasza et al. | |
| D751,871 | S * | 3/2016 | Polley | D7/701 |
| 9,364,085 | B2 | 6/2016 | McCain | |
| 9,763,515 | B2 | 9/2017 | Fratilla et al. | |
| 9,781,999 | B2 | 10/2017 | McCain | |
| 10,004,330 | B1 | 6/2018 | Kasza | |
| 2011/0132853 | A1 * | 6/2011 | Drobot | A47B 57/562 211/42 |
| 2012/0085721 | A1 | 4/2012 | Michael et al. | |
| 2014/0339182 | A1 | 11/2014 | Koder et al. | |
| 2016/0007743 | A1 | 1/2016 | Koder et al. | |
| 2016/0100685 | A1 * | 4/2016 | Tibbe | A47B 96/061 248/218.4 |
| 2017/0360195 | A1 | 12/2017 | McCain | |
| 2019/0021492 | A1 | 1/2019 | Sill | |
| 2019/0365095 | A1 * | 12/2019 | Di Prima | A47B 73/00 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28