



US00D924125S

(12) **United States Design Patent** (10) **Patent No.:** **US D924,125 S**
Nakamura (45) **Date of Patent:** **** Jul. 6, 2021**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)
(72) Inventor: **Takamitsu Nakamura,** Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

(**) Term: **15 Years**
(21) Appl. No.: **29/722,594**

(22) Filed: **Jan. 31, 2020**

(30) **Foreign Application Priority Data**

Oct. 3, 2019 (JP) 2019-022208

(51) **LOC (13) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D606,933 S	12/2009	Palma et al.	
D608,273 S	1/2010	Scheifele et al.	
D610,979 S *	3/2010	Maxwell	D12/605
D640,187 S	6/2011	Fontaine et al.	
D655,671 S *	3/2012	Yasunaga	D12/605
D665,337 S *	8/2012	Fontaine	D12/605
D666,143 S *	8/2012	Sato	D12/605
D684,111 S *	6/2013	Vandaele	D12/605
D699,665 S *	2/2014	Maxwell	D12/605
D701,826 S *	4/2014	Morito	D12/605
D750,555 S *	3/2016	Iwabuchi	D12/605
D754,063 S *	4/2016	Iwabuchi	D12/605
D769,807 S *	10/2016	Ishikawa	D12/605

D773,988 S *	12/2016	Itoi	D12/605
D777,094 S	1/2017	Takahashi	
D800,644 S *	10/2017	Tokizaki	D12/605
D800,646 S *	10/2017	Sato	D12/605
D800,647 S *	10/2017	Morito	D12/605
D801,263 S *	10/2017	Sato	D12/605
D802,526 S *	11/2017	Ishikawa	D12/605

(Continued)

FOREIGN PATENT DOCUMENTS

JP	1392857 S	7/2010
JP	1578960 S	6/2017

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire sidewall showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof, the bottom view being a mirror image thereof;

FIG. 4 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 5 is a rear view thereof;


FIG. 6 is a fragmentary enlarged front view surrounded by broken line 6 in FIG. 2;

FIG. 7 is a fragmentary enlarged front view surrounded by broken line 7 in FIG. 6; and,

FIG. 8 is an enlarged end view taken along line 8-8 in FIG. 7 thereof.

The broken lines shown illustrate portions of the tire sidewall that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D813,150 S * 3/2018 Schoepner D12/605
D817,860 S * 5/2018 Maxwell D12/605
D823,785 S * 7/2018 Noel D12/605
D829,163 S * 9/2018 Ishikawa D12/605
D829,644 S * 10/2018 Morita D12/605
D830,292 S * 10/2018 Baggetta D12/605
D847,737 S * 5/2019 Yasunaga D12/605
D850,361 S * 6/2019 Scheifele D12/605
D852,735 S * 7/2019 Horiguchi D12/605
D856,915 S * 8/2019 Nagase D12/605

FOREIGN PATENT DOCUMENTS

JP 1621500 S 1/2019
WO DM/095471 9/2017

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

