



US00D924204S

(12) **United States Design Patent** (10) **Patent No.:** **US D924,204 S**  
**Natsume et al.** (45) **Date of Patent:** **\*\* Jul. 6, 2021**

(54) **TOTEM CONTROLLER HAVING AN ILLUMINATION REGION**  
(71) Applicant: **Magic Leap, Inc.**, Plantation, FL (US)  
(72) Inventors: **Shigeru Natsume**, Weston, FL (US); **Timothy Michael Stutts**, Oakland Park, FL (US); **Sumanth Murali**, Plantation, FL (US); **Haney Awad**, Ft. Lauderdale, FL (US); **Brian David Schwab**, Sunrise, FL (US); **James M. Powderly**, Ft. Lauderdale, FL (US); **Savannah Niles**, Ft. Lauderdale, FL (US)

(73) Assignee: **Magic Leap, Inc.**, Plantation, FL (US)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **29/657,667**  
(22) Filed: **Jul. 24, 2018**  
(51) **LOC (13) Cl.** ..... **14-03**  
(52) **U.S. Cl.**  
USPC ..... **D14/218**; D21/333  
(58) **Field of Classification Search**  
USPC ..... D14/218; D13/168; D21/333  
CPC .. A47C 31/008; A61G 13/02; G07C 9/00944;  
G08C 17/00; G08C 17/02; H04B 1/202;  
H01H 9/02; H01H 9/0214; H01H 9/0235;  
H01H 9/0242  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D432,131 S \* 10/2000 Jones ..... D14/402  
6,850,221 B1 2/2005 Tickle  
D514,570 S \* 2/2006 Ohta ..... D14/384  
D563,480 S 3/2008 Blaseflug et al.  
D565,668 S 4/2008 Baseflug et al.

(Continued)

**OTHER PUBLICATIONS**

Design U.S. Appl. No. 29/657,652 to Natsume et al., filed Jul. 24, 2018.

(Continued)

*Primary Examiner* — John Windmuller  
(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP


(57) **CLAIM**

The ornamental design for a totem controller having an illumination region, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a totem controller having an illumination region showing our design in a non-illuminated state;  
FIG. 2 is a top view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a left side view of the totem controller having an illumination region showing our design in an illuminated state;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a front view thereof;  
FIG. 7 is a rear view thereof;  
FIG. 8 is a front perspective view thereof showing the illumination region in an illuminated state in grayscale; and, FIG. 9 is a top view thereof.  
The broken lines in FIGS. 1-9 depicting various components of a totem controller are included for illustrating environmental structure and are not themselves part of the design. The long-short dashed lines in FIGS. 1 and 8 indicate curvature and are not themselves part of the design. The dash-dot radiating lines emanating from the circular element in FIGS. 4-7 and the grayscale shading of the circular element in FIGS. 9-10 both represent illumination.

**1 Claim, 8 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D567,243 S 4/2008 Ashida et al.  
 D567,297 S 4/2008 Del Castillo et al.  
 D587,713 S 3/2009 Sutton  
 D589,515 S 3/2009 Brunner et al.  
 D594,066 S 6/2009 Oikawa et al.  
 D611,477 S 3/2010 Brunner et al.  
 D638,841 S 5/2011 Musick, Jr. et al.  
 D658,184 S 4/2012 Chang et al.  
 D665,461 S 8/2012 Ikeda et al.  
 D675,644 S 2/2013 Frost et al.  
 8,523,675 B2 9/2013 Young et al.  
 D698,358 S 1/2014 Beams  
 8,950,867 B2 2/2015 Macnamara  
 D725,041 S 3/2015 Bailey et al.  
 9,081,426 B2 7/2015 Armstrong  
 D740,369 S 10/2015 Cho et al.  
 9,215,293 B2 12/2015 Miller  
 D749,044 S 2/2016 Huang  
 D752,529 S 3/2016 Loretan et al.  
 D753,095 S 4/2016 Jou et al.  
 9,310,559 B2 4/2016 Macnamara  
 D755,761 S 5/2016 Reynolds  
 9,348,143 B2 5/2016 Gao et al.  
 D758,367 S 6/2016 Natsume  
 D759,657 S 7/2016 Kujawski et al.  
 D763,359 S 8/2016 Kwong et al.  
 9,417,452 B2 8/2016 Schowengerdt et al.  
 D769,876 S \* 10/2016 Aoyagi ..... D14/432  
 9,470,906 B2 10/2016 Kaji et al.  
 9,547,174 B2 1/2017 Gao et al.  
 9,671,566 B2 6/2017 Abovitz et al.  
 9,740,006 B2 8/2017 Gao

D797,743 S \* 9/2017 Awad ..... D14/412  
 9,791,700 B2 10/2017 Schowengerdt et al.  
 9,851,563 B2 12/2017 Gao et al.  
 9,857,591 B2 1/2018 Welch et al.  
 9,874,749 B2 1/2018 Bradski et al.  
 D828,337 S \* 9/2018 Li ..... D14/218  
 D844,608 S \* 4/2019 Chen ..... D14/388  
 10,444,849 B2 \* 10/2019 Li ..... G06F 3/03547  
 10,534,447 B2 \* 1/2020 Li ..... G06F 3/04883  
 D884,700 S \* 5/2020 Shao ..... D14/412  
 2012/0127062 A1 5/2012 Bar-Zeev et al.  
 2013/0082922 A1 4/2013 Miller  
 2013/0125027 A1 5/2013 Abovitz  
 2014/0071539 A1 3/2014 Gao  
 2014/0177023 A1 6/2014 Gao et al.  
 2014/0218468 A1 8/2014 Gao et al.  
 2014/0306866 A1 10/2014 Miller et al.  
 2015/0103306 A1 4/2015 Kaji et al.  
 2015/0222883 A1 8/2015 Welch  
 2015/0222884 A1 8/2015 Cheng  
 2015/0268415 A1 9/2015 Schowengerdt et al.  
 2015/0302652 A1 10/2015 Miller et al.  
 2015/0326570 A1 11/2015 Publicover et al.  
 2015/0346490 A1 12/2015 TeKolste et al.  
 2015/0346495 A1 12/2015 Welch et al.  
 2016/0011419 A1 1/2016 Gao  
 2016/0026253 A1 1/2016 Bradski et al.  
 2018/0314416 A1 11/2018 Powderly

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/657,674 to Natsume et al., filed Jul. 24, 2018.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9