US00D924440S

(12) **United States Design Patent**
Nelson et al.

(10) **Patent No.: US D924,440 S**
(45) **Date of Patent: ** Jul. 6, 2021**

(54) **WINDOW COMPONENT EXTRUSION**

(71) Applicant: **JELD-WEN, Inc.**, Charlotte, NC (US)

(72) Inventors: **Jacob Nelson**, Klamath Falls, OR (US); **Yoshua Gombo**, Seattle, WA (US); **David Belau**, Klamath Falls, OR (US); **Ryan Schroeder**, Klamath Falls, OR (US); **Jerry Jones**, Klamath Falls, OR (US)

(73) Assignee: **JELD-WEN, INC.**, Charlotte, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/698,050**

(22) Filed: **Jul. 12, 2019**

(51) **LOC (13) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/124**

(58) **Field of Classification Search**
USPC D25/35, 102, 119–125, 164; D8/354, D8/373, 374, 376, 377
CPC E06B 1/02; E06B 1/04; E06B 1/12; E06B 1/14; E06B 1/16; E06B 1/26; E06B 1/28; E06B 1/36; E06B 1/363; E06B 1/366; E06B 1/38; E06B 1/40; E06B 1/52; E06B 1/524; E06B 1/56; E06B 1/62; E06B 1/68; E06B 3/04; E06B 3/06; E06B 3/24; E06B 3/26; E06B 3/30; E06B 3/301; E06B 3/306; E06B 3/308
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,304,081	A *	12/1981	Dawson	E06B 3/305 52/309.13
D300,367	S *	3/1989	Reisinger	D25/122
D308,251	S *	5/1990	Hardy	D25/124
D312,315	S *	11/1990	Westphal	D25/122
D325,984	S *	5/1992	Valentin	D25/122
D334,069	S *	3/1993	Cole	D25/122
D334,628	S *	4/1993	Cole	D25/124
D335,931	S *	5/1993	Cole	D25/124
D336,344	S *	6/1993	Cole	D25/124
D338,276	S *	8/1993	Cole	D25/119
D338,968	S *	8/1993	Moss	D25/122
D348,939	S *	7/1994	Larsson	D25/122
D351,240	S *	10/1994	Cole	D25/122
D351,667	S *	10/1994	Bancroft	D25/124
D376,209	S *	12/1996	DiGiorgio	D25/122
D376,434	S *	12/1996	DiGiorgio	D25/122
D379,525	S *	5/1997	DiGiorgio	D25/122
D381,087	S *	7/1997	DiGiorgio	D25/123
D392,393	S *	3/1998	Hersh	D25/122
D395,524	S *	6/1998	Daoust	D25/122
D420,453	S *	2/2000	Hersh	D25/122

(Continued)

Primary Examiner — Llorelys Martinez
(74) *Attorney, Agent, or Firm* — Lorenz & Kopf, LLP

(57) **CLAIM**

The ornamental design for a window component extrusion, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a window component extrusion showing our new design.
FIG. **2** is a rear perspective view thereof.
FIG. **3** is a front elevation view thereof.
FIG. **4** is a rear elevation view thereof.
FIG. **5** is a left side elevation view thereof.
FIG. **6** is a right side elevation view thereof.
FIG. **7** is a top plan view thereof; and,
FIG. **8** is a bottom plan view thereof.
In FIGS. **1-4**, **7**, and **8**, the window component extrusion is shown with a symbolic break in its length. The appearance of any portion of the window component extrusion between the break lines forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D424,710	S	*	5/2000	Hersh	D25/122
D598,574	S	*	8/2009	Bergmann	D25/122
D621,962	S	*	8/2010	Deleu	D25/122
D754,366	S	*	4/2016	Morton	D25/124

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8