



US00D924797S

(12) **United States Design Patent** (10) **Patent No.:** **US D924,797 S**  
**Scheurer et al.** (45) **Date of Patent:** **\*\* Jul. 13, 2021**

- (54) **BATTERY CHARGING DEVICE**
- (71) Applicants: **Lukas Scheurer**, Providence, RI (US);  
**William Vahle**, Lenox, MA (US)
- (72) Inventors: **Lukas Scheurer**, Providence, RI (US);  
**William Vahle**, Lenox, MA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/666,864**
- (22) Filed: **Oct. 16, 2018**
- (51) **LOC (13) Cl.** ..... **13-02**
- (52) **U.S. Cl.**  
USPC ..... **D13/108**; D13/103
- (58) **Field of Classification Search**  
USPC ..... D13/102–106, 110, 118–119, 184  
CPC ..... Y02E 60/12; Y02E 60/122; Y02E 60/124;  
Y02E 60/50; H01M 2/02; H01M 2/022;  
H01M 2/0202; H01M 2/0207; H01M  
2/0212; H01M 2/1061; H01M 2/1022;  
H01M 2/1055; H01M 2/1066; H01M  
2/105; H01M 2/204; H01M 2/1016;  
H01M 2200/00; H01M 10/4257; H01M  
10/0436; H01M 10/48; H01M 10/42  
See application file for complete search history.

D832,782 S \* 11/2018 Leabman ..... D13/108  
D884,618 S \* 5/2020 Vahle ..... D13/108  
D897,975 S \* 10/2020 Lanter, Jr. .... D13/184

**OTHER PUBLICATIONS**

Avido LLC, “WiBa: 100% Wireless & Stackable Power Bank & Fast Charging Pad,” AVIDO, <https://avidopower.com/product/wiba-2/>, 2018.  
Lucid Chargers, “The Sticker Power Bank,” Kickstarter, [https://www.kickstarter.com/projects/thestickerpowerbank/the-sticker-power-bank?ref=nav\\_search&result=project&term=the%20sticker](https://www.kickstarter.com/projects/thestickerpowerbank/the-sticker-power-bank?ref=nav_search&result=project&term=the%20sticker), Aug. 15, 2018.  
Will Kail, “Bunk”, Instagram, [https://www.instagram.com/p/Bh4Z7sQFWW4/?utm\\_source=ig\\_share\\_sheet&igshid=13zgelhtxkkcw](https://www.instagram.com/p/Bh4Z7sQFWW4/?utm_source=ig_share_sheet&igshid=13zgelhtxkkcw), Apr. 22, 2018.

\* cited by examiner

*Primary Examiner* — Nathaniel D. Buckner  
(74) *Attorney, Agent, or Firm* — Nutter McClennen & Fish LLP

(57) **CLAIM**

The ornamental design for a battery charging device, as shown and described.

**DESCRIPTION**


FIG. 1 is a top left perspective view of a battery charging device showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a right elevation view thereof;  
FIG. 5 is a left elevation view thereof;  
FIG. 6 is a front elevation view thereof;  
FIG. 7 is a back elevation view thereof; and,  
FIG. 8 is a top left perspective view thereof shown in an environment of use.  
The broken lines shown in the figures depict portions of the battery charging device that form no part of the claimed design.


**1 Claim, 6 Drawing Sheets**

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

- D380,199 S \* 6/1997 Beruscha ..... D10/75
- D396,686 S \* 8/1998 Bay ..... D13/103
- D566,657 S \* 4/2008 Shen ..... D13/152
- D599,736 S \* 9/2009 Ferber ..... D13/108
- D636,724 S \* 4/2011 Nomi ..... D13/108
- D639,734 S \* 6/2011 Ferber ..... D13/108
- D645,045 S \* 9/2011 Cacioppo ..... D14/388
- D729,163 S \* 5/2015 Meyer ..... D13/123
- D791,767 S \* 7/2017 Ali ..... D14/358
- D816,049 S \* 4/2018 Kim ..... D13/184







*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*