



US00D924820S

(12) **United States Design Patent** (10) **Patent No.:** **US D924,820 S**
Dimberg et al. (45) **Date of Patent:** **** *Jul. 13, 2021**

(54) **ILLUMINATED CONTROL DEVICE**

(71) Applicant: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(72) Inventors: **Chris Dimberg**, Easton, PA (US);
Jason C. Killo, Emmaus, PA (US);
Daniel L. Twaddell, Allentown, PA
(US)

(73) Assignee: **Lutron Technology Company LLC**,
Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/708,558**

(22) Filed: **Oct. 8, 2019**

Related U.S. Application Data

(63) Continuation of application No. 29/566,959, filed on
Jun. 3, 2016, now Pat. No. Des. 868,009.

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/174**

(58) **Field of Classification Search**
USPC D13/162, 168, 171, 173, 174; D7/393;
D8/310, 312; D26/24, 26, 37, 89

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,392,388 A 2/1995 Gibson
D556,938 S * 12/2007 Russello D26/89

(Continued)

OTHER PUBLICATIONS

Legrand® / Pass & Seymour®, P&S Dimmers—DR Series Bro-
chure, 2010, 2 pages.

(Continued)

Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Saidman DesignLaw
Group, LLC

(57) **CLAIM**

The ornamental design for an illuminated control device, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an illuminated control
device showing a first state in a sequence showing our new
design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front view showing a second state thereof;

FIG. 8 is a front view showing a third state thereof;

FIG. 9 is a front view showing a first state in a sequence
comprising a second embodiment thereof;

FIG. 10 is a left side view thereof;

FIG. 11 is a right side view thereof;

FIG. 12 is a top view thereof;

FIG. 13 is a bottom view thereof;

FIG. 14 is a front view showing a second state thereof; and,


FIG. 15 is a front view showing a third state thereof.

The gray shaded elements depict illumination.

The dashed broken lines illustrate structure or features
which form no part of the claimed design; the broken lines
themselves form no part of the claimed design.

In each of the embodiments, the claimed design sequentially
transitions from the first state to the last state in the
sequence. The period with which one image transitions to
another image forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC H01H 3/12; H01H 3/122; H01H 9/02;
H01H 9/16; H01H 9/18; H01H 9/181;
H01H 9/182; H01H 13/023; H01H 13/04;
H01H 13/06; H01H 13/14; H01H
2009/187; H05B 39/02; H05B 39/04;
H05B 39/085; H05B 39/086; H05B
39/088; G08C 17/02; H03K 17/962

See application file for complete search history.

2017/0354012 A1 12/2017 Bard et al.
2017/0354021 A1 12/2017 Dimberg et al.
2017/0354022 A1 12/2017 Dimberg et al.
2017/0354023 A1 12/2017 Dimberg et al.
2018/0005742 A1 1/2018 Newman, Jr. et al.
2018/0116039 A1 4/2018 Harte et al.
2021/0050164 A1* 2/2021 Altonen H05B 47/175

(56) **References Cited**

U.S. PATENT DOCUMENTS

D558,692 S 1/2008 Neveu
D633,231 S * 2/2011 Morrison D26/24
D633,644 S * 3/2011 Sprengers D26/89
D647,227 S * 10/2011 Kaule D26/24
D668,375 S * 10/2012 Daniels D26/89
D669,499 S 10/2012 Gardner et al.
D673,703 S * 1/2013 Davies D26/36
8,786,196 B2 7/2014 Biery et al.
D727,928 S 4/2015 Allison et al.
D729,970 S * 5/2015 Jepson D26/89
D739,872 S 9/2015 Bang et al.
D744,535 S 12/2015 Shin et al.
D748,648 S 2/2016 Kim et al.
D752,072 S 3/2016 Song
D755,037 S 5/2016 Czerwinski, Jr. et al.
D759,877 S * 6/2016 Hewitt D26/89
D761,277 S 7/2016 Harvell
D761,812 S 7/2016 Motamedi
D762,716 S 8/2016 Yang et al.
D763,308 S 8/2016 Wang et al.
D770,076 S * 10/2016 Li D26/89
D776,717 S 1/2017 Asai
D777,200 S 1/2017 Luo et al.
D777,367 S * 1/2017 Ma D26/104
9,538,619 B2 1/2017 Swatsky et al.
D779,977 S * 2/2017 Jacob D10/50
9,565,742 B2 2/2017 Swatsky et al.
9,633,557 B2 4/2017 Dimberg et al.
D786,932 S 5/2017 Kim et al.
9,746,159 B1 8/2017 Fletcher et al.
D808,912 S * 1/2018 Dimberg D13/174
D810,970 S * 2/2018 Thompson D26/26
D814,428 S * 4/2018 Dimberg D13/174
10,041,639 B1 * 8/2018 Thompson F21S 9/02
10,109,181 B2 * 10/2018 Dimberg G06F 3/04847
D837,168 S * 1/2019 Altonen D13/174
D837,169 S * 1/2019 Altonen D13/174
D868,009 S * 11/2019 Dimberg D13/174
D868,010 S * 11/2019 Bard D13/174
D872,775 S * 1/2020 Becke D15/89
D892,750 S * 8/2020 Dimberg D13/171
D908,643 S * 1/2021 Dimberg D13/171
2004/0109304 A1 6/2004 Yokoyama et al.
2007/0057922 A1 3/2007 Schultz et al.
2007/0136679 A1 6/2007 Yang
2010/0175971 A1 7/2010 Kim et al.
2013/0242531 A1 9/2013 Urayama
2013/0328500 A1 12/2013 Toda
2014/0117871 A1 5/2014 Swatsky et al.
2015/0371534 A1 12/2015 Dimberg et al.
2016/0128586 A1 5/2016 Parton et al.
2016/0196635 A1 7/2016 Cho et al.
2016/0212368 A1 7/2016 Zhang et al.
2017/0185240 A1 * 6/2017 Delrosario G06F 3/04847
2017/0278383 A1 9/2017 Dimberg et al.
2017/0280533 A1 9/2017 Dimberg et al.
2017/0352506 A1 12/2017 Dimberg

OTHER PUBLICATIONS

Legrand®, Dimmers Brochure, 2015, 18 pages.
LUMENPULSE™, Lumentone™ Specification Sheet, 2013, 4 pages.
LUMENPULSE™, Lumentone™ Installation Instructions, 2013, 1 page.
LUMENPULSE™, Lumentone™ Quick Reference Guide, 2015, 3 pages.
Ltech, LED Controller Touch RGB DMX/RF 4 Zones—DX8, <http://ltech-led.eu/en/dmx/1293-led-controller-touch-dx8-dmx.html>, available at least as early as Jun. 3, 2016.
Diode LED, DMX Wall Mount Controller, <https://www.diodeled.com/dmx-wall-mount-controller.html>, available at least as early as Jun. 3, 2016.
Fontana Fountains, Glass-Touch RGB Controller, <http://www.fontanafountains.com/products/underwater-illumination/thSMARTLED-luminaires/glass-touch-rgb-controller>, available at least as early as Jun. 3, 2016.
Super Bright LEDs Inc., Wall Mount Touch Color RGB Controller, <https://www.superbrightleds.com/moreinfo/controllers/wall-mount-touch-color-rgb-controller-dynamic-color-changing-modes-3-amps-per-channel/1484/#/tab/Reviews>, available at least as early as Jun. 3, 2016.
Milight, RGBW Remote, <http://www.milight.com/milight-rgbw-remote/>, available at least as early as Jun. 3, 2016.
RGBZONE, DC 12V-24V Wall-mounted Touch Panel Switch Controller Full Color LED Dimmer, <https://www.amazon.com/RGBZONE-12V-24V-Wall-mounted-Switch-Controller/dp/B00RCEHNOI/ref=pd_sbs_60_2?_encoding=UTF8&pd_rd_i=B00RCEHNOI&pd_rd_r=XAXCT73G8T7VPD0HJDWK&pd_rd_w=2Fpri&pd_rd_wg=q5f29&pvc=1&refRID=XAXCT73G8T7VPD0HJDWK>, available at least as early as Jun. 3, 2016.
EPBOWPT, DC 12-24V Wall-mounted Glass Touch Panel Full-color Dimmer Controller, <https://www.aliexpress.com/store/product/DUMVOIN-Wall-mounted-Glass-Touch-Panel-Full-color-Dimmer-Controller-Wall-Switch-DC-12-24V-for/1916528_32542963626.html>, available at least as early as Jun. 3, 2016.
Google Developers, ‘Bridging the physical and digital. Imagine the possibilities. ATAP.—Google I/O 2016,’ youtube.com [online], May 20, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <https://www.youtube.com/watch?v=8LO59eN9om4>.
A Studios, ‘A Studios Lumenpulse lighting tutorial 1,’ youtube.com [online], Apr. 23, 2016 [retrieved May 5, 2017]. Retrieved from Internet: <https://www.youtube.com/watch?v=IHv4-TkgYZQ>.
Electronic Theatre Controls, Inc., Echo inspire® Station Programming Guide, Software Version 2.0.1, Feb. 2015, 44 pages.
Electronic Theatre Controls, Inc., Echo Inspire® Control Stations, <https://www.etccconnect.com/Products/Architectural-Systems/Echo/Control-Stations/Inspire-Control-Stations/Features.aspx>, available from Internet at least as early as Jul. 15, 2014 [site visited May 9, 2018].
Electronic Theatre Controls, Inc., Echo Inspire® Control Station: 4-Button with Fader Knob, photograph taken on May 8, 2018.
U.S. Appl. No. 62/345,449, filed Jun. 3, 2016 (unpublished).
U.S. Appl. No. 62/345,222, filed Jun. 3, 2016 (unpublished).
U.S. Appl. No. 29/569,786, filed Jun. 30, 2016 (unpublished).
U.S. Appl. No. 29/597,335, filed Mar. 16, 2017 (unpublished).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D924,820 S
APPLICATION NO. : 29/708558
DATED : July 13, 2021
INVENTOR(S) : Chris Dimberg et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

(56) References Cited

OTHER PUBLICATIONS

PAGE 2 Column 2 Line 47:

-<<https://www.etconnect.com/Products/Architectural-Systems/Echo/>-

Should read:

--<<https://www.etconnect.com/Products/Architectural-Systems/Echo/>--

Signed and Sealed this
Thirty-first Day of August, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*