



US00D924853S

(12) **United States Design Patent**  
**Forster**

(10) **Patent No.:** **US D924,853 S**  
(45) **Date of Patent:** **\*\* Jul. 13, 2021**

(54) **RFID INLAY**

(71) Applicant: **Avery Dennison Retail Information Services, LLC**, Mentor, OH (US)

(72) Inventor: **Ian J. Forster**, Chelmsford (GB)

(73) Assignee: **Avery Dennison Retail Information Services, LLC**, Mentor, OH (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/710,276**

(22) Filed: **Oct. 22, 2019**

(51) **LOC (13) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/230**

(58) **Field of Classification Search**  
USPC ..... D14/230–238, 203.6, 204, 216, 221,  
D14/238.1, 240, 242, 299, 343, 358, 509;  
D13/182  
CPC ..... H01Q 7/00; H01Q 13/10; H01Q 9/285;  
H01Q 19/30; H01Q 19/12; H01Q 1/36;  
H01Q 1/38; H01Q 1/0475; H01Q 1/034;  
H05K 11/00; G05D 1/0234; G06K  
19/07749

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D431,427 S \* 10/2000 Syvuk ..... D7/708  
D576,613 S \* 9/2008 Okamura ..... D14/230

D751,871 S \* 3/2016 Polley ..... D7/701  
D775,611 S \* 1/2017 Forster ..... D14/230  
D787,483 S \* 5/2017 Forster  
D787,484 S \* 5/2017 Forster ..... D14/230  
D812,045 S \* 3/2018 Howard ..... D14/230  
D816,642 S \* 5/2018 Pars Benli ..... D14/230  
D824,884 S \* 8/2018 Ross, III ..... D14/230  
D830,350 S \* 10/2018 Forster ..... D14/230  
D860,175 S \* 9/2019 Man ..... D14/230  
D874,447 S \* 2/2020 Howard ..... D14/230  
D900,793 S \* 11/2020 Howard ..... D14/230  
2007/0200782 A1 \* 8/2007 Hayama ..... H01O 1/2208  
343/795  
2008/0258980 A1 \* 10/2008 Chen ..... H01Q 1/242  
343/700 MS  
2010/0134292 A1 \* 6/2010 Deavours ..... H01Q 9/285  
340/572.7

\* cited by examiner

*Primary Examiner* — John Windmuller


(57) **CLAIM**

The ornamental design for an RFID inlay, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of an RFID inlay, showing my design; and,  
FIG. 2 is a top view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2