



US00D925089S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,089 S**
Ahrari et al. (45) **Date of Patent:** **** Jul. 13, 2021**

(54) **ILLUMINATING BOLLARD**
(71) Applicant: **Hubbell Incorporated**, Shelton, CT (US)
(72) Inventors: **Armin Ahrari**, Chino, CA (US); **Carol Acedo**, Fort Worth, TX (US); **David Dutra**, Santa Ana, CA (US); **Kevin Lu**, Fountain Valley, CA (US); **Dean Dal Ponte**, Glendale, CA (US); **Syed Raza**, Rancho Palos Verdes, CA (US); **Robert Nankil**, Fullerton, CA (US)

D443,094 S 5/2001 Landefeld
D589,194 S * 3/2009 Sabernig D26/104
D590,086 S 4/2009 Sabernig
D597,697 S 8/2009 Hogan
8,684,571 B1 3/2014 Alaura
8,845,126 B1 4/2014 Martzall
D795,482 S 8/2017 Salipeau
D836,812 S * 12/2018 Ahrari D26/68
D837,432 S * 1/2019 Ahrari D26/68
(Continued)

(73) Assignee: **Hubbell Incorporated**, Shelton, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/725,472**

(22) Filed: **Feb. 25, 2020**

Related U.S. Application Data

(62) Division of application No. 29/669,516, filed on Nov. 8, 2018, now Pat. No. Des. 880,038, which is a division of application No. 29/602,959, filed on May 5, 2017, now Pat. No. Des. 837,432.

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/67**

(58) **Field of Classification Search**
USPC D26/67-70, 72, 73, 85, 87, 92
CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S 8/081; F21W 2111/102; F21W 2111/023; F21W 2131/109
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,078 S 9/1964 Turner et al.
D398,412 S 9/1998 Metcheat, III

OTHER PUBLICATIONS

The Macgraw-Edison BSC/BRC Bollard from Cooper Industries. Spec. Sheet dated May 2, 2018.

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**

We claim the ornamental design for an illuminating bollard, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of an illuminating bollard showing the new design.


FIG. 2 is a side elevation view of the illuminating bollard shown in FIG. 1.

FIG. 3 is a top plan view of the illuminating bollard shown in FIG. 1; and,

FIG. 4 is a lower perspective view of the illuminating bollard shown in FIG. 1.

The broken lines illustrate portions of the illuminating bollard that form no part of the claimed design. The gap illustrated in the images represents a symbolic break in length of an unclaimed portion of the bollard. The appearance of the article between these break lines formed no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D880,038 S * 3/2020 Ahrari D26/67
D880,745 S * 4/2020 Ahrari D26/67
2003/0063474 A1 4/2003 Coushaine
2005/0247920 A1* 11/2005 Burkart F21V 33/006
256/1
2006/0109667 A1 5/2006 Flaherty
2006/0146534 A1 7/2006 Morton
2009/0059572 A1 3/2009 Wang
2010/0073922 A1 3/2010 Yen
2013/0063954 A1 3/2013 Chen
2013/0094208 A1 4/2013 Gill
2015/0338040 A1 11/2015 Swope
2016/0040841 A1 2/2016 Martzall
2019/0211975 A1 7/2019 Rubin-Brusilovski

OTHER PUBLICATIONS

Antique Street Lamps/Resonance Bollard Model No. TLRCB10
LED from Acuity Brands Lighting, copyright 2012.
“Wiremold-Outdoor Charging Station,” Legrand Electrical Wiring
Systems, 2016 (2 pages).
U.S. Appl. No. 29/602,959, filed May 5, 2018 now U.S. Pat. No. D.
837,432.
U.S. Appl. No. 29/669,516, filed Nov. 8, 2018 now U.S. Pat. No. D.
880,038.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4