

US00D925093S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,093 S**
Ye (45) **Date of Patent:** **** Jul. 13, 2021**

(54) **TRI-PROOF LIGHT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Lei Ye**, Ningbo (CN)

CN 206918767 U * 1/2018
CN 206988849 * 2/2019
CN 208886478 * 5/2019

(72) Inventor: **Lei Ye**, Ningbo (CN)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/676,517**

TRIPROOF—Batten, Emergency Batten, Emergency Lighting (available online) Retrieved from the internet Nov. 5, 2020 from URL: https://haneco.com.au/product/emergency-lighting/triproof_outdoor_led_batten/.*

(22) Filed: **Jan. 11, 2019**

LED Tri-proof Light (available online May 17, 2019) Retrieved from the internet Nov. 5, 2020 from URL: <https://web.archive.org/web/20190617085542/http://www.orealighting.com/Products/LED-Flood-Light/Products/LED-Tr/2018/1210/48.html>.*

(30) **Foreign Application Priority Data**

Aug. 20, 2018 (CN) 201830460193.8

IP66 Waterproof Lighting Fixture (available online) Retrieved from the internet Nov. 5, 2020 from URL: <https://nbyuanhui.en.made-in-china.com/product/xypQLERJIMWC/China-IP66-Waterproof-Lighting-Fixture-3FT-6FT-7FT-LED-Linear-Light-Vapor-Tight-Light-LED-Tri-Proof-Light-Vapor-Light-LED-Pend>.*

(51) **LOC (13) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/76; 26/89**

(58) **Field of Classification Search**

USPC D10/111–115; D26/24, 26, 34, 44, 51,
D26/58, 60, 61, 63, 72, 75, 76, 78, 80,
D26/85, 88, 89, 113, 118, 121, 135
CPC F21S 8/00; F21S 8/02; F21S 8/03; F21S
8/04; F21S 8/033; F21S 8/08; F21S 8/36;
F21S 8/037; F21S 8/043; F21S 9/022;
F21S 9/035; F21V 29/73; F21V 5/02

See application file for complete search history.

* cited by examiner

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Richard Kearney
(74) *Attorney, Agent, or Firm* — Jiwen Chen; Jacobson
Holman PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

D579,138 S * 10/2008 Ghini D26/72
D579,139 S * 10/2008 Ghini D26/72
D584,441 S * 1/2009 Ghini D26/76
D584,844 S * 1/2009 Ghini D26/76
D606,229 S * 12/2009 Johansen D26/76
D725,307 S * 3/2015 Guercio D26/89
D744,147 S * 11/2015 Ehrler D26/89
D786,478 S * 5/2017 Waldmann D26/76
D846,787 S * 4/2019 Lu D26/76
D875,987 S * 2/2020 Ling D26/75
D901,751 S * 11/2020 Ye D26/118


(57) **CLAIM**

The ornamental design for a tri-proof light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the tri-proof light showing the design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines shown in the drawings illustrate portions of the article and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6