



US00D925345S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,345 S**
Slocum et al. (45) **Date of Patent:** **** Jul. 20, 2021**

(54) **BOW CLAMP** D647,394 S * 10/2011 Taylor B65D 45/345
D8/396
(71) Applicant: **L3Harris Technologies, Inc.,** D676,309 S * 2/2013 Bailey D8/354
Melbourne, FL (US) D682,662 S * 5/2013 Bailey D8/354
D703,033 S * 4/2014 Karlsson D8/396
(72) Inventors: **Daryl B. Slocum**, La Mesa, CA (US); D721,652 S * 1/2015 Smith D13/129
David F. Charles, Arlington, VA (US); D722,966 S * 2/2015 Smith D13/129
Douglas L. Veilleux, II, Rochester, MA D779,315 S * 2/2017 Hinkle D8/396
(US) D830,160 S * 10/2018 Kogon D8/396
10,274,691 B2 * 4/2019 Janssens E05D 7/1077
D885,173 S * 5/2020 Magagna D8/396
(73) Assignee: **L3HARRIS TECHNOLOGIES, INC.,** D885,877 S * 6/2020 Magagna D8/396
Melbourne, FL (US) 2011/0197398 A1 * 8/2011 Clorley B65D 45/345
24/16 PB

(**) Term: **15 Years**

(21) Appl. No.: **29/698,025**

(22) Filed: **Jul. 12, 2019**

(51) **LOC (13) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396; D23/262**

(58) **Field of Classification Search**
USPC D8/71, 73, 349, 354, 382, 394, 395, 396,
D8/397, 399; D23/259, 262, 265, 269,
D23/314, 386
CPC . F16L 37/18; F16L 37/16; F16L 37/12; F16L
37/08; F16L 37/00; F16L 23/036; F16L
3/13; F16L 3/1033; B65D 45/34; B65D
45/345; E04B 2/74; H01R 11/11
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D142,834 S * 11/1945 Campbell D23/265
3,013,821 A * 12/1961 Bogan F16L 23/08
285/407
D198,713 S * 7/1964 Curtiss D8/397
D257,949 S * 1/1981 Strom D8/356
D391,628 S * 3/1998 Carwile D23/269
D560,660 S * 1/2008 Brassard D14/253
D597,635 S * 8/2009 Dole D23/262

* cited by examiner

Primary Examiner — Sandra Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Workman Nydegger

(57) **CLAIM**


The ornamental design for a bow clamp, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of our new design for a bow clamp;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a left side elevation view thereof;
FIG. 8 is a right side view thereof shown in an exploded exemplary use environment; and,
FIG. 9 is a right side view thereof shown in an exemplary use environment.

The broken lines in the drawings illustrate portions of the bow clamp that form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9