



US00D925379S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,379 S**
Shi et al. (45) **Date of Patent:** **** Jul. 20, 2021**

(54) **DATA LOGGER**

A61K 51/1262; A61K 51/1265; B65D 1/00; B65D 1/09; B65D 1/22; B65D 3/04; B65D 13/04

(71) Applicant: **Ningbo Wanyou Deepwater Energy Science & Technology Co., Ltd.**, Zhejiang (CN)

See application file for complete search history.

(72) Inventors: **Zhaorui Shi**, Ningbo (CN); **Mengjiao Yu**, Ningbo (CN)

(56) **References Cited**

(73) Assignee: **Ningbo Wanyou Deepwater Energy Science & Technology CO., LTD.**, Ningbo (CN)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

| | | | | |
|--------------|---------|----------|-------|---------|
| D296,440 S * | 6/1988 | Smith | | D14/432 |
| D555,524 S * | 11/2007 | Jacobsen | | D10/75 |
| D694,435 S * | 11/2013 | Romeu | | D26/2 |
| D768,626 S * | 10/2016 | Mikelson | | D14/358 |
| D800,587 S * | 10/2017 | Cho | | D10/74 |
| D839,095 S * | 1/2019 | Fux | | D9/503 |
| D839,096 S * | 1/2019 | Fux | | D9/503 |
| D874,954 S * | 2/2020 | Krywyj | | D10/70 |
| D878,675 S * | 3/2020 | Budich | | D28/8.1 |

(21) Appl. No.: **29/690,207**

* cited by examiner

(22) Filed: **May 6, 2019**

Primary Examiner — Antoine Duval Davis

(30) **Foreign Application Priority Data**

Nov. 5, 2018 (CN) 20183062081.4

(74) *Attorney, Agent, or Firm* — Raymond Y. Chan; David and Raymond Patent Firm

(51) **LOC (13) Cl.** **10-04**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D10/78; D14/356**

The ornamental design for a data logger, as shown and described.


(58) **Field of Classification Search**

DESCRIPTION

USPC D10/46, 75, 78; D14/356, 358; D9/454, D9/500, 503, 504, 516, 521, 549, 558, D9/715; D3/205, 206, 265; D21/373, D21/684, 712; D24/100, 101, 104
CPC E21B 21/06; E21B 47/01; E21B 47/06; G01V 11/002; A61B 2560/0271; A61B 2560/0431; G06Q 10/10; G06Q 20/30; G06Q 20/305; G06Q 20/32; G06Q 20/322; G06Q 20/3221; G06Q 20/3223; G06Q 20/3224; G06Q 20/3226; G06Q 20/3227; G06Q 20/3229; G06Q 20/325; G06Q 20/3255; G06F 11/3089; G06F 15/0283; G06F 3/0231; G06F 3/027; G06F 3/0238; G05B 2219/37095; G05B 2219/33192; A61K 9/20; A61K 51/1258;

FIG. 1 is a front view of the data logger showing my our design according to a first embodiment, wherein the front view of the data logger is the same as the rear view thereof; FIG. 2 is a left view thereof which is the same as the right view according to the first embodiment; FIG. 3 is a top view thereof according to the first embodiment; FIG. 4 is a bottom view thereof according to the first embodiment; and, FIG. 5 is a respective view thereof according to the first embodiment.

1 Claim, 5 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5