



US00D925441S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,441 S**
Nakano et al. (45) **Date of Patent:** **** Jul. 20, 2021**

(54) **DATA TRANSMITTER WITH SOLAR CELL AND SENSOR**

FOREIGN PATENT DOCUMENTS

(71) Applicants: **SHARP KABUSHIKI KAISHA**, Sakai (JP); **KOBATA GAUGE MANUFACTURING CO., LTD.**, Osaka (JP)

CN 305240412 S 7/2019
CN 305240413 S 7/2019

(Continued)

(72) Inventors: **Masayuki Nakano**, Sakai (JP); **Satoshi Shimizu**, Sakai (JP); **Tomohisa Yoshie**, Sakai (JP); **Iwao Kobata**, Osaka (JP); **Yoshiyuki Nakai**, Osaka (JP); **Daisuke Toyoshima**, Osaka (JP)

Petrala Solar Lantern Lights Panel Replacement Top. (online) 12 pgs. Available Dec. 6, 2018. [retrieved Oct. 2, 2020] https://www.amazon.com/Petrala-Lantern-Replacement-Outdoor-Lanterns/dp/B07L687LCX?ref_ast_sto_dp*

(Continued)

(73) Assignees: **Sharp Kabushiki Kaisha**, Sakai (JP); **Kobata Gauge Manufacturing Co., Ltd.**, Osaka (JP)

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a data transmitter with solar cell and sensor, as shown and described.

(21) Appl. No.: **29/677,859**

(22) Filed: **Jan. 24, 2019**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jul. 24, 2018 (JP) 2018-016148

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/102; D10/80; D14/358**

(58) **Field of Classification Search**
USPC ... D14/140.1, 240, 242, 358, 125, 129, 130, D14/140, 142, 155, 167, 168, 172, 188,
(Continued)

FIG. 1 is a front, right, top perspective view of a data transmitter with solar cell and sensor according to our design;

FIG. 2 is a front elevation view of the data transmitter with solar cell and sensor of FIG. 1;

FIG. 3 is a rear elevation view of the data transmitter with solar cell and sensor of FIG. 1;

FIG. 4 is a top plan view of the data transmitter with solar cell and sensor of FIG. 1;

FIG. 5 is a bottom plan view of the data transmitter with solar cell and sensor of FIG. 1;

FIG. 6 is a right side elevation view of the data transmitter with solar cell and sensor of FIG. 1; and,

FIG. 7 is a left side elevation view of the data transmitter with solar cell and sensor of FIG. 1.

The broken lines shown in the drawings illustrate portions of the data transmitter with solar cell and sensor that form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

1,209,998 A * 12/1916 Pinckert A44C 21/00
40/27.5
1,553,742 A * 9/1925 Blatter G01F 23/363
338/33

(Continued)

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

USPC D14/195, 299, 496, 348, 351, 356, 357,
 D14/197, 198, 230; D13/110, 123, 152,
 D13/158, 162, 162.1, 163, 168, 184, 199,
 D13/108, 179, 102; D10/104.1, 106.1,
 D10/106.6, 116.1, 61, 64, 75, 106.9, 80
 CPC ... H04W 88/00; H04W 88/005; H04W 88/02;
 H04W 88/08; H04W 88/085; H04W
 88/10; H04W 88/12; H04W 88/14; H04W
 88/16; H04W 88/18; H04W 4/00; H01Q
 1/02; H01Q 1/2291; H01Q 1/246; H04B
 1/38; F16B 47/00; G06F 21/31; G06F
 21/44

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,340,703 A * 2/1944 Schwabacher H02G 3/0658
 439/449
 2,627,533 A * 2/1953 Jensen H01M 2/06
 429/121
 D187,328 S * 3/1960 Gordon et al. D10/80
 D248,628 S * 7/1978 Schwartz D10/75
 4,099,517 A 7/1978 McRae
 D257,893 S 1/1981 Millhollen
 4,293,808 A 10/1981 Varadi
 4,315,498 A 2/1982 Devin
 D309,786 S * 8/1990 Chien D26/67
 D329,024 S * 9/1992 Marks D10/80
 D344,733 S 3/1994 Walthers
 D346,170 S * 4/1994 Tang D14/230
 D347,584 S * 6/1994 Vogelpohl D10/49
 5,453,729 A * 9/1995 Chu F21S 9/037
 340/321
 D378,435 S * 3/1997 Trombley D26/110
 D378,578 S * 3/1997 Eberhardt D10/104.1
 D380,191 S 6/1997 White
 D380,441 S 7/1997 Fukuhara
 5,745,262 A * 4/1998 Tatsumi H04N 1/40056
 348/362
 D397,233 S * 8/1998 Bassford D10/104.1
 6,238,218 B1 * 5/2001 Baffert H01R 24/50
 439/581
 D453,329 S * 2/2002 Muramatsu D14/230
 D453,511 S * 2/2002 Goto D14/356
 D456,807 S * 5/2002 Floyd D14/356
 D464,347 S * 10/2002 Floyd D14/356
 D466,866 S 12/2002 Stack
 D468,296 S * 1/2003 Graceffa D13/164
 D477,312 S 7/2003 Dugas
 D484,097 S * 12/2003 Drane D13/139.4
 D496,038 S * 9/2004 Floyd D14/356
 6,812,398 B2 * 11/2004 Yueh F21S 9/032
 136/246
 D507,657 S * 7/2005 Neel D10/102
 D563,327 S 3/2008 Horio
 D580,800 S 11/2008 Hauk
 D588,534 S 3/2009 Sharma
 D589,013 S * 3/2009 Pozin D14/127
 D590,604 S * 4/2009 Pozin D6/302
 D606,489 S 12/2009 Sasaada
 D611,460 S * 3/2010 Chao D14/230
 D621,985 S * 8/2010 Sanoner D26/67
 D631,566 S * 1/2011 Egawa D26/1
 D642,722 S * 8/2011 Oberpriller D26/67
 D650,334 S * 12/2011 Matsuoka D13/133
 D658,605 S * 5/2012 Egawa D13/180
 D664,213 S * 7/2012 Sogabe D14/356
 D669,848 S * 10/2012 Andresen D13/102
 D670,239 S * 11/2012 Kannou D13/102
 D671,921 S * 12/2012 Beall D14/230
 D683,251 S * 5/2013 Dumas D10/104.2
 D687,590 S * 8/2013 Chilton D26/93

8,574,943 B2 11/2013 Murray
 D695,679 S 12/2013 Eridoh
 D701,827 S 4/2014 Turk
 D708,569 S 7/2014 Beckerman
 D719,960 S * 12/2014 Akana D14/447
 D738,275 S * 9/2015 Tachiiri D12/174
 D748,639 S * 2/2016 Khodapanah D14/447
 9,257,237 B2 2/2016 Okada
 D761,198 S 7/2016 Hou
 D761,736 S * 7/2016 Imai D13/154
 D766,844 S * 9/2016 Turksu D13/168
 D774,451 S 12/2016 Castillo-Aguilella
 D774,934 S * 12/2016 Akana D10/104.1
 D780,727 S * 3/2017 Wang D14/240
 9,589,736 B2 3/2017 Matsumoto
 D786,724 S * 5/2017 Seagle, Jr. D10/106.1
 D801,316 S * 10/2017 Weber D14/230
 D804,059 S 11/2017 Labesque
 D804,533 S * 12/2017 Mangum D14/496
 D806,014 S 12/2017 Saitou
 D806,931 S * 1/2018 Hui D26/102
 D806,932 S * 1/2018 Hui D26/102
 D806,933 S * 1/2018 Hui D26/102
 D812,577 S * 3/2018 Turksu D10/104.1
 D813,068 S * 3/2018 Studer D10/97
 D820,238 S * 6/2018 Boshernitzan D14/218
 D822,253 S * 7/2018 Wu D26/68
 10,079,504 B2 * 9/2018 Hui E04H 4/1654
 D854,950 S * 7/2019 Seum D10/53
 D855,492 S * 8/2019 Jones D11/131
 D860,958 S * 9/2019 Lewis D13/184
 D865,859 S * 11/2019 Ben Avi D14/385
 D867,346 S * 11/2019 Hofstede D14/222
 D869,697 S * 12/2019 Kasuga D26/28
 D882,144 S * 4/2020 Zhu D26/67
 D885,631 S * 5/2020 Li D26/67
 D889,444 S * 7/2020 Sakamoto D14/230
 D890,144 S * 7/2020 Sakamoto D14/230
 D897,944 S * 10/2020 Bevilacqua D13/102
 D897,945 S * 10/2020 Zhou D13/102
 D898,660 S * 10/2020 Zhou D13/102
 D898,661 S * 10/2020 Zhou D13/102
 D899,352 S * 10/2020 Gong D13/102
 D902,143 S * 11/2020 Fukuda D13/102
 D903,583 S * 12/2020 Bevilacqua D13/102
 D905,625 S * 12/2020 Zhou D13/102
 D908,606 S * 1/2021 Fukui D13/102
 D908,607 S * 1/2021 Zhou D13/102
 D910,539 S * 2/2021 Nakano D13/102
 2007/0201187 A1 8/2007 McGregor
 2008/0011917 A1 * 1/2008 Adams F16B 47/00
 248/205.5
 2008/0123313 A1 5/2008 Horne
 2008/0158865 A1 * 7/2008 Chen F21V 21/0824
 362/183
 2008/0314448 A1 12/2008 Kato
 2011/0263067 A1 10/2011 Vaid
 2018/0283630 A1 * 10/2018 Soofer F21S 9/035
 2020/0138246 A1 * 5/2020 Wegelin G06F 21/44

FOREIGN PATENT DOCUMENTS

CN 305240415 S 7/2019
 EM 005215001-0003 6/2018
 JP D1131849 11/2001
 JP D1161787 11/2002
 JP D1290286 11/2006
 JP D1390147 5/2010
 JP D1390148 5/2010
 JP D1462708 1/2013
 JP D1469292 4/2013
 JP D1490549 1/2014
 JP D1593399 11/2017
 JP D1627499 3/2019
 JP D1627618 3/2019
 JP D1632696 4/2019
 JP D1636976 6/2019
 JP D1637087 6/2019

(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP	D1637236	6/2019
JP	D1637250	6/2019
JP	D1638436	7/2019

OTHER PUBLICATIONS

Antenna Transmitters and Solar Cells. (Design—© Questel) orbit.com. [online PDF] 30 pgs. Print Dates Range Jul. 21, 2017 through Sep. 27, 2019 [Oct. 3, 2020] <https://www.orbit.com/export/QPTUJ214/pdf2/75d42c1d-d199-413f-8d92-710b6727e733-170049.pdf>.*

Half-cut cells—Photo from Hanwha Q Cells SPI 2017 booth. (online Image) 1 pg. Uploaded Sep. 2017 [Retrieved Feb. 4, 2021] <https://www.solarpowerworldonline.com/2018/10/what-is-a-half-cell-solar-panel/> img URL: <https://3vq5kdns38e1qxlmvqmrzsi-wpengine.netdna-ssl.com/wp-content/uploads/2017/09/hanwha-e15051835>.*

MAGGIFT Solar Pathway Lights Replacement Top. (online) 7 pgs. Available Jan. 18, 2018. [retrieved Oct. 2, 2020] https://www.amazon.com/MAGGIFT-Solar-Pathway-Lights-Replacement/dp/B07DF5QSJF?ref_=ast_sto_dp.*

Design U.S. Appl. No. 29/677,846, filed Jan. 24, 2019, entitled “Communication Module With Solar Cell”.

Design U.S. Appl. No. 29/677,848, filed Jan. 24, 2019, entitled “Dye-Sensitized Solar Cell Module”.

Notice of Allowance dated Aug. 10, 2020 in Design U.S. Appl. No. 29/677,846.

Notice of Allowance dated Sep. 10, 2020 in Design U.S. Appl. No. 29/677,848.

Notice of Allowance dated Nov. 5, 2020 in U.S. Appl. No. 29/677,846.

Notice of Allowance dated Oct. 20, 2020 in U.S. Appl. No. 29/677,848.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7