



US00D925790S

(12) **United States Design Patent** (10) **Patent No.:** **US D925,790 S**
Jobling (45) **Date of Patent:** **** Jul. 20, 2021**

- (54) **TAIL LIGHT FOR A VEHICLE**
- (71) Applicant: **Jaguar Land Rover Limited**, Whitley Coventry (GB)
- (72) Inventor: **Paul Jobling**, Whitley Coventry (GB)
- (73) Assignee: **JaguarLand Rover Limited**, Whitley Coventry (GB)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/721,292**
- (22) Filed: **Jan. 20, 2020**

Related U.S. Application Data

- (62) Division of application No. 29/615,841, filed on Aug. 31, 2017, now Pat. No. Des. 875,278.

(30) **Foreign Application Priority Data**

Mar. 16, 2017 (EM) 003802420-0004
 Mar. 16, 2017 (EM) 003802420-0005

- (51) **LOC (13) Cl.** **26-06**
- (52) **U.S. Cl.**
USPC **D26/28**
- (58) **Field of Classification Search**
USPC D12/419-426.1, 415, 418; D26/28-36
CPC F21S 48/10; F21S 48/1266; F21S 48/2268;
F21V 21/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D635,697 S * 4/2011 Shin D26/28
 D753,324 S * 4/2016 Rupar D26/28

D769,485 S * 10/2016 Morikawa D26/28
 D774,223 S * 12/2016 Lim D26/28
 D775,378 S * 12/2016 Hatton D26/28

(Continued)

Primary Examiner — Mark A Goodwin
Assistant Examiner — Benjamin M Weeks
 (74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a tail light for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a first embodiment of a tail light for a vehicle according to the present invention. FIG. 2 is a front left perspective view of the tail light shown in FIG. 1.

FIG. 3 is a rear right perspective view thereof.

FIG. 4 is a rear left perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a right side view thereof.


FIG. 8 is a left side view thereof.

FIG. 9 is a top view thereof; and,

FIG. 10 is another front view of the tail light for a vehicle that is shown in FIGS. 1-9, but with the tail light mounted on a vehicle that is shown in de-emphasized and half-tone portions so as to illustrate environmental structure. These portions form no part of the claimed design. More particularly, in FIG. 10, the inventive tail light is shown within the broken line, and the elements shown outside the broken line form no part of the claimed design, but are instead included to show environmental aspects thereof. Also, in FIG. 10 the inventive tail light appears only on the right rear of the vehicle.

A second embodiment of a tail light for a vehicle is a mirror image of FIGS. 1-10 according to the present invention. The second embodiment is designed to mount on the rear left side of the vehicle, as a mirror image of the first embodiment.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,091 S *	2/2017	Giolito	D26/28
D781,471 S *	3/2017	Han	D26/28
D787,716 S *	5/2017	Patel	D26/28
D812,269 S *	3/2018	Minamiyama	D26/28
D814,073 S *	3/2018	Granlund	D26/28
D815,764 S *	4/2018	Smock	D26/28
D854,203 S *	7/2019	Nishii	D26/28
D871,623 S *	12/2019	Tovey	D26/28
D872,326 S *	1/2020	Tovey	D26/28
D872,337 S *	1/2020	Tovey	D26/76
D873,476 S *	1/2020	Rogelio	D26/139
D880,735 S *	4/2020	Jobling	D26/28

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10