



US00D925790S

(12) **United States Design Patent**  
**Jobling**

(10) **Patent No.:** **US D925,790 S**

(45) **Date of Patent:** **\*\* Jul. 20, 2021**

(54) **TAIL LIGHT FOR A VEHICLE**

D769,485 S \* 10/2016 Morikawa ..... D26/28  
D774,223 S \* 12/2016 Lim ..... D26/28  
D775,378 S \* 12/2016 Hatton ..... D26/28

(71) Applicant: **Jaguar Land Rover Limited**, Whitley  
Coventry (GB)

(Continued)

(72) Inventor: **Paul Jobling**, Whitley Coventry (GB)

*Primary Examiner* — Mark A Goodwin

*Assistant Examiner* — Benjamin M Weeks

(73) Assignee: **JaguarLand Rover Limited**, Whitley  
Coventry (GB)

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans  
LLP

(\*\*) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a tail light for a vehicle, as shown  
and described.

(21) Appl. No.: **29/721,292**

**DESCRIPTION**

(22) Filed: **Jan. 20, 2020**

FIG. 1 is a front right perspective view of a first embodiment  
of a tail light for a vehicle according to the present invention.  
FIG. 2 is a front left perspective view of the tail light shown  
in FIG. 1.

**Related U.S. Application Data**

(62) Division of application No. 29/615,841, filed on Aug.  
31, 2017, now Pat. No. Des. 875,278.

FIG. 3 is a rear right perspective view thereof.

FIG. 4 is a rear left perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a right side view thereof.

FIG. 8 is a left side view thereof.

FIG. 9 is a top view thereof; and,

FIG. 10 is another front view of the tail light for a vehicle  
that is shown in FIGS. 1-9, but with the tail light mounted  
on a vehicle that is shown in de-emphasized and half-tone  
portions so as to illustrate environmental structure. These  
portions form no part of the claimed design. More particu-  
larly, in FIG. 10, the inventive tail light is shown within the  
broken line, and the elements shown outside the broken line  
form no part of the claimed design, but are instead included  
to show environmental aspects thereof. Also, in FIG. 10 the  
inventive tail light appears only on the right rear of the  
vehicle.

**Foreign Application Priority Data**

Mar. 16, 2017 (EM) ..... 003802420-0004

Mar. 16, 2017 (EM) ..... 003802420-0005

(51) **LOC (13) Cl.** ..... **26-06**

(52) **U.S. Cl.**  
USPC ..... **D26/28**

(58) **Field of Classification Search**  
USPC ..... D12/419-426.1, 415, 418; D26/28-36  
CPC .... F21S 48/10; F21S 48/1266; F21S 48/2268;  
F21V 21/04  
See application file for complete search history.


A second embodiment of a tail light for a vehicle is a mirror  
image of FIGS. 1-10 according to the present invention. The  
second embodiment is designed to mount on the rear left  
side of the vehicle, as a mirror image of the first embodi-  
ment.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D635,697 S \* 4/2011 Shin ..... D26/28  
D753,324 S \* 4/2016 Rupar ..... D26/28

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D779,091	S	*	2/2017	Giolito	.....	D26/28
D781,471	S	*	3/2017	Han	.....	D26/28
D787,716	S	*	5/2017	Patel	.....	D26/28
D812,269	S	*	3/2018	Minamiyama	.....	D26/28
D814,073	S	*	3/2018	Granlund	.....	D26/28
D815,764	S	*	4/2018	Smock	.....	D26/28
D854,203	S	*	7/2019	Nishii	.....	D26/28
D871,623	S	*	12/2019	Tovey	.....	D26/28
D872,326	S	*	1/2020	Tovey	.....	D26/28
D872,337	S	*	1/2020	Tovey	.....	D26/76
D873,476	S	*	1/2020	Rogelio	.....	D26/139
D880,735	S	*	4/2020	Jobling	.....	D26/28

\* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9



FIG. 10