



US00D926416S

(12) **United States Design Patent** (10) **Patent No.:** **US D926,416 S**
Rackers (45) **Date of Patent:** **** Jul. 27, 2021**

(54) **PAIR OF TIRE SEGMENT ENDS FOR A SEAM JOINT ON A REPLACEABLE TIRE**

(71) Applicant: **gowheels, Inc.**, Raleigh, NC (US)

(72) Inventor: **Kevin J. Rackers**, Summerfield, NC (US)

(73) Assignee: **gowheels, Inc.**, Raleigh, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/720,538**

(22) Filed: **Jan. 14, 2020**

(51) **LOC (13) Cl.** **12-02**

(52) **U.S. Cl.**
USPC **D34/27**

(58) **Field of Classification Search**
USPC D34/12-27; D23/209; D11/200, 220
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,686,301 A 10/1928 Wagenhorst
2,083,766 A 6/1937 Wittkopp
(Continued)

FOREIGN PATENT DOCUMENTS

EP 2845748 B1 3/2013

OTHER PUBLICATIONS

Bateman Jr, William, public demonstration of removing a tire from the wheel and placing the tire back on presented to Triangle TechBreakfast audience on Nov. 14, 2018 at main conference room of Family Legacy Financial Solutions 2000 Aerial Center Parkway, Suite 112 Morrisville, NC 27560. The tire and wheel demonstrated are not the current design but are as shown in Fig. 23 through Fig. 37 of U.S. Pat. No. 10,457,100 B2 for Cart Wheel Assembly With Replaceable Tire (Figures from patent submitted as NPL_01).

(Continued)

Primary Examiner — George A Bugg

Assistant Examiner — Tamara L Hahn

(74) *Attorney, Agent, or Firm* — Kevin E Flynn; Flynn IP Law

(57) **CLAIM**

The ornamental design for a pair of tire segment ends for a seam joint on a replaceable tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the right side, top, and front side of a pair of tire segment ends for a seam joint on a replaceable tire showing the new design.

FIG. 2 is a perspective view of the left side, top, and front side thereof.

FIG. 3 is a perspective view of the left side, bottom, and front side thereof.

FIG. 4 is a perspective view of the right side, bottom, and front side thereof.

FIG. 5 is a front side elevational view thereof which allows views through the three unobstructed through hole pathways that connect the front side to the back side.

FIG. 6 is a rear side elevational view thereof which allows views through the three unobstructed through hole pathways that connect the back side to the front side.

FIG. 7 is a right side elevational view thereof.

FIG. 8 is a left side elevational view thereof.

FIG. 9 is a top plan view thereof.

FIG. 10 is an enlarged perspective view of the bottom, front side view of the pair of tire segment ends on a portion of the tire segment.

FIG. 11 is an enlarged perspective view of the top and right side of the pair of tire segment ends on a portion of the tire segment.

FIG. 12 is an enlarged perspective view of the top and left side of the pair of tire segment ends on a portion of the tire segment.

FIG. 13 is an enlarged perspective view of a top, right side, and front side view of a cross section of the male tire segment end on a portion of a tire segment.

FIG. 14 is an enlarged perspective view of a top, front side and left side view of a cross section of the pair of tire segment ends on a portion of the tire segment; and,

(Continued)




FIG. 15 is another perspective view of a top, front side view of a pair of tire segment ends for a seam joint on a replaceable tire, shown in alternate use. The broken lines in the drawing depict portions of the pair of tire segment ends for a seam joint on a replaceable tire that forms not part of the claimed design. The dot-dot-dash lines are to show boundaries and form no part of the claimed design.

1 Claim, 12 Drawing Sheets

(58) **Field of Classification Search**

CPC B60C 15/0226; B60C 7/24; B60C 7/26;
B60C 3/00; A63C 17/22; A63C 17/223
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,114,952	A	9/1978	Kimmell	
4,923,252	A	5/1990	Plamper et al.	
5,060,706	A	10/1991	Jones et al.	
5,460,433	A	10/1995	Hawley	
5,503,466	A	4/1996	Lew	
6,286,572	B1	9/2001	Chen	
6,298,891	B1	10/2001	Harris	
6,301,757	B1 *	10/2001	Kunii	A44B 11/253 24/616
6,467,519	B1	10/2002	Owen	
6,481,069	B1 *	11/2002	Cheng	A44C 5/2038 24/537
6,880,833	B2	4/2005	Polanco	
7,107,789	B1 *	9/2006	Bruner	A44C 5/2042 63/15

7,316,252	B1	1/2008	Heard	
7,334,617	B2	2/2008	Hill, III et al.	
7,640,996	B2	1/2010	Moyna	
7,726,370	B2	6/2010	Sauerwald et al.	
7,878,600	B2	2/2011	Krantz	
8,292,018	B2	10/2012	Huang	
8,578,984	B2	11/2013	Hannah et al.	
9,090,121	B2	7/2015	Korus et al.	
9,205,702	B2	12/2015	Hannah et al.	
9,358,835	B2	6/2016	McKay	
9,821,601	B2	11/2017	Korus et al.	
10,219,136	B2	2/2019	Hannah et al.	
10,232,869	B2	3/2019	Carter et al.	
D855,920	S *	8/2019	Schenone	D34/12
2005/0257871	A1	11/2005	Hill, III et al.	
2007/0063573	A1	3/2007	Szabo et al.	
2007/0240800	A1	10/2007	Sauerwald et al.	
2008/0143070	A1	6/2008	Sonnendorfer et al.	
2008/0179940	A1	7/2008	Hill et al.	
2009/0095496	A1	4/2009	Moyna	
2010/0052412	A1	3/2010	Morris	
2013/0284860	A1	10/2013	Korus et al.	
2015/0083295	A1	3/2015	Rogrigo	
2016/0075176	A1	3/2016	Solheim et al.	
2016/0144709	A1	5/2016	Block	
2016/0200143	A1	7/2016	Korus et al.	

OTHER PUBLICATIONS

Bateman Jr, William, gowheels™—CAD of Removal and Restoration Process, PowerPoint presented to Triangle TechBreakfast audience on Nov. 14, 2018 at main conference room of Family Legacy Financial Solutions 2000 Aerial Center Parkway, Suite 112 Morrisville, NC 27560, 10 pages, published by gowheels, Inc. Raleigh, North Carolina, United States of America.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15