



US00D926590S

(12) **United States Design Patent** (10) **Patent No.:** **US D926,590 S**
Ibarra (45) **Date of Patent:** **** Aug. 3, 2021**

(54) **BAG CLOSURE CONSTRUCTION**

(56) **References Cited**

(71) Applicant: **MEXICO PLASTIC COMPANY,**
Mexico, MO (US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Ramon Ibarra,** Lewisville, TX (US)

3,186,626 A 6/1965 Shvetz
3,217,971 A 11/1965 Shvetz
3,441,198 A 4/1969 Ericson
3,716,182 A 2/1973 Korn
3,774,838 A 11/1973 Christie
3,865,303 A 2/1975 Korn
4,139,186 A 2/1979 Postema et al.

(73) Assignee: **MEXICO PLASTIC COMPANY,**
Mexico, MO (US)

(**) Term: **15 Years**

(Continued)

(21) Appl. No.: **29/704,816**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Sep. 6, 2019**

GB 1366440 A 9/1974
GB 1370968 A 10/1974

Related U.S. Application Data

(Continued)

(63) Continuation of application No. 29/668,745, filed on Nov. 1, 2018, now Pat. No. Des. 863,976, which is a continuation of application No. 29/616,845, filed on Sep. 8, 2017, now Pat. No. Des. 835,518, which is a continuation of application No. 13/848,861, filed on Mar. 22, 2013, now abandoned.

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(51) **LOC (13) Cl.** **09-05**

(57) **CLAIM**

The ornamental design for a bag closure construction, as shown and described.

(52) **U.S. Cl.**

USPC **D9/705**

(58) **Field of Classification Search**

DESCRIPTION

USPC D9/702-714, 720-722, 424, 430-433, D9/414, 418, 444; 383/26, 119, 127, 33, 383/71-75, 103; 229/87.06, 87.08, 87.01, 229/92.1; 222/92, 107, 215; 220/495.03, 220/495.01; D3/303, 201; 428/35.2, 79, 428/199, 542.6; 434/162; 402/79; D5/57-61, 99; 281/2, 3.1, 5, 38, 51; 283/117, 62, 74, 93, 103, 115; D19/1-10, 100

FIG. 1 is a front view of a bag closure construction showing in-tact perforations in accordance with the design; FIG. 2 is a rear view thereof; FIG. 3 is a front view thereof showing torn perforations; and, FIG. 4 is an enlarged view of the perforations shown in FIG. 1.


CPC B65D 33/02; B65D 33/24; B65D 33/01; B65D 81/00; B65D 81/03; B65D 81/2084; B65D 81/34; B65D 81/3461; A47J 36/027

The bag closure construction is of no appreciable thickness and the opposite side thereof is symmetric with the shown front view. Boxes (□) are understood to represent perforations.

The broken lines present form no part of the claimed design.

See application file for complete search history.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,345,712	A	8/1982	Gim	
4,813,792	A	3/1989	Belmont et al.	
4,890,736	A	1/1990	Johannes	
5,568,979	A	10/1996	Fifer et al.	
5,720,557	A	2/1998	Simonsen	
6,435,350	B1	8/2002	Huang et al.	
6,453,646	B1	9/2002	Schneider	
7,192,190	B2	3/2007	Jung	
7,950,851	B2	5/2011	Taheri	
8,282,280	B2	10/2012	Germanow et al.	
8,550,716	B2	10/2013	Smith et al.	
D835,518	S *	12/2018	Ibarra	B65D 33/1608 D9/705
D891,267	S *	7/2020	Lin	B65D 33/01 D9/703
D900,628	S *	11/2020	Freund	D9/703
2003/0053720	A1	3/2003	Smith et al.	
2006/0202006	A1	9/2006	Hou	
2008/0226201	A1	9/2008	Diep	

FOREIGN PATENT DOCUMENTS

GB	2208843	A	4/1989
JP	02085159		3/1990
JP	09267847		10/1997
WO	WO-9638290	A1	12/1996
WO	WO-0140068	A1	6/2001
WO	WO-2006056784	A1	6/2006

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4