



US00D926598S

(12) **United States Design Patent** (10) **Patent No.:** **US D926,598 S**
Behling et al. (45) **Date of Patent:** **** Aug. 3, 2021**

(54) **WATCH DIAL**

(71) Applicant: **LVMH Swiss Manufactures SA**, La Chaux-de-Fonds (CH)

(72) Inventors: **Christoph Behling**, London (GB); **Rochat Guillaume**, Neuchatel (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/718,919**

(22) Filed: **Dec. 30, 2019**

Related U.S. Application Data

(62) Division of application No. 35/505,785, filed on Jun. 19, 2018 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Jun. 19, 2018, now Pat. No. Des. 887,288.

(30) **Foreign Application Priority Data**

Mar. 20, 2018 (WO) 6797901

(51) **LOC (13) Cl.** **10-07**

(52) **U.S. Cl.**
USPC **D10/38**
CPC **A41D 19/0027** (2013.01)

(58) **Field of Classification Search**
USPC D10/1, 2, 10, 30-39, 98, 99, 122-128, D10/132
CPC A41D 19/0027; A45C 11/10; G04C 19/00; G04C 19/02; G04B 19/00; G04B 19/08; G04B 19/048; G04B 19/04; G04B 19/046; G04B 19/06; G04B 19/025; G04B 19/065; G04B 19/082; G04B 19/085; G04B 19/087; G04B 19/10; G04B 19/103; G04B 19/106; G04B 47/042; G04B 19/12; G04B 19/18; G04B 19/223; G04B 19/23; G04B 19/24; G04B 19/241; G04B 19/243; G04D 3/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D604,653	S	*	11/2009	Kume	D10/122
D628,911	S	*	12/2010	Giannini	D10/32
D634,651	S	*	3/2011	Jorst	D10/39
D649,891	S	*	12/2011	Binda	D10/39
D650,705	S	*	12/2011	Blank	D10/32
D656,415	S	*	3/2012	Binda	D10/39
D710,731	S	*	8/2014	Galvani	D10/126
D722,901	S	*	2/2015	Cerrato	D10/126
D743,828	S	*	11/2015	Choisnes	D10/124
D746,712	S	*	1/2016	Cerrato	D10/124
9,639,064	B2	*	5/2017	Schneider	G04G 9/02
9,665,070	B2	*	5/2017	Dordor	G04G 17/02
D792,247	S	*	7/2017	Davoli	D10/39
D792,786	S	*	7/2017	Davoli	D10/39
D797,577	S	*	9/2017	Kauffmann	D10/39

* cited by examiner

Primary Examiner — Richard E Chilcot

(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione; John C. Freeman

(57) **CLAIM**

The ornamental design for a watch dial, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a watch dial showing our new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a right view thereof;
FIG. 5 is a left view thereof;
FIG. 6 is a back view thereof; and,
FIG. 7 is a front view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7