



US00D926972S

(12) **United States Design Patent** (10) **Patent No.:** **US D926,972 S**  
**Coats et al.** (45) **Date of Patent:** **\*\* Aug. 3, 2021**

(54) **INJECTOR CARTRIDGE**

D790,688 S \* 6/2017 Choi ..... D24/114  
D835,782 S \* 12/2018 Matsumoto ..... D24/130  
D837,983 S \* 1/2019 Fangrow ..... A61M 39/223  
D24/146

(71) Applicant: **PORTAL INSTRUMENTS, INC.**,  
Cambridge, MA (US)

(Continued)

(72) Inventors: **Andrew Coats**, Somerville, MA (US);  
**Robert J. Dyer**, Cambridge, MA (US);  
**Nickolay Lapin**, Westwood, MA (US);  
**Alan Xu**, Somerville, MA (US)

**FOREIGN PATENT DOCUMENTS**

FR 3063650 A1 \* 9/2018 ..... A61M 5/178  
GB 717802 A \* 11/1954 ..... B29C 33/44

(Continued)

(73) Assignee: **PORTAL INSTRUMENTS, INC.**,  
Cambridge, MA (US)

**OTHER PUBLICATIONS**

(\*\*) Term: **15 Years**

Excerpts from BSI Standards Publication, "Small-Bore Connectors for Liquids and Gases in Healthcare Applications," BS EN ISO 80369-7:2017, Sep. 2017.

(21) Appl. No.: **29/679,278**

(Continued)

(22) Filed: **Feb. 4, 2019**

(51) **LOC (13) Cl.** ..... **24-02**

*Primary Examiner* — David G Muller

(52) **U.S. Cl.**

(74) *Attorney, Agent, or Firm* — Lando & Anastasi, LLP

USPC ..... **D24/114**

(57) **CLAIM**

(58) **Field of Classification Search**

The ornamental design for an injector cartridge, as shown and described.

USPC ..... D24/112–114, 108, 133, 130, 127, 186;  
606/181, 185; 604/264, 272, 187, 181,  
604/184, 227

**DESCRIPTION**

CPC ..... A61M 5/178; A61M 3/00; A61M 5/20;  
A61M 5/31; A61M 5/3146; A61M  
5/3129; A61M 5/3148

FIG. 1 is a side perspective view of an injector cartridge design;  
FIG. 2 is a front side view of the injector cartridge shown in FIG. 1, the rear side view being a mirror-image thereof;  
FIG. 3 is a right-side view of the injector cartridge shown in FIG. 1, the left-side view being a mirror-image thereof;  
FIG. 4 is a top plan view of the injector cartridge shown in FIG. 1;

See application file for complete search history.

FIG. 5 is a bottom plan view of the injector cartridge shown in FIG. 1; and,  
FIG. 6 is a bottom perspective view of the injector cartridge shown in FIG. 1.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,951,146 A \* 4/1976 Chiquiar-Arias ..... A61M 5/178  
604/110  
7,842,217 B2 \* 11/2010 Enns ..... A61J 15/00  
264/259  
8,075,523 B2 \* 12/2011 Wayman ..... A61M 5/5066  
604/110  
D773,042 S \* 11/2016 Hwang ..... D24/130  
9,566,388 B1 \* 2/2017 Jones ..... A61D 7/00

The broken lines shown in the figures are for environmental purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2017/0042636 A1\* 2/2017 Young ..... A61M 5/3134  
2018/0177949 A1\* 6/2018 de Waal Malefijt .....  
A61M 5/31501  
2018/0333332 A1\* 11/2018 Abusbeih ..... A61J 7/0007

FOREIGN PATENT DOCUMENTS

JP D1420897 8/2011  
JP D1608687 7/2018  
KR 300309501 10/2002

OTHER PUBLICATIONS

Excerpts from BSI Standards Publication, "Prefilled Syringes Part 6 Plastic Barrels for Injectables," BS ISO 11040-6:2012, Jun. 2012.  
Excerpts from BSI Standards Publication, Prefilled Syringes Part 4 Glass Barrels for Injectables, BS ISO 11040-4:2015, Apr. 2015.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6