



US00D927305S

(12) **United States Design Patent**
Chupak

(10) **Patent No.:** **US D927,305 S**

(45) **Date of Patent:** **** Aug. 10, 2021**

(54) **BOTTLE**

(71) Applicant: **Trivium Packaging**, Youngstown, OH
(US)

(72) Inventor: **Thomas Chupak**, Youngstown, OH
(US)

(73) Assignee: **Trivium Packaging**, Youngstown, OH
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/728,563**

(22) Filed: **Mar. 19, 2020**

(51) **LOC (13) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/500**; D9/549

(58) **Field of Classification Search**
USPC D9/500–505, 519, 521, 529, 537,
D9/544–546, 549, 550, 556, 573–575,
D9/682, 688, 690, 767, 772, 777, 783;
D28/7, 85; D7/509–511, 523
CPC B21D 51/26; B21D 51/2615; B21D 22/28;
B65D 1/0246; B65D 41/04; F25D 3/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D16,864 S * 8/1886 Hurley D9/500
2,313,031 A * 3/1943 Parkhurst B65D 35/08
222/107
D217,847 S * 6/1970 Jenkins D9/500
D226,370 S * 2/1973 Cromb D9/500
D228,625 S * 10/1973 Pearce D9/500
D321,628 S * 11/1991 Kobayashi D9/503
D325,697 S * 4/1992 Parr D9/503
D368,528 S * 4/1996 Allegre D9/500
6,083,450 A * 7/2000 Safian B29C 49/22
264/515
6,095,378 A * 8/2000 Potts B65D 83/38
222/402.1

D481,949 S * 11/2003 Pinnavaia D9/500
D584,623 S * 1/2009 Chupak D9/500
D605,040 S * 12/2009 Fry D9/500
D615,405 S * 5/2010 Bakic D9/503
D619,457 S * 7/2010 Walsh D9/500

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304011933 * 1/2017
CN 304011934 * 1/2017

(Continued)

OTHER PUBLICATIONS

Sks Bottle and Packing-Metal Containers, Aluminum Bottles w/
Lined Aluminum Caps, Oct. 11, 2012, URL:<https://web.archive.org/web/20121011125740/https://www.sks-bottle.com/340c/fin20g.html> (Year: 2012).*

Primary Examiner — Michael C Stout
Assistant Examiner — Rani J Abdallah
(74) *Attorney, Agent, or Firm* — Paul D Bangor, Jr.,
Esquire; Clark Hill PLC


(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of the bottle of the present design;
FIG. 2 is a right elevational view thereof;
FIG. 3 is a left elevation view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines shown illustrate portions of the bottle that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D619,458 S * 7/2010 Walsh D9/500
 D619,459 S * 7/2010 Walsh D9/500
 D622,145 S * 8/2010 Walsh D9/500
 D624,415 S * 9/2010 Chupak D9/500
 D624,417 S * 9/2010 Bentley D9/500
 D624,821 S * 10/2010 Leonardis D9/503
 D638,708 S * 5/2011 Walsh D9/500
 D639,164 S * 6/2011 Walsh D9/500
 D649,461 S * 11/2011 Harrison D9/500
 D651,086 S * 12/2011 Gullickson D9/504
 D696,130 S * 12/2013 Zabari D9/529
 D696,945 S * 1/2014 Newman D9/500
 D697,407 S * 1/2014 Hines D9/500
 D697,409 S * 1/2014 Wilson D9/503
 D699,516 S * 2/2014 Kim D7/510
 D702,506 S * 4/2014 Mettler D9/504
 D702,553 S * 4/2014 Jentsch D9/500
 D717,171 S * 11/2014 Delacourt D9/500
 D720,235 S * 12/2014 Lindstedt D9/500
 D721,964 S * 2/2015 Rampley D9/500
 D725,472 S * 3/2015 Jacober D9/500
 D731,893 S * 6/2015 Chung D9/529
 D732,893 S * 6/2015 Bronwasser D7/510
 D739,256 S * 9/2015 Kim D9/503
 D739,731 S * 9/2015 Jones D9/500
 D739,732 S * 9/2015 Jones D9/500
 D752,391 S * 3/2016 Hatherell D7/511
 D763,622 S * 8/2016 Shirley D7/511
 D779,881 S * 2/2017 Lee D7/510
 D782,321 S * 3/2017 Ihorovych D9/503
 D785,454 S * 5/2017 Dhillon D9/500
 D787,332 S * 5/2017 Peneda D9/500
 D789,791 S * 6/2017 Hill D9/503
 D790,279 S * 6/2017 Izen D7/523
 D790,920 S * 7/2017 Goodwin D7/510
 D795,645 S * 8/2017 Peng D7/511
 D796,331 S * 9/2017 Eyal D9/500
 D796,956 S * 9/2017 Clark D9/500
 D799,967 S * 10/2017 Wade D9/500
 D804,309 S * 12/2017 Hines D9/500
 D804,906 S * 12/2017 Diener D7/510
 D805,918 S * 12/2017 Matthieu D9/500
 D812,428 S * 3/2018 Wu D7/510
 D819,444 S * 6/2018 Adams D9/500
 D821,150 S * 6/2018 Liao D7/510
 D829,101 S * 9/2018 Spivey D9/503

D831,425 S * 10/2018 Best D7/510
 D832,058 S * 10/2018 Pisarevsky D9/500
 D832,650 S * 11/2018 Diebel D9/500
 D839,050 S * 1/2019 Sibbert D7/510
 D839,673 S * 2/2019 Meyers D7/510
 D839,683 S * 2/2019 Wong D9/500
 D842,108 S * 3/2019 Latour D9/500
 D844,385 S * 4/2019 Adams, Jr. D7/523
 D844,433 S * 4/2019 Hall D9/500
 D844,440 S * 4/2019 Allen, III D9/504
 D848,265 S * 5/2019 Harris D7/510
 D855,464 S * 8/2019 Hall D9/500
 D856,082 S * 8/2019 Yao D7/507
 D856,087 S * 8/2019 Adams, Jr. D7/523
 D858,287 S * 9/2019 Hines D9/503
 D859,921 S * 9/2019 Schmidt D7/511
 D866,983 S * 11/2019 Pickering D9/503
 10,486,867 B2 * 11/2019 Graybill B65D 41/04
 D878,919 S * 3/2020 Randazzo D9/500
 D883,092 S * 5/2020 Travis D9/504
 D885,836 S * 6/2020 Wang D9/500
 D894,740 S * 9/2020 Chupak D7/523
 D894,742 S * 9/2020 Chupak D9/503
 D902,721 S * 11/2020 Randazzo D7/523
 D907,440 S * 1/2021 Sheehan D7/511
 D908,008 S * 1/2021 Reisig B65D 1/0246
 D912,515 S * 3/2021 Alvarez D9/503
 2008/0011702 A1 * 1/2008 Walsh B65D 1/0207
 2012/0000879 A1 * 1/2012 McFarlane B65D 1/0246
 2015/0034584 A1 * 2/2015 Renner B65B 3/022
 2016/0251105 A1 * 9/2016 Robinson B65D 1/0246
 2018/0353011 A1 * 12/2018 Pinelli A47J 41/028

FOREIGN PATENT DOCUMENTS

CN 304628415 * 5/2018
 CN 304966558 * 12/2018
 CN 305608106 * 2/2020
 CN 305640150 * 3/2020
 EM 007052113-0001 * 10/2019
 EM 007439641-0002 * 1/2020

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7