



US00D927323S

(12) **United States Design Patent**  
**Morisawa**

(10) **Patent No.:** **US D927,323 S**

(45) **Date of Patent:** **\*\* Aug. 10, 2021**

(54) **WEARABLE INFORMATION TERMINAL**

(71) Applicant: **CASIO KEISANKI KABUSHIKI KAISHA**, Tokyo (JP)

(72) Inventor: **Rei Morisawa**, Tokyo (JP)

(73) Assignee: **CASIO KEISANKI KABUSHIKI KAISHA**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/699,408**

(22) Filed: **Jul. 25, 2019**

(30) **Foreign Application Priority Data**

Jun. 21, 2019 (JP) ..... 2019-013743

(51) **LOC (13) Cl.** ..... **10-02**

(52) **U.S. Cl.**  
USPC ..... **D10/30; D10/78; D14/344**

(58) **Field of Classification Search**

CPC ... G04B 37/00–37/228; G04B 37/0008; G04B 37/0058; G04B 37/12; G04B 37/221; G04B 47/00–47/068; G04B 47/008; G04B 47/06; G04B 47/061; G04B 47/063; G04B 47/065; G04B 45/0069; G04B 47/04; G04B 19/00–19/34; G04B 21/12; G04B 23/12; G04B 47/066; G04G 17/00; G04G 17/08; G04G 9/00; G04G 9/007; G04G 9/0029; G04G 9/0035; G04G 9/0041; G04G 21/00; G04G 9/0064; G04G 9/0005; G06F 19/3481; G06F 3/00–3/027; G06F 1/163; G01P 1/02; G01P 1/12; G01P 1/00–1/26; G01P 15/00–15/18; A63B 24/0062; A63B 69/0028; A63B 2071/0663; A63B 2220/836; A63B 2225/50; A63B 24/00–2024/0096; A63B 2071/0658–2071/0666; A63B 2220/00–2220/89; A63B 2225/02; A61B 5/681; A61B 5/6824; A61B 5/6825; A61B

5/6826; A61B 5/0537; A61B 5/4872; A61B 5/6831; A61B 5/4869; A61B 5/0858; A61B 5/1075; A61B 5/107; A61B 5/4875; A61B 5/4878; A61B 5/4881; A61B 5/61–5/6898; A44C 5/00–5/16; A63C 11/02; G01C 17/00; G01C 21/00–21/3697; G01C 22/00–22/025; G01C 23/00–23/005;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,768 S \* 6/1997 Osit ..... D10/30  
D856,162 S \* 8/2019 Nakai ..... D10/38

(Continued)

*Primary Examiner* — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Holtz, Holtz & Volek PC


(57) **CLAIM**

The ornamental design for a wearable information terminal, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right side, bottom perspective view of a wearable information terminal showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a reference front elevational view thereof, showing an example of a used state; and, FIG. 9 is a reference reduced-scale front elevational view thereof, with a wristband attached. The broken lines are included for the purpose of illustrating the environmental structure and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(58) **Field of Classification Search**

CPC ..... G01C 21/16; G04R 20/02; G04C 10/00;  
G04C 10/02; G08B 21/0269; G08B  
21/0272; G08B 21/0286; G08B 21/0288;  
G08B 21/0291; G08B 21/04–21/2454;  
G01S 19/00–19/55

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D874,948 S \* 2/2020 Syoubayashi ..... D10/39  
D899,272 S \* 10/2020 Hashimoto ..... D10/30

\* cited by examiner




FIG. 1







FIG. 2




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**







FIG. 8



**FIG. 9**