



US00D927374S

(12) **United States Design Patent**
Kaneko et al.

(10) **Patent No.:** **US D927,374 S**

(45) **Date of Patent:** **** Aug. 10, 2021**

(54) **STEERING FOR WORKING MACHINE**

(71) Applicant: **Kubota Corporation**, Osaka (JP)

(72) Inventors: **Tomonori Kaneko**, Sakai (JP); **Gen Futagami**, Sakai (JP); **Yoshihiro Kushita**, Sakai (JP)

(73) Assignee: **Kubota Corporation**, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/712,689**

(22) Filed: **Nov. 11, 2019**

(30) **Foreign Application Priority Data**

May 13, 2019 (JP) 2019-010265

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/176**

(58) **Field of Classification Search**
USPC D12/175, 176, 177; 74/552, 558, 558.5
CPC B60R 21/203; B60R 21/05; B62D 1/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|---------|-------|---------|
| D587,176 S | * | 2/2009 | Yang | | D12/176 |
| D619,943 S | * | 7/2010 | Granata | | D12/176 |
| D627,693 S | * | 11/2010 | Pohanka | | D12/176 |
| D635,900 S | * | 4/2011 | Anzi | | D12/176 |
| D636,711 S | * | 4/2011 | Anzi | | D12/176 |
| D647,441 S | * | 10/2011 | Anzi | | D12/176 |

| | | | | | |
|------------|---|---------|----------|-------|---------|
| D666,950 S | * | 9/2012 | Haubrich | | D12/176 |
| D705,708 S | * | 5/2014 | Dooley | | D12/176 |
| D739,318 S | * | 9/2015 | Rancan | | D12/176 |
| D773,359 S | * | 12/2016 | Okuyama | | D12/176 |
| D776,584 S | * | 1/2017 | Meissner | | D12/176 |
| D809,982 S | | 2/2018 | Hosozawa | | |

FOREIGN PATENT DOCUMENTS

| | | |
|----|--------------|---------|
| JP | D1264863 S | 3/2006 |
| JP | D1293510 S | 2/2007 |
| JP | D1528198 S | 7/2015 |
| JP | D1537212 S | 11/2015 |
| KR | 30-0269891 S | 2/2001 |

* cited by examiner

Primary Examiner — Melody N Brown

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a steering for working machine, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a steering for working machine, showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a front perspective view thereof.
A right side elevation view is omitted because the right side elevation view is symmetric in appearance to the left side elevation view of FIG. 3.

1 Claim, 6 Drawing Sheets




Fig.1



Fig.2




Fig.3




Fig.4




Fig.5




Fig.6

