



US00D927403S

(12) **United States Design Patent** (10) **Patent No.:** **US D927,403 S**
Park et al. (45) **Date of Patent:** **** Aug. 10, 2021**

(54) **ARMREST FOR AUTOMOBILE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Jeisung Park**, Suwon-si (KR);
Sungkwon Kim, Suwon-si (KR);
Kwaneui Hong, Suwon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/684,908**

(22) Filed: **Mar. 25, 2019**

(30) **Foreign Application Priority Data**

Dec. 20, 2018 (KR) 30-2018-0060643

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/415**

(58) **Field of Classification Search**
USPC D6/328, 334, 354, 355, 356, 364, 366,
D6/601, 655, 702, 708, 708.16, 708.17,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,975 S * 1/1965 Riedel D12/421
D211,333 S * 6/1968 Graham D12/419
(Continued)

FOREIGN PATENT DOCUMENTS

CN 201730533993.3 4/2018
EM 000015326-0002 10/2003
(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **CLAIM**

We claim the ornamental design for an armrest for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an armrest for automobile showing our new design according to a first embodiment;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front perspective view thereof showing a first example state of use;

FIG. 9 is a front perspective view thereof showing a second example state of use;

FIG. 10 is a top perspective view thereof showing a third example state of use;

FIG. 11 is a front perspective view of an armrest for automobile showing our new design according to a second embodiment;

FIG. 12 is a front view thereof;

FIG. 13 is a rear view thereof;

FIG. 14 is a left-side view thereof;

FIG. 15 is a right-side view thereof;

FIG. 16 is a top view thereof;

FIG. 17 is a bottom view thereof;

FIG. 18 is a front perspective view thereof showing a first example state of use;

FIG. 19 is a top perspective view thereof showing a second example state of use;

FIG. 20 is a front perspective view of an armrest for automobile showing our new design according to a third embodiment;

FIG. 21 is a front view thereof;

FIG. 22 is a rear view thereof;

FIG. 23 is a left-side view thereof;

FIG. 24 is a right-side view thereof;

FIG. 25 is a top view thereof;

