



US00D927427S

(12) **United States Design Patent** (10) **Patent No.:** **US D927,427 S**  
**Ganamukhi et al.** (45) **Date of Patent:** **\*\* Aug. 10, 2021**

(54) **CONNECTOR**

(71) Applicant: **Molex, LLC**, Lisle, IL (US)

(72) Inventors: **Ishwarappa Ganamukhi**, Bangalore (IN); **KrishnaPrasad Darbal Somanath**, Bangalore (IN); **Pierre Perez**, Aurora, IL (US)

(73) Assignee: **Molex, LLC**, Lisle, IL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/714,790**

(22) Filed: **Nov. 26, 2019**

(51) **LOC (13) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/133; D13/154**

(58) **Field of Classification Search**  
USPC ..... D13/103, 110, 118–120, 123, 133, 146, D13/147, 154, 173, 174, 178, 184, 199  
CPC ... H01R 4/10; H01R 4/18; H01R 4/20; H01R 4/48; H01R 12/00; H01R 12/71; H01R 12/75; H01R 13/00; H01R 13/05; H01R 13/62; H01R 13/627  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D269,778 S \* 7/1983 McGregor ..... D13/149  
4,932,877 A \* 6/1990 Zinn ..... H01R 13/18  
439/839  
D409,143 S \* 5/1999 Yoshiura ..... D13/133  
D459,302 S \* 6/2002 Malin ..... D13/133  
D481,684 S \* 11/2003 Bomar ..... D13/154  
D496,910 S \* 10/2004 Bomar ..... D13/154  
D499,383 S \* 12/2004 Bomar ..... D13/154  
D592,150 S \* 5/2009 Ogata ..... D13/154  
D724,543 S \* 3/2015 Chen ..... D13/154  
D827,576 S \* 9/2018 Sugizaki ..... D13/133  
D845,111 S \* 4/2019 Stener ..... D8/354

D847,761 S 5/2019 Bhagyanathan Sathianathan et al.  
D884,640 S \* 5/2020 Zhuang ..... D13/133  
D890,701 S \* 7/2020 Somanathapura Ramanna ..... D13/133  
2004/0209529 A1 \* 10/2004 Kuroda ..... H01R 43/16  
439/884  
2006/0205288 A1 \* 9/2006 Chung ..... H01R 13/26  
439/862  
2015/0093929 A1 \* 4/2015 Zhang ..... H01R 13/41  
439/355

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 305119815 4/2019  
JP D1511013 11/2014  
TW D192839 9/2018

*Primary Examiner* — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a front top perspective view of a connector showing our new design;

FIG. 2 is a front bottom perspective view thereof;

FIG. 3 is a rear bottom perspective view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a top view thereof;



FIG. 7 is a bottom view thereof;

FIG. 8 is a left side view thereof; and,

FIG. 9 is a right side view thereof.

The uneven-length broken lines immediately adjacent to and surrounding the shaded area define the peripheral bounds of the claimed design. The even-length broken lines depicting the remainder of the connector form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2015/0111443 A1\* 4/2015 Gutenschwager ..... H01R 43/16  
439/884  
2015/0349460 A1\* 12/2015 Fukaya ..... H01R 13/6272  
439/345  
2020/0373683 A1\* 11/2020 Onuma ..... H01R 43/048

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9