



US00D927837S

(12) **United States Design Patent** (10) **Patent No.:** **US D927,837 S**
Shahid et al. (45) **Date of Patent:** **** Aug. 17, 2021**

(54) **BOOT**

(71) Applicant: **Honeywell International Inc.**, Morris Plains, NJ (US)

(72) Inventors: **Naveed Shahid**, Hyderabad (IN);
Ataur Rahman, Hyderabad (IN);
Rishabh Chaturvedi, Bangalore (IN);
Ramesh M, Hyderabad (IN); **Syed Habib Hussain**, Hyderabad (IN)

(73) Assignee: **HONEYWELL INTERNATIONAL INC.**, Morris Plains, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/756,649**

(22) Filed: **Oct. 29, 2020**

Related U.S. Application Data

(63) Continuation of application No. 29/699,569, filed on Jul. 26, 2019, now Pat. No. Des. 903,987.

(51) **LOC (13) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/911; D2/970**

(58) **Field of Classification Search**
USPC D2/896–900, 909–915, 946, 969–974
CPC .. A43B 3/02; A43B 5/145; A43B 7/06; A43B 3/08; A43B 23/00; A43B 23/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,827,167 A * 8/1974 Jones A43B 7/32
36/4
4,366,629 A * 1/1983 Scherz A43B 7/32
36/108
4,562,652 A * 1/1986 Hensler A43B 5/0472
36/102

D369,894 S * 5/1996 Stolberg D2/910
D475,841 S * 6/2003 Cook D2/909
D519,271 S 4/2006 Hoeft
D520,723 S 5/2006 Hoeft
D554,840 S * 11/2007 McClaskie D2/953
D562,542 S * 2/2008 Kristensen D2/980
D580,139 S * 11/2008 McClaskie D2/951
D606,289 S 12/2009 Hubner
D638,213 S * 5/2011 Funck D2/970
D645,653 S 9/2011 Cook

(Continued)

OTHER PUBLICATIONS

Fire Dex Leather Structure Boot, [online] [retrieved Jul. 25, 2019],
retrieved from the Internet <URL: www.fire-etc.com/FireDexLeatherStructureBoot/?gclid=EAlalQobChM16v-f8_bQ4w1VIJ-fCh3Q8gdGEAQYASABEgljxPD_BwE> 1 page.

(Continued)

Primary Examiner — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **CLAIM**

We claim the ornamental design for a boot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a boot showing the new design;
FIG. 2 is a left side elevation view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken lines adjacent to the shaded areas depict boundaries of the claim and form no part of the claimed design. All other broken lines are directed to unclaimed portions of the boot and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,307,568	B2	11/2012	Bell	
D691,352	S	10/2013	Scherf	
D701,374	S *	3/2014	Feller	D2/911
D722,761	S	2/2015	Monroy	
D747,078	S	1/2016	Feller et al.	
D770,157	S *	11/2016	McClaskie	D2/970
D782,166	S *	3/2017	Feller	D2/911
D872,979	S	1/2020	Francis et al.	
D872,986	S	1/2020	Ledbetter	
D881,533	S	4/2020	Post	

OTHER PUBLICATIONS

FireDex FDXL 100 Red Leather Boot, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://s3-us-east-2.amazonaws.com/s3.firedex.com/wp-content/uploads/2016/05/14125921/FireDex_FDXL_100RedLeatherBoot_Singlejpg> 1 page.

FW055 Boot, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://static1.galls.com/photos/styles/FW055_500_1.JPG> 1 page.

FW654 Boot, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://static3.galls.com/photos/styles/FW654_1500_3.jpg> 1 page.

Honeywell 14 Pro Warrington Leather Boots, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://cdn.shopify.com/s/files/1/0066/4289/2861/products/honeywell-14-pro-warrington-leather-boots-boots-honeywell-4730168639549_1800x1800.jpg> 1 page.

Honeywell 14 Pro Warrington Leather Boots, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: <https://firesafetyusa.com/products/honeywell-14-pro-leather-boots>> 1 page.

Men's Structural Firefigting Boots, Size 10 ½, Footwear Width: M, Footwear Closure Type: Pull on, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://www.grainger.com/product/9XW41?gclid=EAlaIQobChM16_TN5uPQ4w1Vh56zCh3WowuQEAQYBSABEgl3X_D_BwE&cm_mmc=PPC:+Google> 1 page.

Notice of Allowance and Fees Due (PTOL-85) dated Oct. 6, 2020 for U.S. Appl. No. 29/699,569.

Office Action for India Design Application No. 325756-001, dated Feb. 19, 2020, 2 pages.

Pro Warrington 3009 14" Structural Firefighting Boots, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: <https://www.thefirestore.com/store/product.aspx/productId/13570>> 1 page.

Pro Warrington 5006 14 Inch Black Power Toe Boot Power Heel Leather Advanced Rip Stop With Sloped Back Structure Boot, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: www.fire-etc.com/pro-warrington-5006-14-inch-black-power-toe-power-heel-leather-advance-rip-stop-with-sloped-back-structure-boot/> 1 page.

Pro-5006 Boot, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: https://cdn.shopify.com/s/files/1/2640/4122/products/PRO-5006_600x.jpg?v=1530209703> 1 page.

Thorogood Boots: Men's Steel Toe 804-6369 Puncture Cut Resistant FR Boots, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: <https://workingperson.com/thorogood-steel-toe-puncture-resistant-fr-804-6369-boots.html>> 1 page.

X2 Boot 14" Leather Fusion Structural Boots, [online] [retrieved Jul. 25, 2019], retrieved from the Internet <URL: <https://www.thefirestore.com/store/product.aspx/productId/10700>> 1 page.

U.S. Appl. No. 29/699,569, filed Jul. 26, 2019, D. 903,987.

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7