



US00D927931S

(12) **United States Design Patent**
Kuchinski et al.

(10) **Patent No.:** **US D927,931 S**
(45) **Date of Patent:** **** Aug. 17, 2021**

(54) **MIXING IMPELLER**

- (71) Applicant: **PRC DeSoto International, Inc.**, Sylmar, CA (US)
- (72) Inventors: **Paul Kuchinski**, Valley Village, CA (US); **Goldi Singh**, Chino Hills, CA (US); **Oscar Santillan**, Camarillo, CA (US)
- (73) Assignee: **PRC-DeSoto International, Inc.**, Sylmar, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/730,507**

(22) Filed: **Apr. 6, 2020**

(51) **LOC (13) Cl.** **31-00**

(52) **U.S. Cl.**
USPC **D7/412; D7/376; D7/378; D7/383**

(58) **Field of Classification Search**

USPC D7/372, 376–386, 412–413, 602, 629, D7/665–666, 669, 679, 693–694; D13/115; D23/200; D24/220
 CPC A21C 1/02; A21C 1/04; A23N 1/00; A23N 1/02; A47J 43/04; A47J 43/25; A47J 43/27; A47J 43/042; A47J 43/044; A47J 43/046; A47J 43/075; A47J 43/0722; A47J 43/0727; B01F 3/00; B01F 3/0807; B01F 3/0853; B01F 7/00341; B01F 7/00633; B01F 7/22; B01F 13/0059; B01F 13/0064; B01F 15/00019; B02C 1/08; B02C 2/04; B02C 4/42; B02C 4/142; B02C 4/143; B02C 4/423; B02C 13/1835; B02C 18/20; B28C 5/10; B28C 5/12; B28C 5/14; B28C 5/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,461,933 A * 8/1969 Mantelet A47J 43/046 241/199.12
- 4,930,709 A * 6/1990 Steffens B02C 18/20 241/282.2
- D432,621 S * 10/2000 Etschel D12/214

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 63/005,527 to Kuchinski, “Mixing Impellers for Sealant Cartridges”, filed Apr. 6, 2020.

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Alan G. Towner

(57) **CLAIM**

The ornamental design for mixing impeller, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view of a mixing impeller showing an embodiment of our new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a top perspective view of a mixing impeller showing another embodiment of our new design; FIG. 8 is a bottom perspective view thereof; FIG. 9 is a front view thereof; FIG. 10 is a top view thereof; and, FIG. 11 is a bottom view thereof.

The broken lines are for environmental purposes only and form no part of the claimed design.

The mixing impeller of the embodiment of FIGS. 1-6 is rotationally symmetrical at 120° intervals around a central vertical axis thereof.

The mixing impeller of the embodiment of FIGS. 7-11 is being rotationally symmetrical at 90° intervals around a central vertical axis thereof, such that the right side, left side and rear views are substantially identical to the front view of FIG. 9.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,834,818 B2 * 12/2004 Lee A47J 43/0722
241/282.2
7,473,025 B1 * 1/2009 Howk B01F 7/00341
366/270
D708,902 S * 7/2014 Audette D7/412
9,289,733 B2 * 3/2016 Maxon B01F 15/00019
9,334,874 B2 * 5/2016 Xia B01F 7/00341
9,731,256 B2 * 8/2017 Dinnison B01F 7/22
D829,172 S * 9/2018 Cooper D13/115
D891,634 S * 7/2020 Skakoon D24/220
10,894,238 B2 1/2021 Singh et al.
2002/0139884 A1 * 10/2002 Williams A47J 43/0722
241/282.1
2010/0246320 A1 * 9/2010 Sands B01F 7/00633
366/246

* cited by examiner




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11