

US00D928439S

(12) **United States Design Patent** (10) **Patent No.:** **US D928,439 S**
Jackson (45) **Date of Patent:** **** Aug. 17, 2021**

(54) **FLOOR SCRUBBER**

(71) Applicant: **Trina Augunet Jackson**, Arlington, TX (US)

(72) Inventor: **Trina Augunet Jackson**, Arlington, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/698,656**

(22) Filed: **Jul. 18, 2019**

(51) **LOC (13) Cl.** **07-05**

(52) **U.S. Cl.**
USPC **D32/40**

(58) **Field of Classification Search**
USPC D3/201, 272-274; D32/40-43, 1; D7/546, 601-602, 354; D28/73
CPC B65D 43/02; A43B 3/00; A47L 13/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,699,672 A * 10/1972 Sims A43B 3/00
36/7.7
- 4,510,641 A * 4/1985 Morris A47L 13/17
15/118
- 5,613,897 A * 3/1997 Thompson, Jr. A47L 13/282
134/6
- D381,772 S * 7/1997 Williams D28/63
- D384,209 S * 9/1997 Driggers D28/63
- D389,603 S * 1/1998 Roman D28/63
- D391,711 S * 3/1998 Hanaoka D32/40
- D418,945 S * 1/2000 Chen D28/63
- D447,298 S * 8/2001 Swoboda D32/40
- 6,305,047 B1 * 10/2001 Armaly, Jr. A47L 13/16
15/244.1
- D461,030 S * 7/2002 Cruell D32/40
- 6,446,300 B1 * 9/2002 Sleezer A47L 13/282
15/227
- D499,542 S * 12/2004 Nanda D3/200
- D534,115 S * 12/2006 Lin D12/220

- D534,475 S * 1/2007 Lin D12/220
- D546,011 S * 7/2007 Favuzzi D32/40
- D558,415 S * 12/2007 Franco D32/40
- D618,874 S * 6/2010 Hagan D32/42
- D641,115 S * 7/2011 Walsh D32/43
- D687,200 S * 7/2013 Bickel D32/40
- D702,850 S * 4/2014 Yockel D24/207
- D739,106 S * 9/2015 Hoying D32/40
- D773,731 S * 12/2016 Harris D28/7

(Continued)

FOREIGN PATENT DOCUMENTS

CN 301138016 * 2/2010

OTHER PUBLICATIONS

Shoe Protection Floor Stripping Soles, Cleanfreak website 2021, <https://www.cleanfreak.com/safety/ppe-sanitary/foot/stripping-shoes/shoe-protection-floor-s...>, site visited May 8, 2021.*

Primary Examiner — John R Yeh
(74) *Attorney, Agent, or Firm* — Jeffrey Roddy


(57) **CLAIM**

The ornamental design for a floor scrubber, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of my new design for a floor scrubber that shows a flexible pad, an elastic band, and a fabric tab;
FIG. 2 is a front, left perspective view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a bottom, left perspective view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a left side elevation view thereof; and,
FIG. 7 is a perspective view in an environment of use.
The broken lines in the drawings depict environment of the floor scrubber and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D867,704 S * 11/2019 Hagee D32/40
D882,169 S * 4/2020 Silva D28/7

* cited by examiner

FIG. 1





FIG. 2

FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7