



US00D928489S

(12) **United States Design Patent** (10) **Patent No.:** **US D928,489 S**
Bradley (45) **Date of Patent:** **** *Aug. 24, 2021**

(54) **HEEL PAD FOR A SHOE**

- (71) Applicant: **INTRICATE FORTE, INC.**, Latham, NY (US)
- (72) Inventor: **Tina B. Bradley**, Latham, NY (US)
- (73) Assignee: **INTRICATE FORTE, INC.**, Latham, NY (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/735,459**
- (22) Filed: **May 21, 2020**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 16/710,438, filed on Dec. 11, 2019, which is a continuation of application No. 15/934,459, filed on Mar. 23, 2018, now Pat. No. 10,548,371, which is a continuation-in-part of application No. 29/641,704, filed on Mar. 23, 2018, now Pat. No. Des. 887,694,
(Continued)

- (51) **LOC (13) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/961**
- (58) **Field of Classification Search**
USPC D2/915, 946, 961, 896, 976; 2/61;
36/69, 71, 71.5, 72 R, 72 A, 72 B, 73, 43,
36/44
CPC A43B 23/28; A43B 23/30; A43B 5/007;
A43B 5/0439; A43B 9/00; A43B 3/166;
A43B 21/22; A43B 21/00; A43B 17/00;
A43B 17/14; A43B 19/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,596,288 A * 8/1926 Miller A43B 23/28
36/58.5
- 1,718,619 A * 6/1929 Watanabe A43B 23/28
36/55

(Continued)

OTHER PUBLICATIONS

AUTCARIBLE 5 Pairs Heel Cushion Inserts Heel Grips Shoe Pads for Women Non Slip Wear Resistant Silicone Heel Liners Protectors for Loose Shoes High Heels, <https://www.walmart.com/ip/AUTCARIBLE-5-Pairs-Heel-Cushion-Inserts-Grips-Shoe-Pads-Women-Non-Slip-Wear-Resistant-Silicone-Liners-Protectors,2021> (Year: 2021).*

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Amsler, Rothstein & Ebenstein LLP


(57) **CLAIM**

The ornamental design for a heel pad for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a heel pad for a shoe showing my new design, shown in a closed position.
 FIG. 2 is a front view thereof.
 FIG. 3 is a back view thereof.
 FIG. 4 is a left side view thereof, the right side view being a mirror image thereof.
 FIG. 5 is a top view thereof.
 FIG. 6 is a bottom view thereof.
 FIG. 7 is a front view thereof, shown in used condition on a shoe shown in broken lines.
 FIG. 8 is a front view of FIG. 2, shown in an open, flattened position.
 FIG. 9 is a back view of FIG. 8; and,
 FIG. 10 is a top, perspective view of FIG. 8.
 The broken lines in the drawings illustrating a shoe are environmental structure and form no part of the claimed design. All other broken lines illustrate portions of the heel pad for a shoe that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



Related U.S. Application Data

and a continuation-in-part of application No. 29/641, 710, filed on Mar. 23, 2018, now Pat. No. Des. 888,395, which is a continuation-in-part of application No. 15/566,162, filed on Oct. 12, 2017, now abandoned.

(56)

References Cited

U.S. PATENT DOCUMENTS

1,838,487 A 12/1931 Josephs
 1,844,280 A 2/1932 Hacker
 1,946,591 A 2/1934 Saito
 2,716,249 A 8/1955 Holloway
 3,063,172 A 11/1962 Beattie
 3,112,571 A 12/1963 Musgrave
 4,503,628 A 3/1985 Mancinelli
 4,642,916 A 2/1987 Collins
 5,090,140 A 2/1992 Sessa
 D328,965 S 9/1992 Ewing
 D374,336 S 10/1996 De Silva
 D411,758 S 7/1999 Karim

6,584,707 B1 7/2003 Racine
 7,204,043 B2 4/2007 Kilgore
 7,168,188 B2 6/2007 Auger
 D571,540 S 6/2008 Granito
 D667,630 S 9/2012 Christ
 8,424,117 B2 4/2013 Hasan
 D705,535 S 5/2014 Stapleton
 D806,997 S 1/2018 Whiting
 10,327,512 B2 * 6/2019 Birrell A43B 7/1465
 10,548,371 B2 2/2020 Bradley
 D888,395 S * 6/2020 Bradley D2/961
 2009/0293240 A1 * 12/2009 Hubbard A43C 7/04
 24/306
 2013/0269218 A1 * 10/2013 Blumenaus A43B 23/28
 36/136
 2013/0333242 A1 12/2013 Whiting
 2014/0338224 A1 11/2014 Sketch
 2014/0345158 A1 * 11/2014 Fox A43B 23/28
 36/58.5
 2017/0027285 A1 * 2/2017 Mancini A43B 23/28
 2018/0084866 A1 3/2018 Bradley
 2020/0113288 A1 4/2020 Bradley

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10