



US00D928847S

(12) **United States Design Patent** (10) **Patent No.:** **US D928,847 S**
Baucom et al. (45) **Date of Patent:** **** Aug. 24, 2021**

(54) **STABILIZER PAD**
(71) Applicant: **Caterpillar Inc.**, Peoria, IL (US)
(72) Inventors: **Daniel D. Baucom**, Rolesville, NC (US); **Dennis E. Roberts**, Metamora, IL (US)
(73) Assignee: **Caterpillar Inc.**, Peoria, IL (US)

5,667,245 A 9/1997 Lagsdin
5,992,883 A 11/1999 Lagsdin
6,109,650 A 8/2000 Lagsdin
D441,711 S 5/2001 Lagsdin
6,227,570 B1 5/2001 Martinez
6,270,119 B1 8/2001 Lagsdin
6,422,603 B2 7/2002 Lagsdin
D462,366 S 9/2002 Lagsdin
D462,367 S 9/2002 Lagsdin

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/743,005**

GB 2459533 11/2009
JP 201352747 9/2015

(22) Filed: **Jul. 17, 2020**

Primary Examiner — Mark A Goodwin

Related U.S. Application Data

(63) Continuation of application No. 29/654,264, filed on Jun. 22, 2018, now Pat. No. Des. 894,241.

(51) **LOC (13) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/10, 22-24, 28; D12/223; 248/633, 248/678; 280/763.1

CPC ... E06C 7/46; B66C 23/78; B60S 9/02; B60S 9/00; B60S 9/12; E02F 9/08; E02F 9/085
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,973,226 A 9/1934 Rose
3,897,079 A 7/1975 MacKenzie
3,913,942 A 10/1975 MacKenzie
4,039,206 A 8/1977 Nault
4,421,290 A 12/1983 Frank
4,588,233 A 5/1986 Denbesten
4,761,021 A 8/1988 Lagsdin
4,889,362 A 12/1989 Lagsdin
5,050,904 A 9/1991 Lagsdin
5,051,057 A 9/1991 Kremer
5,488,788 A 2/1996 Durbin

(57) **CLAIM**


We claim the ornamental design for a stabilizer pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an exemplary embodiment of a stabilizer pad looking at the front side; FIG. 2 is a top perspective view of the stabilizer pad of FIG. 1 looking at the rear side; FIG. 3 is a bottom perspective view of the stabilizer pad of FIG. 1 looking at the rear side; FIG. 4 is a bottom perspective view of the stabilizer pad of FIG. 1 looking at the front side; FIG. 5 is a top plan view of the stabilizer pad of FIG. 1; FIG. 6 is a rear view of the stabilizer pad of FIG. 1; and, FIG. 7 is a right side view of the stabilizer pad of FIG. 1. The left side view of the stabilizer pad is a mirror image of the right side view.

The bottom of the stabilizer pad is flat and devoid of surface ornamentation and, thus, a bottom plan view is omitted. The portions of the Figures shown in phantom lines are either unclaimed boundary lines or for illustrative purpose only, and no phantom line forms a part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,471,246	B1	10/2002	Lagsdin
D467,594	S	12/2002	Lagsdin
6,634,672	B1	10/2003	Lagsdin
6,726,246	B2	4/2004	Lagsdin
6,986,530	B2	1/2006	Lagsdin
7,040,659	B2	5/2006	Lagsdin
7,073,821	B2	7/2006	Lagsdin
7,172,216	B1	2/2007	Lagsdin
7,267,386	B2	9/2007	Hesch
D562,355	S	2/2008	Lagsdin
D567,824	S	4/2008	Lagsdin
7,401,812	B2	7/2008	Lagsdin
D576,181	S	9/2008	Busley
7,802,814	B2	9/2010	Lagsdin
7,900,962	B2	3/2011	Lagsdin
8,262,132	B1	9/2012	Lagsdin
10,017,989	B1	7/2018	Kellogg
2004/0046378	A1	3/2004	Lagsdin
2004/0056465	A1	3/2004	Lagsdin
2004/0208737	A1	10/2004	Schmidtlein
2006/0011800	A1	1/2006	Lagsdin
2008/0048427	A1	2/2008	Lagsdin
2008/0122212	A1	5/2008	Lagsdin
2018/0094403	A1	4/2018	Nobles




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7